

A craftsman wearing a black cap with gold patterns, glasses, and a black shirt is working at a wooden workbench. He is using a rotary tool to work on a small metal piece. The workbench is cluttered with various tools, including pliers, screwdrivers, and a yellow tool holder. A desk lamp is positioned over the work area. The background shows a wooden wall and other workshop equipment.

Yihu! Casting®

工具 and 耗材 **TOOLS & CONSUMABLES**

广州 Guangzhou / 深圳 Shenzhen / 东莞 Dongguan / 义乌 Yiwu / 梧州 Wuzhou / 香港 HongKong / 泰国 Thailand

ABOUT US

关于艺辉

品质，源于专业和细节的管理，创新，源自心中对远方不断探索，20年的工艺沉淀，形成了艺辉自己独特的品牌精神。

艺辉铸造科技有限公司成立于2003年，办公总部坐落于广州市番禺区，现已发展成为一家集首饰铸造设备研发、生产、销售、咨询、安装、培训，提供首饰铸造一站式解决方案为一体的国家高新技术企业。通过艺辉人的不断努力，开启了国产自主研发设备的征程，一路上披荆斩棘，突破一个个技术难点，研发出了一系列具有自主知识产权的产品。艺辉铸造科技主营产品：金属铸造设备、铸造蜡、石墨制品、石英制品等。以自有产品为主导，铸造类产品为核心，同时代理世界知名品牌的首饰工具及耗材，已形成了完善的产品体系。产品覆盖所有首饰加工工序，主要适用于首饰、钟表、眼镜、牙科、工艺品等精密铸造行业，并远销东南亚、中东、及欧美等地区。其中自主研发生产的自动化真空加压铸造机，20KG撒珠机，配备智能系统D3真空加压铸造机等产品，打破了行业长期以来，高性能首饰设备长期依赖进口的局面。产品系列包括：设计起版、制模、注蜡、开粉焙烧、熔铸铸造、石墨、石英等，形成了完善的产品及服务体系！

公司于2014年2月26日再次获得了ISO9001:2015质量管理体系认证证书，荣获“国家高新技术企业”称号，标志着公司质量管理在科学化、精细化、标准化方面又走出了重要的一步，公司在各项管理系统整合上已达到了国际标准，能持续稳定地向客户提供预期和满意的合格产品，努力提升客户满意度的追求和理念，赢得了社会各界及广大消费者的认可和信任。以匠心精神做事，从来料检验、制程检验、成品检验、产品测试全程管控，确保每一台产品都经过性能测试达标后方可入仓；公司布局电商部、外贸、广州、深圳、东莞、安徽、浙江、广西涉及国内及海外两大市场；拥有完善的人才梯队，汇集行业内精英，百余名人员从事研发、生产、咨询、销售、售后等岗位；销售团队为您提供最专业的服务，从咨询、洽谈、了解、订购、交付、安装、培训、使用、全程跟进等全方面一站式服务。

技术部拥有二十余名高学历工程师，获得40多项专利证书，具备研发、设计、生产、技术支持一体化的服务能力，可以为您提供量身定制所需产品，OEM加工，ODM设计等；从产品的技术讲解、标书制作、工艺流程、安装使用所遇到的问题提供全方位的技术支持，提供设备安装服务，从设备安装、设备调试、操作流程、维护保养、突发应对等全方面培训，提供专业的首饰铸造、工艺流程、技术培训，从首饰铸造设计起版开始到制蜡、注蜡、开粉焙烧、熔铸铸造、执模等工艺流程全方面技能培训。

多年来，公司生产销售的设备和技术服务受到了外界的一致好评，并与许多知名企业长期合作，共同发展。“秉承工匠精神，持续创新驱动”致力于首饰行业的技术进步，艺辉人将勇于拼搏、创新与客户、员工、供应链、社会共同创造、共享成果与未来，致力于成为全球首饰铸造领域卓越品牌。

Quality stems from professional and detailed management, innovation, and continuous exploration in the heart. The process precipitation and accumulation of nearly 20 years, have formed Yihui's own unique brand spirit.

Yihui casting Technology Co., Ltd. was established in 2003, and is headquartered in Panyu District, Guangzhou City, it has now developed into a national high-tech enterprise company, integrating lost wax casting equipment R&D, production, sales, consulting and proving one stop solution for jewelry casting. Through the continuous efforts of Yihui people. The journey of self independent research and development has been started, a series of products with independent intellectual property rights have been developed, overcome all obstacles along the way, the main products including casting equipments, casting wax, graphite products, ceramic products, etc. Taking self-owned products as the leading factor, casting products as the core, as well as distribute world-know brands of jewelry equipment and consumables, it has formed a complete product system. The products cover all jewelry processing procedures, and are mainly suitable for precision casting industries

such as jewelry, wathes, glasses, dentistry, etc. And are exported to all over the world. Among them, the self-developed automatic vacuum pressure casting machine, 20KG vacuum granulating machine, equipped with intelligent system D3 vacuum pressure casting machine other products have broken the long-term dependence on imported high-performance jewelry equipment in this industry. The product series include: designing, molding, wax injection, powder baking, smelting&casting, graphite, ceramic, etc. The company successfully passed the strict inspection and certification of the SGS Quality Certification Center.

On February 26, 2014 and was awarded the title of "National High-tech Enterprise". It marks that the company's quality management has taken another important step in scientific, refined, and standardized. The company has reached international standards in the integration of various management systems, and can continue to provide customers with expected and satisfying qualified products. The pursuit and concept of "enhancing customer satisfaction" has won the recognition and trust of all sectors of society and consumers. Work with the spirit of ingenuity, and control the entire process of raw material inspection, process inspection, finished product inspection, and product testing to ensure that each product can be put into the warehouse after the performance test reaches the standard.

The company has an e-commerce department, foreign trade department, Guangzhou Sales Center, Shenzhen Sales Center, Dongguan Sales Center, Anhui Sales Center, Zhejiang Sales Center, Guangxi Sales Center, involving domestic and overseas markets.

We have a complete talent echelon, bringing together elites in the industry, more than a hundred people engaged in research and development, consulting, sales, after-sales and other positions. The sales team provides you with the most professional services, from consultation, negotiation, ordering, delivery, installation, training, and full follow-up. The R&D department has more than 20 highly educated engineers, has obtained more than 40 patent certificates, and has the services capabilities of R&D, design, production, and technical support. It can tailor the products you need OEM processing, ODM design, etc. The R&D department Provide a full range of technical support from product technical explanation, bidding production, process flow, installation and use and troubleshooting. The R&D department provide equipment installation services from equipment installation, equipment debugging, operating procedures, maintenance emergency response and other training. The R&D department provide professional jewelry casting processing technical training, from the beginning of jewelry casting design to the process of mold making, wax injection, powder baking, smelting & casting and hand polishing, etc, and other skills trainings.

Yihui casting Technology Co., Ltd. has been providing high-quality products and services, to many well-known domestic and foreign companies with the concept of "customer first", technology leadership, enthusiasm and openness, learning and hard word, innovation and double win. The equipments and technical services produced and sold have received unanimous praise, and have long-term cooperation with many well-known enterprises for common development. Adhering to the spirit of craftsmanship and driving continuous innovation is committed to the technological advancement of the jewelry industry. Yihui people will be used to work hard, innovate and create together with customers, employees, supply chain, society, share results and the future, and strive to become a global jewelry casting field Excellent brand.

创始于2003年

SPECIALIZING IN JEWELRY CASTING SINCE 2003

2003

深圳市艺辉首饰器材有限公司成立
Shenzhen Yihui Jewelry Equipments Co., Ltd established.

2005

广州市艺辉铸造科技有限公司成立
Guangzhou Yihuicasting Technology Co., Ltd established

2008

艺辉香港公司成立，同年广州运营总部设立
Yihui (HK) Ltd. established, together with establishment of Yihuicasting Guangzhou Headquarter

2009

广东瀚辉石墨有限公司成立，专注于石墨石墨制品生产
Guangdong Hanhui Graphite Co., Ltd. established, specialize in production of Graphite and ceramic products.

2010

艺辉义乌及东莞长安店开业，同年瑞辉自动化系统（广东）有限公司成立
Under Yihuicasting brand, added a shop in Yiwu city and Changan, Dongguan City separately, in the same year, Yihui Casting Technology Co., Ltd. established.



2011

艺辉深圳求水山店开业，同年艺辉产品远销六十六个国家
Opened a shop in Qiushuishan, Shenzhen City, by this time, our products has been sold to more than 60 countries.

2012

艺辉番禺大罗塘店开业
Celebrated the opening of our shop in Dalutang, Panyu, Guangzhou City.

2013

艺辉深圳李朗旗舰店开业，依托艺辉品牌，已形成石墨制品、石墨制品、首饰机械、耗材及工具等完善的精密生铸造产品体系
Opened a flagship store in Lilang, Shenzhen city. Rely on Yihuicasting brand, formed a complete precious lost wax casting products supply system, including ceramic products, graphite products, jewelry machines, consumables, tools, etc.

2014

艺辉广西梧州店和深圳布心店开业；深圳李朗旗舰店成功扩大升级，经营面积达到2000多平方；韬辉科技（佛山）有限公司成立
Guangxi Wuzhou store and Shenzhen Buxin store opened, Shenzhen Li Lang flagship store successfully expand upgrading, operating area has reached 2000 square meter. Taohui Technology (Foshan) Co., Ltd. established

2015

Yihui Casting 商标注册成功
Yihui Casting trademark registered successfully.

2016

艺辉深圳横岗店开业
Opened a shop in Henggang, Shenzhen City.

2017

艺辉番禺沙南旗舰店开业，大罗塘店合并至沙南店
Yihui Shanan flagship shop is opened in Panyu, Dalutang shop merged to Shanan shop.

2019

安徽驰辉新材料有限公司成立
Anhui Chihui New Materials Co., Ltd established

2022

华智科创中心开始营业
Huazhi Technology Innovation Center set up

2024

艺辉铸造（泰国）有限公司成立
Yihui Casting (Thailand) Co., Ltd established



艺辉旗下公司 YIHUI GROUP



核心理念 Core concept

艺恩：专注于影视圈

愿景：成为全球首饰铸造领域卓越品牌

使命：秉承工匠精神，持续创新驱动，致力于首饰行业的技术进步

价值观：客户第一，技术领先，热情开放，学习拼搏，创新共赢

客户第一：客户是工作的起点和奋斗方向，以满足客户的需求，为所有工作的出发点和落脚点。

技术领先：技术是企业立身之本，做市场竞争的领先者，保持持续领先。

热忱开放：工作热忱，个人开放，积极吸收新鲜事物，积极拥抱变化，不故步自封；团队包容，吸纳各类人才，兼容并蓄，实现自赋能、自推动、自优化、自修复！

学习拼搏：艺考生在在学习中发现更优秀的自己，勇于拼搏，不屈不挠，勇于担当，积极进取，乐于奉献！

创新共赢：持续创新才能创造更高价值。利他心，与客户、员工、供应链、社会共同创造，共享成果与未来。

艺辉不追求短期利益, 在创新、文化、制度、核心竞争力等方面保持持续投入和竞争优势, 实现企业的协调可持续发展。

Yihui: Focus on jewelry casting

Vision: To become one of global leading brand in jewelry casting area

Mission: Adhering to the spirit of craftsmanship, driven by continuous innovation, devoted to the technical progress in the jewelry industry

Values: Customer first, leading technology, enthusiasm and openness, learning and hard working, innovation and double win

Customer first: The customer is the starting point and direction of our work in order to meet the needs of various customers, the starting point and foothold for all our works.

Leading technology: Technology is the foundation of Yihuicasting, to be the leader in competitive market, as well as to keep constant leading.

Enthusiasm and openness: enthusiasm for work, personal openness, absorb new things and embrace change actively, uncomplacent. team member is inclusive with each other, absorbing all kinds of elites, inclusive and poised mutually, self-empowerment, self-promotion, self-optimization, self-repair!

Learning and hard working: Yihui people shall find better themselves in learning, the courage themselves to hard working, indomitable, positive to take responsibility, proactive, willing to contribute!

Innovation and double win: Constant innovation creates higher value, altruism, and co-create with customers, employees, supply chains, co-creates Society co-creates and shares the fruits and the future and shares the fruits & future together.

Yihuicasting does not pursue short-term benefits, meanwhile maintains continuous investment and competitive advantages in innovation, culture, system, core competitiveness, etc., to achieve coordinated and sustainable development of Yihuicasting.



专注于首饰铸造
Specializing in Jewelry Casting

提供铸造一站式解决方案 PROVIDE FULL CYCLE CASTING SOLUTION

设备 Equipment

3D打印机、压铸机、压铸机、压粉机、电炉、压粉机、石膏清洗机、熔金机、铸造机、铸锭机、磨珠机等。
3D Printer, Vulcanizer, Wax injector, Vacuum mixer, Burnout oven, Cleaning machine, Melting furnace, Casting machine, Gold bar machine, Granulating machine, etc.

培训 Training

从首饰铸造设计版开始到制模、注蜡、开粉、熔炼、熔炼铸造等工艺流程全方位技能培训。
Comprehensive training of entire jewelry making process, from 3D design, wax injection, mixing, burning, die casting, continuous casting, granulating, grinding and polishing.

铸造 CASTING

工具和材料 Tools and Materials

树脂、铸造蜡、硅胶、石膏粉、石墨、石英、工匠台、锤子、剪钳、油槽等。
Resin, Casting wax, Silicone rubber, Investment powder, Graphite, Ceramic, Bench, Hammer, Pliers, Steel trough, etc.

工艺技术 Technics and Technology

我们是专业的失蜡铸造整体解决方案提供商，拥有整套失蜡铸造工艺流程技术。
Provide full cycle jewelry casting & jewelry polishing solutions.



创始于 SINCE

2003

珠宝首饰合作工厂 Cooperated Jewelry Factory

5000⁺

合作院校 Cooperated University

1000⁺

艺辉对于首饰制造核心理念形成了我们坚定的使命

YIHUI'S CORE PHILOSOPHY OF JEWELRY CASTING HAS FORMED OUR STEADFAST MISSION

卓越的毛坯制备 EXCELLENT RAW PREPARATION

我们坚信，创造卓越的首饰必须始于高品质的毛坯制备。因此，我们深入研究并不断优化整个铸造工艺流程，建立了精密的工艺技术看方案，以确保毛坯的卓越质量。这一步骤被视为制造卓越产品的不可或缺的基础。

We firmly believe that creating excellent jewelry must start with high-quality raw preparation. Therefore, we have conducted in-depth research and continuously optimized the entire casting process, and established precise process technology solutions to ensure the excellent quality of the blanks. This step is seen as an indispensable foundation for making superior products.

自动化抛光 AUTOMATIC POLISHING

我们重视降低在抛光和研磨等环节的人力资源投入，积极采用自动化设备进行生产。我们专注于提高生产效率，以确保产品的一致性和高品质。这一理念旨在降低成本的同时保持质量，以满足市场需求。

We pay attention to reducing the human resource investment in polishing and grinding, and actively use automated equipment for production. We focus on improving production efficiency to ensure product consistency and high quality. This concept aims to reduce costs while maintaining high quality to meet market demand.



综上所述，我们构建了两个独立的产品线，一个专注于铸造，另一个专注于抛光，结合设备、材料、工艺技术以及培训，以全面推动我们的愿景，为客户提供卓越的首饰制造工艺及技术服务。

In summary, we have built two separate product lines, one specialize in casting and the other in polishing, combining equipment, materials, process technology, and training to fully drive our vision to provide our customers with excellence in jewelry manufacturing Process and technical services.



我们的客户 Our customers

ASIA

Syria
Saudi Arabia
EAU
Russia
Kazakistan
Kirghizistan
India
Indonesia
Thailand
Cambodia
Vietnam
Indonesia
Thailand
Cambodia
Vietnam
Pakistan

EUROPE

Portugal
Spain
France
England
Germany
Poland
Denmark
Greece
Romania
Czech Republic

OCEANIA

Australia
New Zealand

AFRICA

Algeria
Tunisia
Morocco
Libya
Egypt

AMECIA

USA
Mexico
Brazil
Argentina
Peru

制模 Molding

- 01 —— 硅胶 Silicone rubber
- 02 —— 压模框 Aluminum mould frame
- 03 —— 压模球 Mould vulcanizing balls
刀柄 Handles
- 04 —— 掏底刀 Carving knife
雕蜡刀 Wax carving knife
- 05 —— 蜡条 Wax ring tube
手模蜡 Bracelet wax
蜡片 Wax slice
- 06 —— 树心模 Sprue wax mould
胶底座 Round shape rubber base
- 07 —— SUS304钢盅 SUS304 flask
- 09 —— 钢盅盖 Flask cover
- 10 —— 钢盅钳/夹 Flask tong
坩埚钳 Crucible tong
- 11 —— 热电偶 Thermo couple
投料铲 Shovel
- 12 —— 吸水纸 Absorbent paper
美纹胶纸 Masking tape
车花胶 Adhesive tape

执模 Hand polishing

- 13 —— 工作台 Desk
- 15 —— 扩大器 Ring stretcher
- 17 —— 镊子 Tweezer
- 19 —— 剪钳 Pliers
- 29 —— 卓弓 Sam bow
- 30 —— 锯条 Saw blades
- 31 —— 锉 File
- 44 —— 铲刀 Graver
- 47 —— 针钻 Burs and drills
- 49 —— 铁锤 Hammer
- 52 —— 篆刻 Chisel carving
- 56 —— 台木 Bench pin
- 57 —— 手环 Bracelet clamp
- 58 —— 手印 Stamp

镶嵌 Stone inlay

- 59 —— 微镶机器 Micro stone setting machine
微镶工具 Stone setting tool
- 62 —— 四方窝砧 Square steel dapping block
- 63 —— 坑铁 Dapping block
- 64 —— 套装窝球作 Punch dapping set
- 67 —— 镶口模具 Bezel block
- 72 —— 台灯 Desk lamp

焊接 Soldering

- 74 —— 火枪 Torch
- 75 —— 油壶 Oil pot
点火器 Lighter
焊粉 Welding powder
- 76 —— 风球 Leather air bellow
气体打火机 Gas torch

电镀 Electroplating

- 78 —— 石英烧杯 Ceramic beaker
洗货挂勾 Hanging hook
过滤纸 Filter paper
- 79 —— 铂金钛网 Platinum titanium mesh
电金机 Electro plating machine
- 80 —— 电镀笔笔嘴 Electroplated pen tip
- 81 —— 塑料量杯 Measuring cup

抛光 Polishing

- 82 —— EP300电解抛光机 EP300 Electric polishing machine
- 83 —— 磁力抛光机 Magnetic tumbler

- 90 —— 涡流机 Polishing tumbler
- 92 —— LS-32立式离心研磨机 LS-32 Vertical centrifugal grinding machine
- 93 —— 双层干式滚筒研磨机 Dry barrel polishing machine with double layer
- 94 —— 震动抛光机 Vibration polishing machine
- 95 —— 滚桶抛光机 Barrel polishing machine
- 96 —— 其它抛光机 Other polishing machine
- 100 —— 打磨机 Polishing machine
- 103 —— 吊磨机 Flex shaft
- 108 —— 蒸汽清洗机 Steam cleaning machine
- 109 —— 抛光台 Buff polishing machine
- 112 —— 超声波清洗机 Ultrasonic cleaning machine
- 114 —— 抛光耗材 Polishing consumables
- 125 —— 硅胶磨头 Polyster polishing bits
- 133 —— 毛刷 Brush
- 141 —— 有柄双层百洁布 Nylon Buffing Polishing Wheel
铁芯毛刷 Iron core brush
- 143 —— 布轮 Buff
- 145 —— 麻轮 Flax wheel
- 144 —— 尼龙轮 Nylon wheel
- 148 —— 羊毛轮 Wool wheel
飞碟轮 Split wheel
- 149 —— 柏轮 Cloth wheel
海绵抛光轮 Sponge polishing wheel
- 150 —— 飞翼轮 Non woven polishing wheel
打磨轮 Radial shape disc
- 151 —— 拉丝轮 Wire drawing wheel
- 152 —— 金刚石切割片 Diamond cutter
- 154 —— 砂纸 Sanding paper
- 155 —— 砂带 Sanding belt
- 156 —— 飞碟夹 Split lap clamp
夹砂棒 Rod
玛瑙刀 Agate knife
- 157 —— 钢压 Steel burnisher
- 159 —— 夹砂针 Saning paper clip
- 161 —— 旋转锉 Rotary file
- 162 —— 戒指绒棒 Felt ring buff
手绳棒/手绳内抛棍 Felt bangle buff
- 163 —— 木柄钢丝刷 Brass wire brush with handle
油漆刷 Paint brush
- 164 —— 防酸手套 Acid proof glove
防护手套 High temp glove
防护服 Protective clothing
手指套 Finger guard
- 165 —— 毛巾 Towel
抛光粉 Polishing powder
硼酸粉 Boric acid powder
干打砂机 Dry sand-making machine
- 165 —— 喷砂机 Sanding blasting machine

开料车花 Mechanical engraving


- 168 —— 戒指内孔刻字机 Inside ring engraver
- 169 —— 雕刻机 Graving machine
- 172 —— 压片机 Rolling mill
- 175 —— 拉线板 Drawing plates

宝石鉴定 Gem Identification

- 176 —— 鉴定设备 Identification equipment
- 184 —— 数码摄影箱 Photography Box

测量检测 Measuring instruments

- 185 —— 戒指尺 Ring stick
- 187 —— 戒指圈 Ring sizes
- 188 —— 卡尺 Calipers
- 190 —— 放大镜 Jewelry loupe
- 195 —— 显微镜 Microscope
- 198 —— 电子称 Electronic scales
- 200 —— 手攀称 Pocket digital scale



硅胶
Silicone rubber
R.SR.00001
20kg/箱/Carton



硅胶
Silicone rubber
R.SR.00008
20kg/箱/Carton



硅胶
Silicone rubber
R.SR.00008-B
20kg/箱/Carton



硅胶
Silicone rubber
R.SR.00008-E
20kg/箱/Carton



硅胶
Silicone rubber
R.SR.00007
20kg/箱/Carton



硅胶
Silicone rubber
R.SR.00060
20kg/箱/Carton



硅胶
Silicone rubber
R.SR.00022
20kg/箱/Carton



朱红色硅胶
Vermillion Silicone rubber
R.SR.00037
20kg/箱/Carton



意大利(尼成)硅胶
Italy silicone rubber
R.SR.00005
25kg/箱/Carton



GOLD STAR 高温黄色硅胶
GOLD STAR high temp resistant
yellow silicone rubber
R.SR.00016
5kg/箱/Carton



日本矽胶
Japan silicone rubber
R.SR.00009
20kg/箱/Carton



新珍宝压模胶
Silicone rubber
R.NR.00003
50lb/箱/Carton



castaldo七彩压模胶
castaldo colorful mould
vulcanizing rubber
R.NR.00006
2.25kg/箱/Carton



castaldo 压模胶
castaldo mould
vulcanizing rubber
R.NR.00005
50lb/箱/Carton



castaldo 压模胶
castaldo mould
vulcanizing rubber
R.NR.00007
50lb/箱/Carton



castaldo 压模胶
castaldo mould
vulcanizing rubber
R.NR.00008
50lb/箱/Carton



进口压模胶
Thailand silicone rubber
R.NR.00004
50lb/箱/Cartron



液体硅橡胶
Liquid silicone rubber
R.SR.XY308A-5KG / R.SR.XY308B-5KG
5kg/桶/Barrel



液体硅橡胶
Liquid silicone rubber
R.SR.XY408A / R.SR.XY408B
5kg/桶/Barrel



液体硅橡胶
Liquid silicone rubber
R.SR.XY306
25kg/桶/Barrel



液体硅橡胶
Liquid silicone rubber
R.SR.XY508A / R.SR.XY508B
5kg/桶/Barrel




液体硅橡胶
Liquid silicone rubber
R.SR.XY550A / R.SR.XY550B
5kg/桶/Barrel




压模框 (可订制) Aluminum mould frame (tailored)

代码 Model	外框尺寸 External frame size	内框尺寸 Inner frame size	高度 Height
Z.T.MK.01012	130×110mm	90×70mm	12mm
Z.T.MK.01015	130×110mm	90×70mm	15mm
Z.T.MK.01018	130×110mm	90×70mm	18mm
Z.T.MK.01021	130×110mm	90×70mm	21mm
Z.T.MK.01024	130×110mm	90×70mm	24mm
Z.T.MK.01027	130×110mm	90×70mm	27mm
Z.T.MK.01030	130×110mm	90×70mm	30mm
Z.T.MK.01033	130×110mm	90×70mm	33mm
Z.T.MK.01036	130×110mm	90×70mm	36mm
Z.T.MK.01039	130×110mm	90×70mm	39mm

代码 Model	外框尺寸 External frame size	内框尺寸 Inner frame size	高度 Height
Z.T.MK.02012	150×110mm	73×47mm	12mm
Z.T.MK.02015	150×110mm	73×47mm	15mm
Z.T.MK.02018	150×110mm	73×47mm	18mm
Z.T.MK.02021	150×110mm	73×47mm	21mm
Z.T.MK.02024	150×110mm	73×47mm	24mm
Z.T.MK.02027	150×110mm	73×47mm	27mm
Z.T.MK.02030	150×110mm	73×47mm	30mm
Z.T.MK.02033	150×110mm	73×47mm	33mm
Z.T.MK.02036	150×110mm	73×47mm	36mm





压模框 (可订制)
Aluminum mould frame (tailored)

代码 Model	外框尺寸 External frame size	内框尺寸 Inner frame size	高度 Height
Z.T.MK.04012	200×150mm	73×47mm	12mm
Z.T.MK.04015	200×150mm	73×47mm	15mm
Z.T.MK.04018	200×150mm	73×47mm	18mm
Z.T.MK.04021	200×150mm	73×47mm	21mm
Z.T.MK.04024	200×150mm	73×47mm	24mm
Z.T.MK.04027	200×150mm	73×47mm	27mm
Z.T.MK.04030	200×150mm	73×47mm	30mm
Z.T.MK.04033	200×150mm	73×47mm	33mm
Z.T.MK.04036	200×150mm	73×47mm	36mm

代码 Model	外框尺寸 External frame size	内框尺寸 Inner frame size	高度 Height
Z.T.MK.06012	200×180mm	73×47mm	12mm
Z.T.MK.06015	200×180mm	73×47mm	15mm
Z.T.MK.06018	200×180mm	73×47mm	18mm
Z.T.MK.06021	200×180mm	73×47mm	21mm
Z.T.MK.06024	200×180mm	73×47mm	24mm
Z.T.MK.06027	200×180mm	73×47mm	27mm
Z.T.MK.06030	200×180mm	73×47mm	30mm
Z.T.MK.06033	200×180mm	73×47mm	33mm

压模珠
Mould vulcanizing balls



T.MK.00007
Φ13×H9.8mm



T.MK.00008
Φ11×H4.8mm



T.MK.00009
Φ9×H5.8mm



T.MK.00034
Φ13×H9.8mm



T.MK.00035
Φ11×H4.8mm



T.MK.00036
Φ9×H5.8mm



T.SB.00001



T.SB.00002



T.SB.00004

刀柄
Handles

代码 Model	名称 Description	长度 Length	宽度 Width
T.SB.00001	英国进口刀柄 Swann morton handle	120mm	12mm
T.SB.00002	国产铝合金刀柄 China made aluminium alloy handle	125mm	12mm
T.SB.00004	胶刀柄 Plastic handle	125mm	22mm

英国刀片

Swann morton blades

代码 Model	名称 Description	尺寸 Size	包装 Package
T.SB.00010	10A	40×7.8×0.4mm	100 Pcs/Box
T.SB.00011	11	41×6.5×0.4mm	100 Pcs/Box
T.SB.00012	12	37×11×0.4mm	100 Pcs/Box
T.SB.00192	15C	40×5.8×0.4mm	100 Pcs/Box



掏底刀

Carving knife

型号 Model	T.SB.00065
刀头长度 knife length	25mm
刀头厚度 knife thickness	0.5mm
手柄长度 handle length	118mm
手柄直径 handle diameter	Φ8mm



雕蜡刀

Wax carving knife

型号 Model	T.SB.00053
刀头长度 knife length	25mm
刀头厚度 knife thickness	0.5mm
手柄长度 handle length	118mm
手柄直径 handle diameter	Φ8mm






蜡条 Wax ring tube

单位 Unit: mm


名称 Description	型号 Model	Φ	X	Y	Z
蜡条8T7.6-138 Wax ring tube 8T7.6-138	T.ET.WR8T76	18.3	7.6	3.0	138
蜡条8A7.6-138 Wax ring tube 8A7.6-138	T.ET.WR8A76	18.3	7.6	3.0	138
蜡条6.5A8.8-138 Wax ring tube 6.5A8.8-138	T.ET.WR65A88	17.0	8.8	3.0	138
蜡条6.5T8.8-138 Wax ring tube 6.5T8.8-138	T.ET.WR65T88	17.0	8.8	3.0	138
蜡条7T8.5-138 Wax ring tube 7T8.5-138	T.ET.WR7T85	17.5	8.5	3.0	138
蜡条7A8.5-138 Wax ring tube 7A8.5-138	T.ET.WR7A85	17.5	8.5	3.0	138
蜡条7.5T8.1-138 Wax ring tube 7.5T8.1-138	T.ET.WR75T81	17.8	8.1	2.8	138
蜡条7.5A8.1-138 Wax ring tube 7.5A8.1-138	T.ET.WR75A81	17.8	8.1	2.8	138
蜡条6T9-138 Wax ring tube 6T9-138	T.ET.WR6T9	16.3	9	3.2	138
蜡条6A9-138 Wax ring tube 6A9-138	T.ET.WR6A9	16.3	9	3.2	138



手镯蜡 Bracelet wax

单位 Unit: mm

名称 Description	型号 Model	Φ1	Φ2	X	Y	Z
手镯蜡65Q9.3-48 Bracelet wax 65Q9.3-48	T.ET.BW65Q93	65	55	9.3	4.0	48
手镯蜡70Q8.6-48 Bracelet wax 70Q8.6-48	T.ET.BW70Q86	70	60	8.6	4.0	48
手镯蜡55Q7.5-48 Bracelet wax 55Q7.5-48	T.ET.BW55Q75	55	45	7.5	4.0	48
手镯蜡57Q8-48 Bracelet wax 57Q8-48	T.ET.BW57Q8	57	47	8.0	4.0	48
手镯蜡60Q8.5-48 Bracelet wax 60Q8.5-48	T.ET.BW60Q85	60	50	8.5	3.8	48
手镯蜡62Q7.2-48 Bracelet wax 62Q7.2-48	T.ET.BW62Q72	62	52	7.2	3.2	48



蜡片 Wax slice

单位 Unit: mm

名称 Description	型号 Model	L	W	H
蜡片3.0mm Wax slices-3 mm	T.ET.WS030	90	70	3.0
蜡片3.5mm Wax slices-3.5 mm	T.ET.WS035	90	70	3.5
蜡片4.0mm Wax slices-4.0 mm	T.ET.WS040	90	70	4.0
蜡片4.5mm Wax slices-4.5 mm	T.ET.WS045	90	70	4.5
蜡片5.3mm Wax slices-5.3 mm	T.ET.WS053	90	70	5.3
蜡片6.3mm Wax slices-6.3 mm	T.ET.WS063	90	70	6.3
蜡片7.3mm Wax slices-7.3 mm	T.ET.WS073	90	70	7.3





宝石花脱模剂
Baoshihua mould release spray
型号 Model: T.MR.00001

树芯模 (可订制)
Sprue wax mould (tailored)

代码 Model	直径 Diameter	长度 Length	树芯 Sprue
T.MK.SW0810	Φ8mm	250mm	6 Pcs
T.MK.SW0812	Φ8mm	304mm	
T.MK.SW1006	Φ10mm	152mm	
T.MK.SW1408	Φ14mm	203mm	5 Pcs
T.MK.SW1008	Φ10mm	203mm	5 Pcs
T.MK.SW1208	Φ12mm	203mm	
T.MK.SW1409	Φ14mm	228mm	
T.MK.SW1608	Φ16mm	203mm	5 Pcs
T.MK.SW1610	Φ16mm	254mm	4 Pcs
T.MK.SW1609	Φ16mm	228mm	
T.MK.SW0809	Φ8mm	203mm	
T.MK.SW2008	Φ20mm	203mm	
T.MK.SW2009	Φ20mm	228mm	
T.MK.SW1009	Φ10mm	228mm	
T.MK.SW1209	Φ12mm	228mm	5 Pcs
T.MK.SW1208	Φ12mm	203mm	
T.MK.SW1210	Φ12mm	254mm	5 Pcs
T.MK.SW0908	Φ9mm	203mm	
T.MK.SW1611	Φ16mm	280mm	4 Pcs
T.MK.SW1108	Φ11mm	203mm	
T.MK.SW1212	Φ12mm	304mm	
T.MK.SW1410	Φ14mm	254mm	5 Pcs
T.MK.SW1412	Φ14mm	304mm	
T.MK.SW1810	Φ18mm	254mm	4 Pcs



圆形胶底座
Round shape rubber base

代码 Model	尺寸 Size	中心孔 Centre Hole	颜色 Colour
T.RB.B0025	2.5"	Φ9mm	黑色 Black
T.RB.B0030	3"	Φ10mm	黑色 Black
T.RB.B0035	3.5"	Φ10mm	黑色 Black
T.RB.B0040	4"	Φ10mm	黑色 Black
T.RB.B0040-A	4"	Φ10mm	黑色 Black
T.RB.B0050	5"	Φ12mm	黑色 Black
T.RB.B0086	8.6"	Φ16mm	黑色 Black
T.RB.D0035	3.5"	Φ10mm	白色 White
T.RB.D0040	4"	Φ10mm	白色 White
T.RB.B0010	10"	-	黑色 Black
T.RB.B0118	11.8"	-	黑色 Black
T.RB.B0137	13.7"	-	黑色 Black
T.RB.B0157	15.7"	-	黑色 Black



锥形胶底座
Pyramid shape rubber base

代码 Model	尺寸 Size	中心孔 Centre Hole	颜色 Colour
T.RB.A0030	3"	Φ10mm	黑色 Black
T.RB.A0035	3.5"	Φ10mm	黑色 Black
T.RB.A0040	4"	Φ10mm	黑色 Black
T.RB.A0040-A	4"	Φ10mm	绿色 Green
T.RB.A0040-B	4"	Φ10mm	蓝色 Blue
TT.RB.C0040	4"	Φ10mm	白色 White
T.RB.A0050	5"	Φ12mm	黑色 Black
T.RB.A0062	6.26"	Φ15mm	黑色 Black

SUS304钢盅 (可订制)
SUS304 flask (Tailored)

优质不锈钢材料，采用特殊工艺，使产品更加耐高温，产品分为一次成型和焊接成型两种，可以根据您的需求选用！
Selected stainless steel, special workmanship make flask more highertemp proof. It can be finished by 1 step, or by welding, depends on your needs.



代码 Model	尺寸 Size	壁厚 Wall thickness
T.FLA2535	2.5"×3.5"	3mm
T.FLA2504	2.5"×4"	3mm
T.FLA2505	2.5"×5"	3mm
T.FLA2506	2.5"×6"	3mm
T.FLA2507	2.5"×7"	3mm
T.FLA2508	2.5"×8"	3mm
T.FLA2509	2.5"×9"	3mm
T.FLA2510	2.5"×10"	3mm
T.FLA3035	3"×3.5"	3mm
T.FLA3004	3"×4"	3mm
T.FLA3005	3"×5"	3mm
T.FLA3006	3"×6"	3mm
T.FLA3007	3"×6"	3mm
T.FLA3008	3"×8"	3mm
T.FLA3009	3"×9"	3mm
T.FLA3010	3"×10"	3mm
T.FLA3536	3.5"×3.6"	3mm
T.FLA3504	3.5"×4"	3mm
T.FLA3505	3.5"×5"	3mm
T.FLA3506	3.5"×6"	3mm
T.FLA3507	3.5"×7"	3mm
T.FLA3508	3.5"×8"	3mm
T.FLA3509	3.5"×9"	3mm
T.FLA3510	3.5"×10"	3mm
T.FLA3511	3.5"×11"	3mm
T.FLA3512	3.5"×12"	3mm
T.FLA4035	4"×3.5"	3mm
T.FLA4004	4"×4"	3mm
T.FLA4005	4"×5"	3mm
T.FLA4055	4"×5.5"	3mm
T.FLA4006	4"×6"	3mm
T.FLA4007	4"×7"	3mm
T.FLA4075	4"×7.5"	3mm
T.FLA4008	4"×8"	3mm



代码 Model	尺寸 Size	壁厚 Wall thickness
T.FLA4009	4"×9"	3mm
T.FLA4095	4"×9.5"	3mm
T.FLA4010	4"×10"	3mm
T.FLA4011	4"×11"	3mm
T.FLA4012	4"×12"	3mm
T.FLA4013	4"×13"	3mm
T.FLA4014	4"×14"	3mm
T.FLA5004	5"×4"	3mm
T.FLA5005	5"×5"	3mm
T.FLA5006	5"×6"	3mm
T.FLA5007	5"×7"	3mm
T.FLA5008	5"×8"	3mm
T.FLA5009	5"×9"	3mm
T.FLA5010	5"×10"	3mm
T.FLD5010	5"×10"	3mm
T.FLA5011	5"×11"	3mm
T.FLA5012	5"×12"	3mm
T.FLA5013	5"×13"	3mm
T.FLA5014	5"×14"	3mm
T.FLA5016	5"×16"	3mm
T.FLA6305	6.3"×5"	3mm
T.FLA6306	6.3"×6"	3mm
T.FLA6307	6.3"×7"	3mm
T.FLA6308	6.3"×8"	3mm
T.FLA6309	6.3"×9"	3mm
T.FLA6310	6.3"×10"	3mm
T.FLA6311	6.3"×11"	3mm
T.FLA6312	6.3"×12"	3mm
T.FLA6313	6.3"×13"	3mm
T.FLA6314	6.3"×14"	3mm
T.FLA6315	6.3"×15"	3mm
T.FLA8606	8.6"×6"	3mm
T.FLA8607	8.6"×7"	4mm
T.FLA8608	8.6"×8"	4mm
T.FLA8609	8.6"×9"	4mm
T.FLA8610	8.6"×10"	4mm
T.FLA8611	8.6"×11"	4mm
T.FLA8612	8.6"×12"	4mm
T.FLA8613	8.6"×13"	4mm
T.FLA8614	8.6"×14"	4mm
T.FLA8615	8.6"×15"	4mm
T.FLA8616	8.6"×16"	4mm
T.FLD250250	Φ250×250mm	4mm
T.FLD254300	Φ254×300mm	4mm
T.FLD254350	Φ254×350mm	4mm
T.FLD254400	Φ254×400mm	4mm
T.FLD254450	Φ254×450mm	4mm
T.FLD300250	Φ300×250mm	4mm
T.FLD300280	Φ300×280mm	4mm
T.FLD300300	Φ300×300mm	4mm
T.FLD300350	Φ300×350mm	4mm
T.FLD300400	Φ300×400mm	4mm



代码 Model	尺寸 Size	壁厚 Wall thickness
T.FLD300450	Φ300×450mm	4mm
T.FLD350250	Φ350×250mm	4mm
T.FLD350300	Φ350×300mm	4mm
T.FLD350350	Φ350×350mm	4mm
T.FLD350400	Φ350×400mm	4mm
T.FLD350450	Φ350×450mm	4mm
T.FLD400250	Φ400×250mm	4mm
T.FLD400300	Φ400×300mm	4mm
T.FLD400400	Φ400×400mm	4mm
T.FLD400450	Φ400×450mm	4mm
T.FLD400500	Φ400×500mm	4mm
T.FLE300450	300×150×450mm	4mm
T.FLE350450	350×150×450mm	4mm

钢盅套 Flask cover



注：不含钢盅
Note: Excluding steel cups

代码 Model	尺寸 Size	颜色 Colour
T.FLP0409-B	4"×9"	黑色 Black
T.FLP0410-B	4"×10"	黑色 Black
T.FLP0405-B	4"×5"	黑色 Black
T.FLP0406-B	4"×6"	黑色 Black
T.FLP0407-B	4"×7"	黑色 Black
T.FLP0408-B	4"×8"	黑色 Black
T.FLP0411-B	4"×11"	黑色 Black
T.FLP0412-B	4"×12"	黑色 Black
T.FLP3508-B	3.5"×8"	黑色 Black
T.FLP3509-B	3.5"×9"	黑色 Black
T.FLP3510-B	3.5"×10"	黑色 Black
T.FLP0508-B	5"×8"	黑色 Black
T.FLP0509-B	5"×9"	黑色 Black
T.FLP0510-B	5"×10"	黑色 Black
T.FLP0511-B	5"×11"	黑色 Black
T.FLP0512-B	5"×12"	黑色 Black
T.FLP0513-B	5"×13"	黑色 Black
T.FLP0514-B	5"×14"	黑色 Black
T.FLP6308-B	6.3"×8"	黑色 Black
T.FLP6309-B	6.3"×9"	黑色 Black
T.FLP6310-B	6.3"×10"	黑色 Black
T.FLP6311-B	6.3"×11"	黑色 Black
T.FLP6312-B	6.3"×12"	黑色 Black
T.FLP6313-B	6.3"×13"	黑色 Black
T.FLP6314-B	6.3"×14"	黑色 Black
T.FLP8608-B	8.6"×8"	黑色 Black
T.FLP8609-B	8.6"×9"	黑色 Black
T.FLP8610-B	8.6"×10"	黑色 Black
T.FLP8611-B	8.6"×11"	黑色 Black
T.FLP8612-B	8.6"×12"	黑色 Black
T.FLP0406-W	4"×6"	白色 White
T.FLP0409-W	4"×9"	白色 White
T.FLP0410-W	4"×10"	白色 White

钢盅钳/夹
Flask tong


代码 Model	名称 Description	重量 Weight
T.SP.QGZ001	0.65m钢盅钳 0.65m flask tong	1.4kg
T.SP.QGZ002	0.9M 钢盅钳 0.9m flask tong	1.6kg
T.SP.QGZ085-A	Φ85mm钢盅钳 Φ85mm flask tong	2.1kg
T.SP.QGZ085-B	Φ85mm钢盅钳 Φ85mm flask tong	/
T.SP.QGZ095	Φ95mm钢盅钳 Φ95mm flask tong	2.5kg
T.SP.QGZ120	钢盅钳Φ120mm Φ120mm flask tong	2.5kg
T.SP.QGZ160	Φ160mm钢盅钳 Φ160mm flask tong	2.7kg
T.SP.QGZ220	Φ220mm钢盅钳 Φ220mm flask tong	3kg
T.SP.QGZ089	3.5寸不锈钢钢盅钳 3.5 inch stainless steel flask tong	2.6kg
T.SP.QGZ101	4寸不锈钢钢盅钳 4 inch stainless steel flask tong	2.8kg
T.SP.QGZ127	5寸不锈钢钢盅钳 5 inch stainless steel flask tong	2.9kg

坩埚钳
Crucible tong

名称 Description	型号 Model
0.46m坩埚钳 0.46 m crucible tong	T.SP.00009
2公斤坩埚钳 (黑柄) 2 kg crucible tong (black)	Z.P.MF.SP002SS
4公斤坩埚钳 4 kg crucible tong	Z.P.MF.SP004SS
手提炉坩埚钳 Crucible tong for eletrical furnace	T.SP.00015
8公斤坩埚钳 8 kg crucible tong	Z.P.MF.SP008SS
6公斤坩埚钳 6 kg crucible tong	Z.P.MF.SP006SS
5公斤坩埚钳 5 kg crucible tong	Z.P.MF.SP005SS



热电偶 Thermo couple



名称 Description	型号 Model	温度 Temp
K型手提炉热电偶 K type thermo couple for MF series furnace	Z.P.MF.TC002	0~1300°C
K型熔金机热电偶 K type thermo couple for gold melting furnace	Z.P.MF.TC001	0~1300°C
K型电炉陶瓷热电偶 K type ceramic thermo couple for button oven	T.TC.K0008	0~1300°C
K型电炉不锈钢热电偶 K type SS ceramic thermo couple for button oven	T.TC.K0009	0~1300°C
R型热电偶 (DVC) R type thermo couple	T.TC.R0002	0~1500°C
K型不锈钢热电偶 (进口) K type SS thermo couple	T.TC.K0014-N	0~1300°C
K型不锈钢热电偶 (进口) K type SS thermo couple	T.TC.K0034	0~1300°C
N型不锈钢热电偶 (进口) N type SS thermo couple	T.VC.S02943	0~1300°C

投料铲 Shovel



名称 Description	型号 Model	包装 Package
1#投料铲 1# shovel	T.SV.00001	1 pcs
5#投料铲 5# shovel	T.SV.00002	1 pcs
手指有耳铲仔 Shovel with handle	T.SV.00003	10 pcs
小无耳铲仔 Small shovel	T.SV.00004	10 pcs
大无耳铲仔 Big shovel	T.SV.00005	10 pcs



吸水纸 Absorbent paper

P1.0004 13×13cm
规格: 50张/扎 Specification: 50 pcs/roll

采用纤维纸张, 有较好的透水性和强度, 水泡后不易破损, 专业用于不锈钢和铂金铸造石膏粉。

Selected special fibergood water permeability, especially used for stainless steel and platinum casting investment.



吸水纸 Absorbent paper

P1.0002 10×10cm
P1.0003 12×12cm

用于铂金石膏粉, 不锈钢石膏粉。采用特种定制纸张, 有很强水渗透性, 并可以保持良好的强度, 确保石膏齿不会破损和渗漏。

Suitable for platinum casting investment, stainless steel casting investment. Special paper, good water permeability, strong enough to prevent damage and permeability of flask.

美纹胶纸 Masking tape



代码 Model	尺寸 Size	包装 Package
T.CG.00130-8	8mm	280 Rolls/Box
T.CG.00130-9	9mm	260 Rolls/Box
T.CG.00130	10mm	240 Rolls/Box
T.CG.00130-12	12mm	200 Rolls/Box
T.CG.00130-15	15mm	160 Rolls/Box
T.CG.00130-18	18mm	130 Rolls/Box
T.CG.00150	20mm	120 Rolls/Box
T.CG.00150-24	24mm	100 Rolls/Box
T.CG.00202	30mm	80 Rolls/Box
T.CG.00202-36	36mm	70 Rolls/Box
T.CG.00152	40mm	60 Rolls/Box
T.CG.00152-45	45mm	60 Rolls/Box
T.CG.00065	16.5mm	90 Rolls/Box
T.CG.00152	40mm	50 Rolls/Box



车花胶 Adhesive tape

代码 Model	尺寸 Size	包装 Package
M.FM.P0008	10mm	138 Pcs/Pack
M.FM.P0007	15mm	96 Pcs/Pack
M.FM.P0001	25mm	60 Pcs/Pack
M.FM.P0041	50mm	30 Pcs/Pack

工匠台 (可订制) Bench (Tailored)

工匠台采用实木精心打造，表面采用透明环保清漆，适用于执模、微镶等首饰加工，人体工学设计，高档大方，坚固耐用，实用性强。可根据自身需求订制，木质可选白蜡木、橡木等。

The benches are carefully made of solid wood, the surface is transparent and environmentally friendly paint and suitable for jewelry processing such as benching and stone setting, ergonomic design, high-grade and generous, strong and durable, practical. It could be customized according to your requirements, wood can choose ash wood, oak and so on.



T.GI.00216
1500×650×1200mm



T.GI.00224
1770×600×1070mm



T.GI.00226
1430×500×1050mm



T.GI.00227
1600×500×1050mm

可订制
Tailored



工作台
Bench
T.GI.00206 990×600×900mm



木架微鑲台-A
Micro setting bench
T.GI.00012 790×480×910mm



不锈钢功夫台
Stainless steel desk
T.GI.00191 800×400×1200mm



功夫台
Desk
T.GI.00050 800×400×1200mm



木凳子
Wooden stool
T.GI.00053 320×230×450mm



大力士戒指扩大器
Super strong ring enlarger
M.RS.00001
330×95×45mm 1.2kg



单头戒指扩缩器
Single head ring enlarger & reducer
M.RS.00002
HK 6#-36# 450×235×195mm 9.8kg



单头戒指扩缩器
Single head ring enlarger & reducer
M.RS.00002-A
405×235×195mm 9.5kg



双头戒指扩缩器
Double head ring enlarger & reducer
M.RS.00003
US 4#-14# 315×210×165mm 9.8kg



双头戒指扩缩器
Double head ring enlarger & reducer
M.RS.00003-B
HK 6#-36# 315×210×165mm 9.8kg



韩式戒指扩大器
Korean stype ring enlarger
M.RS.00012
280×125×140mm 3.5kg



简易扩大器
Simple ring enlarger
M.RS.00015



多功能戒指扩大器
Multi-function ring enlarger
M.RS.00013 130×180×250mm 8.8kg



手动360度戒指扩大器
Manual 360°C ring enlarger
M.RS.00014



12mm, 14mm, 16mm, 20mm, 22mm
90°C, 45°C

戒指折弯器
Ring Bender
M.RS.00006



手镯扩大器
Matt wax ring stick
M.RS.00004



50mm, 52mm, 54mm, 56mm, 58mm
60mm, 62mm, 64mm, 66mm, 68mm

圆形阶梯手镯扩大器
Matt wax ring stick
M.RS.00007 178×260mm 11KG



42-50mm, 44-52mm, 46-54mm, 48-56
50-58mm, 52-60mm, 54-62mm, 56-64

椭圆形阶梯手镯扩大器
Matt wax ring stick
M.RS.00008



手镯戒指卷圆一体机
Bracelet ring rolling machine
M.RS.00010-A
183×100×290mm 7.5kg



手镯戒指卷圆一体机
Bracelet ring rolling machine
M.RS.00010-B
183×100×290mm 7.5kg



手镯戒指卷圆一体机
Bracelet ring rolling machine
M.RS.00010-C
183×100×290mm 8.2kg

山特斯镊子 Santus tweezer

- 1、优质不锈钢锻造，防锈耐磨硬度强。
- 2、人体工学工艺，拿捏处比尾部厚，使用舒适手感好，可用于夹镊精密的电子元件，燕窝，宝石等细密物件。
1. High quality stainless steel forging, rust proof, wear-resistant, and strong hardness.
2. Ergonomic craftsmanship, with a thicker grip than the tail, providing a comfortable and tactile feel. It can be used to clamp precision electronic components, bird's nests, gemstones, and other delicate objects.



ST-10
L120×W10mm
T.TW.ST010



ST-11
L120×W10mm
T.TW.ST011



ST-12
L120×W10mm
T.TW.ST012



ST-13
L120×W10mm
T.TW.ST013



ST-14
L120×W10mm
T.TW.ST014



ST-15
L120×W10mm
T.TW.ST015



ST-16
L120×W10mm
T.TW.ST016



ST-18
L120×W10mm
T.TW.ST018

304防碘伏镊子 304 iodine resistant forceps

采用锯齿防滑槽设计，夹力更强有效防止夹持中物品掉落。
Adopting a serrated anti slip groove design, the clamping force is stronger and effectively prevents objects from falling during clamping.

代码 Model	长度 Length
A T.TW.00050-1	125mm
B T.TW.00050-2	140mm
C T.TW.00050-3	160mm
D T.TW.00050-4	180mm
E T.TW.00050-5	200mm
F T.TW.00050-6	250mm
G T.TW.00050-7	300mm



加厚不锈钢直尖头镊子 Thick stainless steel straightpointed tweezers

代码 Model	长度 Length
T.TW.00051-1	125mm
T.TW.00051-2	140mm
T.TW.00051-3	160mm
T.TW.00051-4	180mm
T.TW.00051-5	200mm
T.TW.00051-6	250mm



AA夹
AA tweezer

5" T.TW.00001



6" T.TW.00002



8" T.TW.00003

焊夹
Soldering clamp

6" T.TW.00020-6



8" T.TW.00020



10" T.TW.00013

弯嘴镊子
Curved mouth tweezers
T.TW.0003612寸夹金夹
12" clamp for gold
T.TW.0002114寸夹金夹
14" clamp for gold
T.TW.00014扣链夹
Clamp for button and chain
T.TW.00023曲咀反弹夹
Bend mouth tweezer
T.TW.00006平咀反弹夹
Flat mouth tweezer
T.TW.00010带底座焊夹
With base welding clip
T.TW.00033带底座焊夹
With base welding clip
T.TW.00033-b8字夹
Cross locking tweezer
T.TW.00022带铲AA夹
AA tweezer shovel
T.TW.00035万向双头夹
Cross locking tweezer
T.TW.00037

日本三山剪钳GN-200
Japan GN-200 3 peaks piler

型号: T.SP.QGN200

切割能力: 硬钢线1.5mm, 铁线4.0mm, 铜线4.0mm

产品重量: 255g/把 | 包装尺寸: 263x81x20mm | 6把/盒

Model: T.SP.QGN200

Cutting ability: 1.5mm hard steel wire, 4.0mm iron wire, 4.0mm copper wire

Product weight: 255g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山剪钳GN-200J
Japan GN-200J 3 peaks piler

型号: T.SP.QGN200J

切割能力: 硬钢线0.5mm, 铁线2.0mm, 铜线2.0mm

产品重量: 255g/把 | 包装尺寸: 263x81x20mm | 6把/盒

Model: T.SP.QGN200J

Cutting ability: 0.5mm hard steel wire, 2.0mm iron wire, 2.0mm copper wire

Product weight: 255g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山剪钳EC-200
Japan EC-200 3 peaks piler

型号: T.SPEC200

切割能力: 硬钢线1.5mm, 铁线4.0mm, 铜线4.0mm

产品重量: 265g/把 | 包装尺寸: 263x81x20mm | 6把/盒

Model: T.SPEC200

Cutting ability: 1.5mm hard steel wire, 4.0mm iron wire, 4.0mm copper wire

Product weight: 265g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山剪钳GC-200
Japan GC-200 3 peaks piler

型号: T.SP.QGC200

切割能力: 硬钢线1.5mm, 铁线4.0mm, 铜线4.0mm

产品重量: 270g/把 | 包装尺寸: 263x81x20mm | 6把/盒

Model: T.SP.QGC200

Cutting ability: 1.5mm hard steel wire, 4.0mm iron wire, 4.0mm copper wire

Product weight: 270g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山水口剪钳PNP-150G
Japan 3 peaks piler PNP-150G

型号: T.SP.QPNP150G

切割能力: 合成树脂塑料5.0mm

产品重量: 150g/把 | 包装尺寸: 207x70x15mm | 6把/盒

Model: T.SP.QPNP150G

Cutting ability: Synthetic resin plastic 5.0mm

Product weight: 150g/Pcs | Packaging size: 207x70x15mm | 6 Pcs/Box



日本三山水口剪钳PNP-125
Japan 3 peaks piler PNP-125

型号: T.SP.QPNP125

切割能力: 合成树脂塑料5.0mm

产品重量: 95g/把 | 包装尺寸: 179x70x14mm | 6把/盒

Model: T.SP.QPNP125

Cutting ability: Synthetic resin plastic 5.0mm

Product weight: 95g/Pcs | Packaging size: 179x70x14mm | 6 Pcs/Box



三山水口钳190G Japan 3 peaks piler 190G

型号: T.SP.Q190G

切割能力: 合成树脂塑料8.0mm

产品重量: 220g/把 | 包装尺寸: 256x77x20mm | 6把/盒

Model: T.SP.Q190G

Cutting ability: Synthetic resin plastic 8.0mm

Product weight: 220g/Pcs | Packaging size: 256x77x20mm | 6 Pcs/Box



日本三山白色圆嘴钳 Japan white round nose pliers

型号: T.SP.QSP27

切割能力: 合成树脂塑料8.0mm

产品重量: 150g/把 | 包装尺寸: 207x70x15mm | 6把/盒

Model: T.SP.QSP27

Cutting ability: Synthetic resin plastic 8.0mm

Product weight: 150g/Pcs | Packaging size: 207x70x15mm | 6 Pcs/Box



马牌水口剪钳PL-726 KEIBA side sprue cutter PL-726

型号: T.SP.QPL726

切割能力: 剪水口或者塑胶5.0mm

产品重量: 130g/把 | 包装尺寸: 270x80x5mm | 6把/盒

Model: T.SP.QPL726

Cutting ability: Cutting nozzle or plastic 5.0mm

Product weight: 130g/Pcs | Packaging size: 270x80x5mm | 6 Pcs/Box



马牌剪钳PL-717 KEIBA side sprue cutter PL-717

型号: T.SP.QPL717

切割能力: 剪水口或者塑胶6.0mm

产品重量: 215g/把 | 包装尺寸: 270x60x7mm | 6把/盒

Model: T.SP.QPL717

Cutting ability: Cutting nozzle or plastic 6.0mm

Product weight: 215g/Pcs | Packaging size: 270x60x7mm | 6 Pcs/Box



马牌水口剪钳PL-725 KEIBA side sprue cutter PL-725

型号: T.SP.QPL725

切割能力: 剪水口或者塑胶4.0mm

产品重量: 85g/把 | 包装尺寸: 270x60x7mm | 6把/盒

Model: T.SP.QPL725

Cutting ability: Cutting nozzle or plastic 4.0mm

Product weight: 85g/Pcs | Packaging size: 270x60x7mm | 6 Pcs/Box



白柄剪 EN-115 White handle cutter EN-115

型号: T.SP.QT004

切割能力: 铜软线0.13-1.2mm

产品重量: 50g/把 | 包装尺寸: 180x65mm | 6把/盒

Model: T.SP.QT004

Cutting ability: Copper flexible wire 0.13-1.2mm

Product weight: 50g/Pcs | Packaging size: 180x65mm | 6 Pcs/Box



红柄剪 ENI-100 Red handle cutter ENI-100

型号: T.SPQT101
切割能力: 铜软线0.13-1.2mm
产品重量: 50g/把 | 包装尺寸: 180x65mm | 6把/盒

Model: T.SPQT101
Cutting ability: Copper flexible wire 0.13-1.2mm
Product weight: 50g/Pcs | Packaging size: 180x65mm | 6 Pcs/Box



斜嘴钳 NP-125PH-S Side sprue cutter NP-125PH-S

型号: T.SPNP125PH
切割能力: 铁线1.5mm, 铜线2.6mm, 多股胶合线2.0mm
产品重量: 100g/把 | 包装尺寸: 179x70x20mm | 6把/盒

Model: T.SPNP125PH
Cutting ability: 1.5mm iron wire, 2.6mm copper wire, 2.0mm multi strand glued wire
Product weight: 100g/Pcs | Packaging size: 179x70x20mm | 6 Pcs/Box



斜嘴钳 NP-150PH-S Side sprue cutter NP-150PH-S

型号: T.SPNP150PH
切割能力: 铁线1.9mm, 铜线3.2mm, 多股胶合线2.0mm
产品重量: 170g/把 | 包装尺寸: 207x70x20mm | 6把/盒

Model: T.SPNP150PH
Cutting ability: 1.9mm iron wire, 3.2mm copper wire, 2.0mm multi strand glued wire
Product weight: 170g/Pcs | Packaging size: 207x70x20mm | 6 Pcs/Box



水口钳AP-125G-S Side sprue cutter AP-125G-S

型号: T.SPAP125G
切割能力: 合成树脂塑料5.0mm
产品重量: 105g/把 | 包装尺寸: 179x70x18mm | 6把/盒

Model: T.SPAP125G
Cutting ability: Synthetic resin plastic 5.0mm
Product weight: 105g/Pcs | Packaging size: 179x70x18mm | 6 Pcs/Box



水口钳AP-150G-S Side sprue cutter AP-150G-S

型号: T.SPAP150G
切割能力: 合成树脂塑料5.0mm
产品重量: 155g/把 | 包装尺寸: 207x70x19mm | 6把/盒

Model: T.SPAP150G
Cutting ability: Synthetic resin plastic 5.0mm
Product weight: 155g/Pcs | Packaging size: 207x70x19mm | 6 Pcs/Box



山特斯尖嘴钳ST-502F Santus round nose pliers ST-502F

型号: T.SPQST502F
特点: 无牙, 夹持不损坏物件
总长度: 133mm | 6把/盒

Model: T.SPQST502F
Features: No teeth, no damage to objects during clamping
Total length: 133mm | 6 Pcs/Box



山特斯5寸斜嘴钳ST-A04H Santus side sprue cutter ST-A04H

型号: T.SP.QSTA04H
切割能力: 铜软线0.13-1.2mm
总长度: 120mm

Model: T.SP.QSTA04H
Cutting ability: 1.2mm in plastic water outlet and soft copper wire
Total length: 120mm



山特斯5寸斜嘴钳ST-A05H Santus side sprue cutter ST-A05H

型号: T.SP.QSTA05H
切割能力: 铜软线0.13-1.2mm
总长度: 127mm

Model: T.SP.QSTA05H
Cutting ability: 1.2mm in plastic water outlet and soft copper wire
Total length: 127mm



山特斯5寸斜嘴钳ST-A05H Santus side sprue cutter ST-A05H

型号: T.SP.QSTA05H
切割能力: 铜软线0.13-1.2mm
总长度: 127mm

Model: T.SP.QSTA05H
Cutting ability: 1.2mm in plastic water outlet and soft copper wire
Total length: 127mm



山特斯有牙弯嘴钳ST-503 Santus Curved nose pliers ST-503

型号: T.SP.QST503A
功能范围: 软铜线1.2mm, 剪线绕线
总长度: 132mm

Model: T.SP.QST503A
Functional scope: 1.2mm soft copper wire, wire cutting and winding
Total length: 132mm



山特斯有牙弯嘴钳ST-503 Santus curved nose pliers ST-503

型号: T.SP.QST503A
功能范围: 软铜线1.2mm, 剪线绕线
总长度: 132mm

Model: T.SP.QST503A
Functional scope: 1.2mm soft copper wire, wire cutting and winding
Total length: 132mm



山特斯圆嘴钳ST-5HF Santus round nose pliers ST-503

型号: T.SP.QST5HF
功能范围: 软铜线1.2mm, 剪线绕线
总长度: 135mm | 6把/盒

Model: T.SP.QST5HF
Functional scope: 1.2mm soft copper wire, wire cutting and winding
Total length: 135mm | 6 Pcs/Box



国产无牙尖嘴钳MTC-15PS
Flat nose piler MTC-15PS

型号: T.SP.QT022

特点: 无牙, 夹持不损坏物件

总长度: 123mm | 6把/盒

Model: T.SP.QT022

Features: No teeth, no damage to objects during clamping

Total length: 123mm | 6 Pcs/Box



无牙尖嘴钳MTC-15PS
Flat nose piler MTC-15PS

型号: T.SP.QT022

特点: 无牙, 夹持不损坏物件

总长度: 123mm | 6把/盒

Model: T.SP.QT022

Features: No teeth, no damage to objects during clamping

Total length: 123mm | 6 Pcs/Box



国产斜口钳MTC-2D
Flat nose piler MTC-2D

型号: T.SP.QT037

切割能力: 铜软线2.0mm

总长度: 115mm | 6把/盒

Model: T.SP.QT037

Features: 2.0mm in plastic water outlet and soft copper wire

Total length: 115mm | 6 Pcs/Box



斜口钳MTC-2D
Flat nose piler MTC-2D

型号: T.SP.QMTC2D

切割能力: 铜软线2.0mm

总长度: 115mm | 6把/盒

Model: T.SP.QMTC2D

Features: 2.0mm in plastic water outlet and soft copper wire

Total length: 115mm | 6 Pcs/Box



斜口钳MTC-21
Flat nose piler MTC-21

型号: T.SP.QMTC21

切割能力: 铜软线1.8mm

总长度: 125mm | 6把/盒

Model: T.SP.QMTC21

Features: 1.8mm in plastic water outlet and soft copper wire

Total length: 125mm | 6 Pcs/Box



斜口钳MTC-22
Flat nose piler MTC-22

型号: T.SP.QMTC2D

切割能力: 铜软线2.0mm

总长度: 150mm | 6把/盒

Model: T.SP.QMTC2D

Features: 2.0mm in plastic water outlet and soft copper wire

Total length: 150mm | 6 Pcs/Box



鹿牌尖嘴钳 ANTILOPE lat nose piler

型号: T.SPQLP001

特点: 无牙, 夹持不损坏物件

总长度: 130mm | 产品重量: 75g/把 | 20把/盒

Model: T.SPQLP001

Features: No teeth, no damage to objects during clamping

Total length: 130mm | Product weight: 75g/Pcs | 20 Pcs/Box



鹿牌圆嘴钳 ANTILOPE round nose piler

型号: T.SPQLP002

特点: 无牙, 夹持不损坏物件

总长度: 130mm | 产品重量: 80g/把 | 20把/盒

Model: T.SPQLP002

Features: No teeth, no damage to objects during clamping

Total length: 130mm | Product weight: 80g/Pcs | 20 Pcs/Box



鹿牌平嘴钳 ANTILOPE flat nose pliers

型号: T.SPQLP003

特点: 无牙, 夹持不损坏物件

总长度: 130mm | 产品重量: 80g/把 | 20把/盒

Model: T.SPQLP003

Features: No teeth, no damage to objects during clamping

Total length: 130mm | Product weight: 80g/Pcs | 20 Pcs/Box



箭牌尖嘴钳 Wrigley pointed nose pliers

型号: T.SPQJP001

特点: 无牙, 夹持不损坏物件

总长度: 130mm | 产品重量: 75g/把 | 10把/盒

Model: T.SPQJP001

Features: No teeth, no damage to objects during clamping

Total length: 130mm | Product weight: 75g/Pcs | 10 Pcs/Box



箭牌圆嘴钳 Wrigley round nose pliers

型号: T.SPQJP003

特点: 无牙, 夹持不损坏物件

总长度: 130mm | 产品重量: 75g/把 | 10把/盒

Model: T.SPQJP003

Features: No teeth, no damage to objects during clamping

Total length: 130mm | Product weight: 75g/Pcs | 10 Pcs/Box



箭牌平嘴钳 Wrigley flat nose pliers

型号: T.SPQJP002

特点: 无牙, 夹持不损坏物件

总长度: 130mm | 产品重量: 75g/把 | 10把/盒

Model: T.SPQJP002

Features: No teeth, no damage to objects during clamping

Total length: 130mm | Product weight: 75g/Pcs | 10 Pcs/Box



剪钳 Pilers



型号 Model: T.SPS166
总长度 Total length: 120mm
重量 Weight: 63g/Pcs



型号 Model: T.SPS190-14
总长度 Total length: 150mm
重量 Weight: 135g/Pcs



型号 Model: T.SPS206
总长度 Total length: 140mm
重量 Weight: 90g/Pcs



型号 Model: T.SPS192
总长度 Total length: 130mm
重量 Weight: 73g/Pcs



型号 Model: T.SPS200
总长度 Total length: 130mm
重量 Weight: 83g/Pcs



型号 Model: T.SPS208
总长度 Total length: 135mm
重量 Weight: 82g/Pcs



型号 Model: T.SPS209
总长度 Total length: 130mm
重量 Weight: 80g/Pcs



型号 Model: T.SPS210
总长度 Total length: 135mm
重量 Weight: 77g/Pcs



型号 Model: T.SPS272
总长度 Total length: 140mm
重量 Weight: 90g/Pcs



型号 Model: T.SP281
总长度 Total length: 173mm
重量 Weight: 133g/Pcs



型号 Model: T.SPS380FF
总长度 Total length: 125mm
重量 Weight: 75g/Pcs



型号 Model: T.SPS380RF
总长度 Total length: 120mm
重量 Weight: 57g/Pcs



型号 Model: T.SPS380RR
总长度 Total length: 120mm
重量 Weight: 56g/Pcs



型号 Model: T.SP381
总长度 Total length: 165mm
重量 Weight: 123g/Pcs



型号 Model: T.SPS382
总长度 Total length: 140mm
重量 Weight: 147g/Pcs



型号 Model: T.SPS383
总长度 Total length: 150mm
重量 Weight: 150g/Pcs



型号 Model: T.SPS545-3
总长度 Total length: 135mm
重量 Weight: 98g/Pcs



型号 Model: T.SP281
总长度 Total length: 173mm
重量 Weight: 133g/Pcs



型号 Model: T.SPS196
总长度 Total length: 145mm
重量 Weight: 134g/Pcs



型号 Model: T.SPS322
总长度 Total length: 145mm
重量 Weight: 138g/Pcs



型号 Model: T.SP5380RR
总长度 Total length: 120mm
重量 Weight: 56g/Pcs



型号 Model: T.SP.QT052
总长度 Total length: 150mm
重量 Weight: 110g/Pcs



韩国SB206剪钳
Korea SB 206 piler
型号 Model: T.SP.QSB206
总长度 Total length: 160mm



韩国SB203剪钳 (尾部平)
Korea SB 203 piler with flat end
型号 Model: T.SP.QSB203-1
总长度 Total length: 195mm



韩国SB203剪钳 (尾部圆)
Korea SB 203 piler with round end
型号 Model: T.SP.QSB203-2
总长度 Total length: 195mm



弹簧平钳
Spring pliers

型号 Model : T.SP.QT005-A
总长度 Total length: 150mm



弹簧平钳
Spring pliers

型号 Model : T.SP.QT005-B
总长度 Total length: 150mm

断线钳 Bolt cutter



42" T.SP.QT010



48" T.SP.00078

型号 Model	总长度 Total length	手柄长度 Total length	钳头宽度 Total length	剪切范围 Total length
T.SP.QT010	105cm	86cm	11.8cm	14cm
T.SP.00078	120cm	100cm	11.8cm	16cm



气动剪钳HS-35P
Side sprue cutter
型号 Model: T.SP.QT028



气动剪钳H-30T
Side sprue cutter
型号 Model: T.SP.QT059



切割能力Cutting ability
铁线2.8mm, 铜线3.3mm
2.8mm iron wire, 3.3mm copper wire

气动剪钳刀头
Side sprue cutter
型号 Model: T.SP.QT029

进口电动剪钳
Import electric shear



T.SP.OMU16



T.SP.OMU22



T.SP.OTP50



T.SP.OTP70



T.SP.TP110

代码 Model	T.SP.OMU16	T.SP.OMU22	T.SP.OTP50	T.SP.OTP70	T.SP.TP110
切割最大 Cut max	Φ16mm	Φ22mm R=70kg/mm2	50x17mm	70x15mm	110x10mm
电源 Power supply	230V/50Hz 120V/60Hz(a richiesta)	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
瓦 Watt	1100W	1150W	1150W	1150W	1150W
转速 Rpm	10.000/min.	10.000/min.	14.000/min.	14.000/min.	14.000/min.
液压压力 Hydraulic Rower	14 ton	22 ton	30 ton	30 ton	30 ton
压力 Pressure	560 bar	700 bar	700 bar	700 bar	700 bar
尺寸 Dimensions	520x120x130mm	450x140x235mm	500x140x250mm	550x150x250mm	570x250x250mm
重量 Weight	9.1kg	13kg	22kg	27kg	40kg



卓弓
Sam bow
T.RC.ZG001



活动卓弓
Adjustable sam bow
T.RC.ZG002



瑞士鱼牌锯条
Switzerland GLARDON VALLORBE saw blades



双剑卓条
Double ended file



德国双剑卓条
Germany double ended file


代码 Model	规格 specification
T.SB.Z0001	2/0
T.SB.Z0002	3/0
T.SB.Z0003	4/0
T.SB.Z0004	5/0
T.SB.Z0005	6/0
T.SB.Z0006	7/0
T.SB.Z0007	8/0
T.SB.Z0008	0#
T.SB.Z0009	1#
T.SB.Z0010	2#
T.SB.Z0011	3#
T.SB.Z0012	4#
T.SB.Z0013	5#

代码 Model	规格 specification
T.SB.Z0016	2/0
T.SB.Z0017	3/0
T.SB.Z0018	4/0
T.SB.Z0019	5/0
T.SB.Z0020	6/0
T.SB.Z0021	7/0
T.SB.Z0022	8/0
T.SB.Z0023	0#
T.SB.Z0024	1#
T.SB.Z0025	2#
T.SB.Z0026	3#
T.SB.Z0027	4#
T.SB.Z0028	5#
T.SB.Z0029	6#
T.SB.Z0030	8#

代码 Model	规格 specification
T.SB.Z0031	0#
T.SB.Z0032	1#
T.SB.Z0033	2#
T.SB.Z0034	3#
T.SB.Z0035	4#
T.SB.Z0036	5#
T.SB.Z0037	6#
T.SB.Z0038	8#
T.SB.Z0039	2/0
T.SB.Z0040	3/0
T.SB.Z0041	4/0
T.SB.Z0042	5/0
T.SB.Z0043	6/0
T.SB.Z0044	7/0
T.SB.Z0045	8/0



- 卓条齿非常均衡，不会有断断续续的齿。
- 卓条非常有弹性不易断，可以任意方向折。
- Saw blades are made evenly on double-end saw.
- It saw have good flexibility, you can fold it without break.



▲ 锯条 Saw blades



扁锉 Flat file

代码 Model	名称 Designation	尺寸 Size
T.SB.Y0006-F-4	粗齿扁锉 Flat bastard file	4"
T.SB.Y0006-F-6	粗齿扁锉 Flat bastard file	6"
T.SB.Y0006-F-8	粗齿扁锉 Flat bastard file	8"
T.SB.Y0006-F-10	粗齿扁锉 Flat bastard file	10"
T.SB.Y0006-F-12	粗齿扁锉 Flat bastard file	12"
T.SB.Y0006-F-14	粗齿扁锉 Flat bastard file	14"
T.SB.Y0006-M-4	中齿扁锉 Medium toothed flat file	4"
T.SB.Y0006-M-6	中齿扁锉 Medium toothed flat file	6"
T.SB.Y0006-M-8	中齿扁锉 Medium toothed flat file	8"
T.SB.Y0006-M-10	中齿扁锉 Medium toothed flat file	10"
T.SB.Y0006-M-12	中齿扁锉 Medium toothed flat file	12"
T.SB.Y0006-M-14	中齿扁锉 Medium toothed flat file	14"
T.SB.Y0006-S-6	细齿扁锉 Fine toothed flat file	6"
T.SB.Y0006-S-8	细齿扁锉 Fine toothed flat file	8"
T.SB.Y0006-S-10	细齿扁锉 Fine toothed flat file	10"
T.SB.Y0006-S-12	细齿扁锉 Fine toothed flat file	12"



半圆锉 Half circle file

代码 Model	名称 Designation	尺寸 Size
T.SB.Y0005-F-6	粗齿半圆锉 Coarse toothed semi-circular file	6"
T.SB.Y0005-F-8	粗齿半圆锉 Coarse toothed semi-circular file	8"
T.SB.Y0005-F-10	粗齿半圆锉 Coarse toothed semi-circular file	10"
T.SB.Y0005-F-12	粗齿半圆锉 Coarse toothed semi-circular file	12"
T.SB.Y0005-F-14	粗齿半圆锉 Coarse toothed semi-circular file	14"
T.SB.Y0005-M-4	中齿半圆锉 Mid toothed semi-circular file	4"
T.SB.Y0005-M-6	中齿半圆锉 Mid toothed semi-circular file	6"
T.SB.Y0005-M-8	中齿半圆锉 Mid toothed semi-circular file	8"
T.SB.Y0005-M-10	中齿半圆锉 Mid toothed semi-circular file	10"
T.SB.Y0005-M-12	中齿半圆锉 Mid toothed semi-circular file	12"
T.SB.Y0005-M-14	中齿半圆锉 Mid toothed semi-circular file	14"
T.SB.Y0005-S-6	细齿半圆锉 Fine toothed semi-circular file	6"
T.SB.Y0005-S-8	细齿半圆锉 Fine toothed semi-circular file	8"
T.SB.Y0005-S-10	细齿半圆锉 Fine toothed semi-circular file	10"
T.SB.Y0005-S-12	细齿半圆锉 Fine toothed semi-circular file	12"




方锉 Square file

代码 Model	名称 Designation	尺寸 Size
T.SB.Y0001-F-6	粗齿方锉 Coarse toothed square file	6"
T.SB.Y0001-F-8	粗齿方锉 Coarse toothed square file	8"
T.SB.Y0001-F-10	粗齿方锉 Coarse toothed square file	10"
T.SB.Y0001-F-12	粗齿方锉 Coarse toothed square file	12"
T.SB.Y0001-M-6	中齿方锉 Medium toothed square file	6"
T.SB.Y0001-M-8	中齿方锉 Medium toothed square file	8"
T.SB.Y0001-M-10	中齿方锉 Medium toothed square file	10"
T.SB.Y0001-M-12	中齿方锉 Medium toothed square file	12"



三角锉
Triangle file

代码 Model	名称 Designation	尺寸 Size
T.SB.Y0004-F-6	粗齿三角锉 Rough toothed triangular file	6"
T.SB.Y0004-F-8	粗齿三角锉 Rough toothed triangular file	8"
T.SB.Y0004-F-10	粗齿三角锉 Rough toothed triangular file	10"
T.SB.Y0004-F-12	粗齿三角锉 Rough toothed triangular file	12"
T.SB.Y0004-M-4	中齿三角锉 Medium toothed triangular file	4"
T.SB.Y0004-M-5	中齿三角锉 Medium toothed triangular file	5"
T.SB.Y0004-M-6	中齿三角锉 Medium toothed triangular file	6"
T.SB.Y0004-M-8	中齿三角锉 Medium toothed triangular file	8"
T.SB.Y0004-M-10	中齿三角锉 Medium toothed triangular file	10"
T.SB.Y0004-M-12	中齿三角锉 Medium toothed triangular file	12"



圆锉
Round file

代码 Model	名称 Designation	尺寸 Size
T.SB.Y0003-F-6	粗齿圆锉 Coarse toothed round file	6"
T.SB.Y0003-F-8	粗齿圆锉 Coarse toothed round file	8"
T.SB.Y0003-F-10	粗齿圆锉 Coarse toothed round file	10"
T.SB.Y0003-F-12	粗齿圆锉 Coarse toothed round file	12"
T.SB.Y0003-M-4	中齿圆锉 Medium toothed round file	4"
T.SB.Y0003-M-6	中齿圆锉 Medium toothed round file	6"
T.SB.Y0003-M-8	中齿圆锉 Medium toothed round file	8"
T.SB.Y0003-M-10	中齿圆锉 Medium toothed round file	10"
T.SB.Y0003-M-12	中齿圆锉 Medium toothed round file	12"
T.SB.Y0003-M-14	中齿圆锉 Medium toothed round file	14"



带柄扁锉
Flat file with handle

代码 Model	规格 Specifications	尺寸 Size
T.SB.Y0007-6	粗齿 Coarse toothed / 中齿 Medium toothed	6"
T.SB.Y0007-8	粗齿 Coarse toothed / 中齿 Medium toothed	8"
T.SB.Y0007-10	粗齿 Coarse toothed / 中齿 Medium toothed	10"
T.SB.Y0007-12	粗齿 Coarse toothed / 中齿 Medium toothed	12"



带柄半圆锉
Half circle file with handle

代码 Model	规格 Specifications	尺寸 Size
T.SB.Y0008-6	粗齿 Coarse toothed / 中齿 Medium toothed	6"
T.SB.Y0008-8	粗齿 Coarse toothed / 中齿 Medium toothed	8"
T.SB.Y0008-10	粗齿 Coarse toothed / 中齿 Medium toothed	10"
T.SB.Y0008-12	粗齿 Coarse toothed / 中齿 Medium toothed	12"



带柄三角锉
Triangle file with handle

代码 Model	规格 Specifications	尺寸 Size
T.SB.Y0009-6	粗齿 Coarse toothed / 中齿 Medium toothed	6"
T.SB.Y0009-8	粗齿 Coarse toothed / 中齿 Medium toothed	8"
T.SB.Y0009-10	粗齿 Coarse toothed / 中齿 Medium toothed	10"
T.SB.Y0009-12	粗齿 Coarse toothed / 中齿 Medium toothed	12"



带柄圆锉
Round file with handle

代码 Model	规格 Specifications	尺寸 Size
T.SB.Y0010-6	粗齿 Coarse toothed / 中齿 Medium toothed	6"
T.SB.Y0010-8	粗齿 Coarse toothed / 中齿 Medium toothed	8"
T.SB.Y0010-10	粗齿 Coarse toothed / 中齿 Medium toothed	10"
T.SB.Y0010-12	粗齿 Coarse toothed / 中齿 Medium toothed	12"



带柄方锉
Square file with handle

代码 Model	规格 Specifications	尺寸 Size
T.SB.Y0011-6	粗齿 Coarse toothed / 中齿 Medium toothed	6"
T.SB.Y0011-8	粗齿 Coarse toothed / 中齿 Medium toothed	8"
T.SB.Y0011-11	粗齿 Coarse toothed / 中齿 Medium toothed	10"
T.SB.Y0011-12	粗齿 Coarse toothed / 中齿 Medium toothed	12"



黑柄套装锉
Black handle file set
T.SB.00169-16
Φ3×L140mm



黑柄套装锉
Black handle file set
T.SB.00169-17
Φ4×L160mm



黑柄套装锉
Black handle file set
T.SB.00169-18
Φ5×L180mm



红柄套装锉(粗齿)
Red handle set file (Coarse teeth)

代码 Model	名称 Designation	L	W	Φ1	厚度 Thickness	重量 Size	包装 Package
T.SB.00169-7	扁锉 Flat file	140mm	6.2mm	Φ3mm	1.42mm	102g	10 Pcs/Set
T.SB.00169-8	半圆锉 Half circle file	140mm	5.4mm	Φ3mm	1.9mm	97g	10 Pcs/Set
T.SB.00169-9	圆锉 Round file	140mm	3.1mm	Φ3mm	3.1mm	98g	10 Pcs/Set
T.SB.00169-10	三角锉 Triangle file	140mm	3.5mm	Φ3mm	3.4mm	97g	10 Pcs/Set
T.SB.00169-11	方锉 Square file	140mm	2.7mm	Φ3mm	2.7mm	88g	10 Pcs/Set
T.SB.00169-12	半圆锉 Half circle file	140mm	5mm	Φ3mm	2mm	-	10 Pcs/Set
T.SB.00169-13	尖扁锉 Flat pointed file	140mm	5.9mm	Φ3mm	1.4mm	-	10 Pcs/Set
T.SB.00169-14	刀锉 Knife file	140mm	5.2mm	Φ3mm	2.9mm	-	10 Pcs/Set
T.SB.00169-15	椭圆形锉 Elliptical file	140mm	3.3mm	Φ3mm	2.8mm	-	10 Pcs/Set
T.SB.00169-16	椭圆形锉 Elliptical file	140mm	5.1mm	Φ3mm	2.2	-	10 Pcs/Set
T.SB.00169-17	光三角锉 Optical triangular file	140mm	5.1mm	Φ3mm	2.2mm	-	10 Pcs/Set



红柄套装锉(粗齿)
Red handle set file (Coarse teeth)

代码 Model	名称 Designation	L	W	Φ1	厚度 Thickness	重量 Size	包装 Package
T.SB.00169-18	扁锉 Flat file	160mm	7.5mm	Φ4mm	2.2mm	180g	10 Pcs/Set
T.SB.00169-19	半圆锉 Half circle file	160mm	7.5mm	Φ4mm	2.2mm	180g	10 Pcs/Set
T.SB.00169-20	圆锉 Round file	160mm	3.9mm	Φ4mm	3.9mm	182g	10 Pcs/Set
T.SB.00169-21	三角锉 Triangle file	160mm	4.9mm	Φ4mm	4.8mm	181g	10 Pcs/Set
T.SB.00169-22	方锉 Square file	160mm	3.6mm	Φ4mm	3.6mm	167g	10 Pcs/Set
T.SB.00169-23	双半圆锉 Double semi-circular file	160mm	6.4mm	Φ4mm	2.9mm	-	10 Pcs/Set
T.SB.00169-24	尖扁锉 Flat pointed file	160mm	7.7mm	Φ4mm	1.9mm	-	10 Pcs/Set
T.SB.00169-25	刀锉 Knife file	160mm	7.2mm	Φ4mm	2.4mm	-	10 Pcs/Set
T.SB.00169-26	椭圆形锉 Elliptical file	160mm	4.3mm	Φ4mm	2.9mm	-	10 Pcs/Set
T.SB.00169-27	光三角锉 Optical triangular file	160mm	6.9mm	Φ4mm	2.9mm	-	10 Pcs/Set



红柄套装锉(粗齿)
Red handle set file (Coarse teeth)

代码 Model	名称 Designation	L	W	Φ1	厚度 Thickness	重量 Size	包装 Package
T.SB.00169-28	扁锉 Flat file	180mm	9.8mm	Φ5mm	2.3mm	319g	10 Pcs/Set
T.SB.00169-29	半圆锉 Half circle file	180mm	8.6mm	Φ5mm	3.3mm	292g	10 Pcs/Set
T.SB.00169-30	圆锉 Round file	180mm	5.1mm	Φ5mm	5.1mm	292g	10 Pcs/Set
T.SB.00169-31	三角锉 Triangle file	180mm	6.3mm	Φ5mm	6.2mm	292g	10 Pcs/Set
T.SB.00169-32	方锉 Square file	180mm	4.6mm	Φ5mm	4.6mm	278g	10 Pcs/Set
T.SB.00169-33	双半圆锉 Double semi-circular file	180mm	7.9mm	Φ5mm	3.4mm	-	10 Pcs/Set
T.SB.00169-34	尖扁锉 Flat pointed file	180mm	10mm	Φ5mm	2.3mm	-	10 Pcs/Set
T.SB.00169-35	刀锉 Knife file	180mm	8.6mm	Φ5mm	3.3mm	-	10 Pcs/Set
T.SB.00169-36	椭圆形锉 Elliptical file	180mm	5.6mm	Φ5mm	4.9mm	-	10 Pcs/Set
T.SB.00169-37	光三角锉 Optical triangular file	180mm	8.6mm	Φ5mm	3.3mm	-	10 Pcs/Set




红柄套装锉(小柄)
Red handle set file (Small handle)

代码 Model	尺寸 Size	重量 Weight
T.SB.00169	3×140×10mm	86g
T.SB.00169-2	4×160×10mm	146g
T.SB.00169-3	5×180×10mm	242g



红柄套装锉(大柄)
Red handle set file (Large handle)

代码 Model	尺寸 Size	重量 Weight
T.SB.00169	3×140×10mm	86g
T.SB.00169-2	4×160×10mm	146g
T.SB.00169-3	5×180×10mm	242g




瑞士鱼牌锯
Switzerland GLARDON VALLOBE file

(注: 瑞士原装进口鱼牌锯规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLOBE
saw blades are of full specifications.
Welcome to contact for more details!)



LA2401 Pilier / Pillar / Flachstumpf / Plana



00	0	1	2	3	4	6
LA2401-100-0	LA2401-100-1	LA2401-100-2	LA2401-100-3	LA2401-100-4	LA2401-100-6	
LA2401-140-0	LA2401-140-1	LA2401-140-2	LA2401-140-3	LA2401-140-4	LA2401-140-6	
LA2401-160-0	LA2401-160-1	LA2401-160-2	LA2401-160-3	LA2401-160-4	LA2401-160-6	
LA2401-180-0	LA2401-180-1	LA2401-180-2	LA2401-180-3	LA2401-180-4	LA2401-180-6	
LA2401-200-0	LA2401-200-1	LA2401-200-2	LA2401-200-3	LA2401-200-4	LA2401-200-6	

L = mm	A x B = mm
100	3.5x0.9
140	4.8x1.1
160	5.4x1.2
180	6.0x1.3
200	6.5x1.3

LA2402 Mironde / Halfround / Halbrund / Mediacaña



00	0	1	2	3	4	6
LA2402-100-0	LA2402-100-1	LA2402-100-2	LA2402-100-3	LA2402-100-4	LA2402-100-6	
LA2402-140-0	LA2402-140-1	LA2402-140-2	LA2402-140-3	LA2402-140-4	LA2402-140-6	
LA2402-160-0	LA2402-160-1	LA2402-160-2	LA2402-160-3	LA2402-160-4	LA2402-160-6	
LA2402-180-0	LA2402-180-1	LA2402-180-2	LA2402-180-3	LA2402-180-4	LA2402-180-6	
LA2402-200-0	LA2402-200-1	LA2402-200-2	LA2402-200-3	LA2402-200-4	LA2402-200-6	

L = mm	A x B = mm
100	3.8x1.1
140	5.1x1.5
160	5.6x1.7
180	5.9x2.0
200	6.3x2.0

LA2403 Feuille de sauge / Crossing / Vogelzunge / Almendra



00	0	1	2	3	4	6
LA2403-100-0	LA2403-100-1	LA2403-100-2	LA2403-100-3	LA2403-100-4	LA2403-100-6	
LA2403-140-0	LA2403-140-1	LA2403-140-2	LA2403-140-3	LA2403-140-4	LA2403-140-6	
LA2403-160-0	LA2403-160-1	LA2403-160-2	LA2403-160-3	LA2403-160-4	LA2403-160-6	
LA2403-180-0	LA2403-180-1	LA2403-180-2	LA2403-180-3	LA2403-180-4	LA2403-180-6	
LA2403-200-0	LA2403-200-1	LA2403-200-2	LA2403-200-3	LA2403-200-4	LA2403-200-6	

L = mm	A x B = mm
100	3.5x1.4
140	4.4x1.8
160	5.1x2.0
180	5.8x2.2
200	6.0x2.4


LA2405 Couteau / Knife / Messer / Cuchillo



00	0	1	2	3	4	6
LA2405-100-0	LA2405-100-1	LA2405-100-2	LA2405-100-3	LA2405-100-4	LA2405-100-6	
LA2405-140-0	LA2405-140-1	LA2405-140-2	LA2405-140-3	LA2405-140-4	LA2405-140-6	
LA2405-160-0	LA2405-160-1	LA2405-160-2	LA2405-160-3	LA2405-160-4	LA2405-160-6	
LA2405-180-0	LA2405-180-1	LA2405-180-2	LA2405-180-3	LA2405-180-4	LA2405-180-6	
LA2405-200-0	LA2405-200-1	LA2405-200-2	LA2405-200-3	LA2405-200-4	LA2405-200-6	


L = mm	A x B = mm
100	4.0x1.1
140	5.0x1.4
160	5.4x1.5
180	6.0x1.7
200	6.4x1.8

LA2406 Couteau / Knife / Messer / Cuchillo



00	0	1	2	3	4	6
LA2406-100-0	LA2406-100-1	LA2406-100-2	LA2406-100-3	LA2406-100-4	LA2406-100-6	
LA2406-140-0	LA2406-140-1	LA2406-140-2	LA2406-140-3	LA2406-140-4	LA2406-140-6	
LA2406-160-0	LA2406-160-1	LA2406-160-2	LA2406-160-3	LA2406-160-4	LA2406-160-6	
LA2406-180-0	LA2406-180-1	LA2406-180-2	LA2406-180-3	LA2406-180-4	LA2406-180-6	
LA2406-200-0	LA2406-200-1	LA2406-200-2	LA2406-200-3	LA2406-200-4	LA2406-200-6	

L = mm	A x B = mm
100	3.4x0.9
140	4.8x1.1
160	5.4x1.2
180	6.0x1.2
200	6.5x1.4



瑞士鱼牌锯
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锯规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LA2407



LA2408



LA2409



LA2410



LA2411

LA2407 Triang ire / Three-square / Dreikant / Triangular



00	0	1	2	3	4	6
	LA2407-100-0	LA2407-100-1	LA2407-100-2	LA2407-100-3	LA2407-100-4	
LA2407-140-00	LA2407-140-0	LA2407-140-1	LA2407-140-2	LA2407-140-3	LA2407-140-4	LA2407-140-6
LA2407-160-00	LA2407-160-0	LA2407-160-1	LA2407-160-2	LA2407-160-3	LA2407-160-4	LA2407-160-6
LA2407-180-00	LA2407-180-0	LA2407-180-1	LA2407-180-2	LA2407-180-3	LA2407-180-4	
LA2407-200-00	LA2407-200-0	LA2407-200-1	LA2407-200-2	LA2407-200-3	LA2407-200-4	

L = mm	A = mm
100	2.8
140	3.5
160	3.8
180	4.2
200	4.4

LA2408 Carrée / Square / Vierkant / Cuadrada



00	0	1	2	3	4	6
	LA2408-100-0	LA2408-100-1	LA2408-100-2	LA2408-100-3	LA2408-100-4	
LA2408-140-00	LA2408-140-0	LA2408-140-1	LA2408-140-2	LA2408-140-3	LA2408-140-4	
LA2408-160-00	LA2408-160-0	LA2408-160-1	LA2408-160-2	LA2408-160-3	LA2408-160-4	LA2408-160-6
LA2408-180-00	LA2408-180-0	LA2408-180-1	LA2408-180-2	LA2408-180-3	LA2408-180-4	
LA2408-200-00	LA2408-200-0	LA2408-200-1	LA2408-200-2	LA2408-200-3	LA2408-200-4	

L = mm	A = mm
100	1.7
140	2.2
160	2.4
180	2.6
200	2.8

LA2409 Ovale / Oval / Oval / Oval



00	0	1	2	3	4	6
		LA2409-140-1				
	LA2409-160-0	LA2409-160-1	LA2409-160-2	LA2409-160-3	LA2409-160-4	

L = mm	A x B = mm
140	3.5x2.4
160	3.9x2.5

LA2410 Ronde / Round / Rund / Redonda



00	0	1	2	3	4	6
	LA2410-100-0	LA2410-100-1	LA2410-100-2	LA2410-100-3	LA2410-100-4	
LA2410-140-00	LA2410-140-0	LA2410-140-1	LA2410-140-2	LA2410-140-3	LA2410-140-4	LA2410-140-6
LA2410-160-00	LA2410-160-0	LA2410-160-1	LA2410-160-2	LA2410-160-3	LA2410-160-4	LA2410-160-6
LA2410-180-00	LA2410-180-0	LA2410-180-1	LA2410-180-2	LA2410-180-3	LA2410-180-4	
LA2410-200-00	LA2410-200-0	LA2410-200-1	LA2410-200-2	LA2410-200-3	LA2410-200-4	


L = mm	A = mm
100	2.1
140	2.8
160	2.9
180	3.2
200	3.5

LA2411 Barrette / Barrette / Barrett / Barrete



00	0	1	2	3	4	6
	LA2411-100-0		LA2411-100-2	LA2411-100-3	LA2411-100-4	
LA2411-140-00	LA2411-140-0	LA2411-140-1	LA2411-140-2	LA2411-140-3	LA2411-140-4	LA2411-140-6
LA2411-160-00	LA2411-160-0	LA2411-160-1	LA2411-160-2	LA2411-160-3	LA2411-160-4	LA2411-160-6
LA2411-180-00	LA2411-180-0	LA2411-180-1	LA2411-180-2	LA2411-180-3	LA2411-180-4	
LA2411-200-11	LA2411-200-0	LA2411-200-1	LA2411-200-2	LA2411-200-3	LA2411-200-4	

L = mm	A x B = mm
100	3.7x1.4
140	4.7x1.7
160	5.1x1.8
180	5.4x2.0
200	5.8x2.2




瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LA2415 Crochet / Crochet / Flachspitz mit runden Kanten / Gancho



00	0	1	2	3	4	6
LA2415-140-0	LA2415-140-1	LA2415-140-2			LA2415-140-4	
LA2415-160-0	LA2415-160-1	LA2415-160-2	LA2415-160-3	LA2415-160-4	LA2415-160-6	

L = mm	A x B = mm
140	4.8x1.2
160	5.4x1.3


LA2416 Pilier bords ronds / Pillar round edges / Flachstumpf mit runden Kanten /



00	0	1	2	3	4	6
LA2416-140-0	LA2416-140-1	LA2416-140-2			LA2416-140-4	
LA2416-160-0	LA2416-160-1	LA2416-160-2	LA2416-160-3	LA2416-160-4		

L = mm	A x B = mm
140	4.8x1.2
160	5.4x1.3


LA2417 Coulisse bords ronds / Joint file round edges / Scharnierfeile mit runden Kanten /



00	0	1	2	3	4	6
				LA2417-100-3	LA2417-100-4	

L = mm	A x B = mm
100	3.8x1.0


LA2418 Mirondes, dos seul taillé/Halfround, cut on back only/Halbrund nur Rücken gehauen/



00	0	1	2	3	4	6
				LA2418-100-3	LA2418-100-4	

L = mm	A x B = mm
100	3.8x1.2

LA2420 Lime pour contact / Contact point file / Kontaktfeile / Lima para platinos



00	0	1	2	3	4	6
LA2420-130-0			LA2420-130-2			

L = mm	A x B = mm
130	8.0x0.9

LA2423 Ronde très effilée / Round extra slim / Rund sehr dünn / Redonda muy aguda



00	0	1	2	3	4	6
		LA2423-100-1	LA2423-100-2	LA2423-100-3		


L = mm	A = mm
100	1

LA2427 Triangulaire angles vifs / Three-square sharpened edges / Dreikant scharfe Kanten /



00	0	1	2	3	4	6
					LA2427-200-4	

L = mm	A = mm
200	4.5




瑞士鱼牌锯
Switzerland GLARDON VALLOBE file

(注: 瑞士原装进口鱼牌锯规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLOBE
saw blades are of full specifications.
Welcome to contact for more details!)




LE3001 Aux verges / Dovetail / Für Spindeln / Para husillos



0	2	3	4	5	6	8	10
LE3001-35-2	LE3001-35-4	LE3001-35-6					

L = mm	A x B = mm
35	3x1

LE3004 Couteau pointu / Knife pointed / Messer spitz / Cuchillo punta



0	2	3	4	5	6	8	10
LE3004-55-0	LE3004-55-2	LE3004-55-4	LE3004-55-5	LE3004-55-6	LE3004-55-8		

L = mm	A x B = mm
55	5x1.3

LE3007 Barrette 3 cotés taillés / Barrette 3 sides cut / Barrett 3 Seiten gehauen /



0	2	3	4	5	6	8	10
LE3007-55-2	LE3007-55-4	LE3007-55-6					

L = mm	A x B = mm
55	4.5x1.3

LE3008 Mironde / Halfround / Halbrund / Mediacaña



0	2	3	4	5	6	8	10
LE3008-40-0	LE3008-40-2	LE3008-40-3	LE3008-40-4	LE3008-40-5	LE3008-40-6	LE3008-40-8	
LE3008-55-0	LE3008-55-2	LE3008-55-3	LE3008-55-4	LE3008-55-5	LE3008-55-6	LE3008-55-8	LE3008-55-10

L = mm	A x B = mm
40	3.8x1.4
55	4.6x1.6


LE3009 Feuille de sauge / Crossing / Vogelzunge / Almendra



0	2	3	4	5	6	8	10
LE3009-40-2	LE3009-40-4	LE3009-40-6	LE3009-40-8				
LE3009-55-2	LE3009-55-4	LE3009-55-5	LE3009-55-6	LE3009-55-8	LE3009-40-10		

L = mm	A x B = mm
40	3.7x1.4
55	4.8x1.6

LE3010 Barrette / Barrette / Barrett / Barrete



0	2	3	4	5	6	8	10
LE3010-40-0	LE3010-40-2	LE3010-40-3	LE3010-40-4	LE3010-40-6	LE3010-40-8		
LE3010-55-0	LE3010-55-2	LE3010-55-3	LE3010-55-4	LE3010-55-5	LE3010-55-6	LE3010-55-8	LE3010-55-10


L = mm	A x B = mm
40	3.7x1.3
55	4.5x1.3

LE3011 Barrette parallèle / Barrette parallel / Barrett parallel / Barrete paralela



0	2	3	4	5	6	8	10
LE3011-48-2	LE3011-48-4	LE3011-48-6					

L = mm	A x B = mm
48	4.1x1.2



瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LE3014 Triangulaire / Three-square / Dreikant / Triangular



0	2	3	4	5	6	8	10	L = mm	A = mm
LE3014-40-2			LE3014-40-4		LE3014-40-6			40	2.8
LE3014-55-0	LE3014-55-2	LE3014-55-3	LE3014-55-4	LE3014-55-5	LE3014-55-6	LE3014-55-8	LE3014-55-10	55	3.4

LE3015 Entrée de fourchette / Watch anchor / Ankergabelfeile / Para horquillas de ancora



0	2	3	4	5	6	8	10	L = mm	A x B = mm
					LE3015-55-6	LE3015-55-8		55	4.4x0.8

LE3016 Entrée / Warding / Flachspitz / Plana de punta



0	2	3	4	5	6	8	10	L = mm	A x B = mm
LE3016-55-0	LE3016-55-2		LE3016-55-4		LE3016-55-6			55	4.6x0.9



LE3020 Carrée / Square / Vierkant / Cuadrada



0	2	3	4	5	6	8	10	L = mm	A = mm
LE3020-55-0	LE3020-55-2	LE3020-55-3	LE3020-55-4	LE3020-55-5	LE3020-55-6	LE3020-55-8	LE3020-55-10	55	1.7
LE3020-65-0	LE3020-65-2	LE3020-65-3	LE3020-65-4		LE3020-65-6	LE3020-65-8		65	1.9

LE3021 Ronde / Round / Rund / Redonda



0	2	3	4	5	6	8	10	L = mm	A = mm
LE3021-55-0	LE3021-55-2	LE3021-55-3	LE3021-55-4	LE3021-55-5	LE3021-55-6	LE3021-55-8	LE3021-55-10	55	1.5
LE3021-65-0	LE3021-65-2	LE3021-65-3	LE3021-65-4	LE3021-65-5	LE3021-65-6	LE3021-65-8		65	2

LE3026 Feuille de sauge à côtes / Balance wheel / Vogelzunge mit scharfem Rücken /



0	2	3	4	5	6	8	10	L = mm	A x B = mm
	LE3026-35-2		LE3026-35-4		LE3026-35-6	LE3026-35-8	LE3026-35-10	35	2.9x1.2

LE3029 Egalir / Equalling / Ausstreich / De igualar




0	2	3	4	5	6	8	10	L = mm	A x B = mm
			LE3029-55-4-DT					55	4.7x0.7



瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LP1060 Barrette / Barrette / Barett / Barrete



	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
LP1060-4-00	LP1060-4-0	LP1060-4-1	LP1060-4-2	LP1060-4-3	LP1060-4-4				4/100	12.4x2.6
LP1060-6-00	LP1060-6-0	LP1060-6-1	LP1060-6-2	LP1060-6-3	LP1060-6-4				6/150	15.5x3.5

LP1132 Pilier ordinaire / Pillar / Stiften normal / Plana paralela normal



	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
LP1132-6-00	LP1132-6-0	LP1132-6-1	LP1132-6-2	LP1132-6-3	LP1132-6-4			LP1132-6-6	6/150	12x4
	LP1132-8-0		LP1132-8-2		LP1132-8-4				8/200	14.5x4.5

LP1138 Pilier mince / Pillar thin / Stiften dünn / Plana paralela delgada



	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
LP1138-6-00	LP1138-6-0	LP1138-6-1	LP1138-6-2		LP1138-6-4				6/150	10.5x2.4

LP1152 Pilier très étroit / Pillar extra slim / Stiften sehr Schmall / Plan paralela muy estrecha



	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
LP1152-6-00	LP1152-6-0	LP1152-6-1	LP1152-6-2	LP1152-6-3	LP1152-6-4			LP1152-6-6	6/150	4.5x2.5

LP1163 Carrelette / Hand / Ansatz - Flachstumpf / Carleta



	000	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
	LP1163-4-00	LP1163-4-0	LP1163-4-1	LP1163-4-2	LP1163-4-3	LP1163-4-4	LP1163-4-5	LP1163-4-6		4/100	12.5x3.0
	LP1163-6-000	LP1163-6-00	LP1163-6-0	LP1163-6-1	LP1163-6-2	LP1163-6-3	LP1163-6-4	LP1163-6-5	LP1163-6-6	6/150	18.5x4.0
	LP1163-8-000	LP1163-8-00	LP1163-8-0	LP1163-8-1	LP1163-8-2	LP1163-8-3	LP1163-8-4		LP1163-8-6	8/200	21.3x4.8
	LP1163-10-000	LP1163-10-00	LP1163-10-0	LP1163-10-1	LP1163-10-2	LP1163-10-3	LP1163-10-4			10/250	25.3x6.3

LP1168 Carrelette mince / Thin hand / Ansatz - Flachstumpf dünn / Carleta delgada



	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
LP1168-6-00	LP1168-6-0	LP1168-6-1	LP1168-6-2		LP1168-6-4				6/150	16.5x2

LP1170 Triangulaire / Three-square / Dreikant / Triangular




	0,3	0,4	0,5	0,6	1,3	L = °/mm	A = mm
LP1170-4-2-0,3	LP1170-4-2-0,4	LP1170-4-2-0,5	LP1170-4-2-0,6	LP1170-4-2-1,3		4/100	10



瑞士鱼牌锉
Switzerland GLARDON VALLOBRE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLOBRE
saw blades are of full specifications.
Welcome to contact for more details!)



LP1360 Triangulaire / Three-square / Dreikant / Triangular



000	00	0	1	2	3	4	5	6	L = °/mm	A = mm
LP1360-6-000	LP1360-6-00	LP1360-6-0	LP1360-6-1	LP1360-6-2	LP1360-6-3	LP1360-6-4		LP1360-6-6	6/150	10.3
LP1360-8-000	LP1360-8-00	LP1360-8-0	LP1360-8-1	LP1360-8-2	LP1360-8-3	LP1360-8-4		LP1360-8-6	8/200	14.2

LP1366 Triangulaire effilée / Three square narrow / Dreikant schmal / Triangular delgada



00	0	1	2	3	4	5	6	L = °/mm	A = mm
LP1366-6-00	LP1366-6-0	LP1366-6-1		LP1366-6-3				6/150	8.3

LP1464 Carrée pointue / Square pointed / Vierkant spitz / Cuadrada aguda



00	0	1	2	3	4	5	6	L = °/mm	A = mm
		LP1464-6-1	LP1464-6-2	LP1464-6-3	LP1464-6-4			6/150	5.5

LP1480 Carrée à étirer / Square seconds hole / Vierkantfeile f. Zapfenlöcher / Cuadrada para aguja segundero



00	0	1	2	3	4	5	6	L = °/mm	A = mm
			LP1480-2-2					2/50	1

LP1540 Mironde double / Vul-Crylic file / Halbrund doppelt / Mediacaña doble



	L = mm	A x B = mm
LP1540-6	6/150	12.5x3.5
LP1540-7	7/175	12.5x3.5
LP1540-8	8/200	13.5x4.0

LP1545 Mironde pour bijoutiers / Halfround for jewellers / Halbrunde Goldschmiede-Feile



00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
		LP1545-4.5-0	LP1545-4.5-2					4.5/15	12.0x3.3

LP1560 Mironde ordinaire / Halfround / Halbrund normal / Mediacaña normal



000	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
	LP1560-5-00	LP1560-5-0	LP1560-5-1	LP1560-5-2	LP1560-5-3	LP1560-5-4	LP1560-5-5	LP1560-5-6	5/125	13.1x4.1
LP1560-6-000	LP1560-6-00	LP1560-6-0	LP1560-6-1	LP1560-6-2	LP1560-6-3	LP1560-6-4	LP1560-6-5	LP1560-6-6	6/150	15.1x4.7
LP1560-8-000	LP1560-8-00	LP1560-8-0	LP1560-8-1	LP1560-8-2	LP1560-8-3	LP1560-8-4			8/200	21.1x6.3

LP1566 Mironde effilée, pour bagues / Halfround slim or ring file / Halbrund schlank, für Ringe



000	00	0	1	2	3	4	5	6	L = °/mm	A x B = mm
	LP1566-6-00	LP1566-6-0	LP1566-6-1	LP1566-6-2	LP1566-6-3	LP1566-6-4		LP1566-6-6	6/150	12.7x3.5



瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON BALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LP1567 Mironde très effilée / Halfround extra narrow / Halbrund sehr schlank / Mediacaña muy fina



00	0	1	2	3	4	5	6	L = */mm	A x B = mm
LP1567-6-0			LP1567-6-2		LP1567-6-4			6/150	9.8x2.8

LP1660 Ronde ordinaire pointue / Round pointed / Rund normal spitz / Redonda normal aguda




00	0	1	2	3	4	5	6	L = */mm	A = mm
		LP1660-6-1	LP1660-6-2	LP1660-6-3	LP1660-6-4		LP1660-6-6	6/150	5.8
		LP1660-8-1	LP1660-8-2	LP1660-8-3	LP1660-8-4			8/200	7.8

LP1680 Ronde à étirer / Round seconds hole / Rund f. Zapfenlöcher / Redonda para aguja segundero



00	0	1	2	3	4	5	6	L = */mm	A = mm
			LP1680-1,5-2					1.5/38	1
					LP1680-2-4			2/50	1

LP1840 A fendre à queue / Screwhead with tang / Einstreichfeile mit Angel / Lima de ranurar con espiga



00 = 1	1 = 0.8	2 = 0.7	3 = 0.6	4 = 0.55	L = */mm	A x B = mm
LP1840-4-00	LP1840-4-0	LP1840-4-2	LP1840-4-3	LP1840-4-4	4/100	11x0.5

LP1850 A fendre sans queue / Screwhead without tang / Einstreichfeile ohne Angel /




2 = 0.70	4 = 0.55	5 = 0.5	6 = 0.45	8 = 0.35	L = */mm	A x B = mm
LP1850-3-2	LP1850-3-4	LP1850-3-5	LP1850-3-6	LP1850-3-8	3/75	9x0.5

LP1960 Feuille de sauge / Crossing / Vogelzunge / Almendra



00	0	1	2	3	4	5	6	L = */mm	A x B = mm
LP1960-6-00	LP1960-6-0	LP1960-6-1	LP1960-6-2	LP1960-6-3	LP1960-6-4			6/150	14.8x5
LP1960-8-00	LP1960-8-0	LP1960-8-1	LP1960-8-2	LP1960-8-3	LP1960-8-4			8/200	21.3x6.3


LP1990 Ovale poinçons / Diesinker oval / Raumfeilen oval / Lima oval para punzones



00	0	1	2	3	4	5	6	L = */mm	A x B = mm
			LP1990-6-2					6/150	8.6x4.4

锉
Files

名称 Description	型号 Model
大板锉 Hand file	T.SB.00029
双头锉 Double ended wax file	T.SB.00030
红柄卜锉 (国产) Halfround file with red handle	T.SB.00046
三角锉 (国产) Triangle file with red handle	T.SB.00048
小三角锉 (国产) Small triangle file	T.SB.00049
金刚锉 Diamond file	T.SB.00050
平锉 (国产) Flat file	T.SB.00055
竹叶锉 (国产) Barrette file	T.SB.00056
方锉 (进口) Square file	T.SB.00057
8寸双头蜡锉 8" double-end wax files	ALP1540-8

铲刀
Graver

名称 Description	型号 Model
6# 鱼牌铲刀401-6 6# GLARDON VALLORBE graver 401-6	T.SB.00014
8# 鱼牌铲刀401-8 8# GLARDON VALLORBE graver 401-8	T.SB.00015
10# 鱼牌铲刀401-10 10# GLARDON VALLORBE graver 401-10	T.SB.00016
0# 鱼牌三角铲刀403-0 0# GLARDON VALLORBE graver 403-0	T.SB.00017
1# 鱼牌三角铲刀403-1 1# GLARDON VALLORBE graver 403-1	T.SB.00018
2# 鱼牌三角铲刀403-2 2# GLARDON VALLORBE graver 403-2	T.SB.00019
3# 鱼牌三角铲刀403-3 3# GLARDON VALLORBE graver 403-3	T.SB.00020
4# 鱼牌三角铲刀403-4 4# GLARDON VALLORBE graver 403-3	T.SB.00021
5# 鱼牌三角铲刀403-5 5# GLARDON VALLORBE graver 403-5	T.SB.00022



瑞士鱼牌牌
Switzerland GLARDON VALLOBE file

(注: 瑞士原装进口鱼牌牌规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLOBE
saw blades are of full specifications.
Welcome to contact for more details!)



LO0401



LO0402



LO0403

LO0401 Bord plat / Flat edge / Flach / Borde plano



HSS L = 65 mm

WS L = 80 mm

N° A = mm

LO0401-2-HSS	LO0401-2-WS
LO0401-4-HSS	LO0401-4-WS
LO0401-6-HSS	LO0401-6-WS
LO0401-8-HSS	LO0401-8-WS
LO0401-10-HSS	LO0401-10-WS
LO0401-12-HSS	LO0401-12-WS
LO0401-14-HSS	LO0401-14-WS
LO0401-16-HSS	LO0401-16-WS
LO0401-18-HSS	
LO0401-20-HSS	
LO0401-24-HSS	

2	0.2
4	0.4
6	0.6
8	
10	
12	
14	
16	
18	
20	
24	

LO0402 Bord rond / Round edge / Boll / Borde redondo



HSS L = 65 mm

WS L = 80 mm

N° A = mm

LO0402-2-HSS	LO0402-2-WS
LO0402-4-HSS	LO0402-4-WS
LO0402-6-HSS	LO0402-6-WS
LO0402-8-HSS	LO0402-8-WS
LO0402-10-HSS	LO0402-10-WS
LO0402-12-HSS	LO0402-12-WS
LO0402-14-HSS	LO0402-14-WS
LO0402-16-HSS	LO0402-16-WS
LO0402-18-HSS	LO0402-18-WS
LO0402-20-HSS	LO0402-20-WS
	LO0402-24-WS

2	0.2
4	0.4
6	0.6
8	0.8
10	1.0
12	1.2
14	1.4
16	1.6
18	1.8
20	2.0
24	2.4

LO0403 Onglette / Onglette / Spitz / De punta



HSS L = 65 mm

WS L = 80 mm

N° A = mm

LO0403-5/0-HSS	LO0403-5/0-WS
LO0403-4/0-HSS	LO0403-4/0-WS
LO0403-3/0-HSS	LO0403-3/0-WS
LO0403-2/0-HSS	LO0403-2/0-WS
LO0403-0-HSS	LO0403-0-WS
LO0403-1-HSS	LO0403-1-WS
LO0403-2-HSS	LO0403-2-WS
LO0403-3-HSS	LO0403-3-WS
LO0403-4-HSS	LO0403-4-WS
LO0403-5-HSS	LO0403-5-WS
LO0403-6-HSS	LO0403-6-WS
LO0403-7-HSS	LO0403-7-WS
LO0403-8-HSS	LO0403-8-WS

5/0	1.16
4/0	1.24
3/0	1.35
2/0	1.45
0	1.58
1	1.78
2	1.94
3	2.16
4	2.54
5	2.74
6	2.94
7	3.14
8	3.36



瑞士鱼牌锯
Switzerland GLARDON VALLOBE file

(注: 瑞士原装进口鱼牌锯规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLOBE
saw blades are of full specifications.
Welcome to contact for more details!)



LO0404



LO0405



LO0406



LO0408

LO0404 Ovale / Oval / Oval / Oval



WS L = 80 mm

LO0404-15
LO0404-17
LO0404-19
LO0404-21
LO0404-23
LO0404-25

N° A = mm

15 1.5
17 1.7
19 1.9
21 2.1
23 2.3
25 2.5

LO0405 A biseau / Bevel / Facetten / Chaflán



WS L = 80 mm

LO0405-2
LO0405-4
LO0405-6
LO0405-8
LO0405-10
LO0405-12
LO0405-14
LO0405-16
LO0405-18
LO0405-20

N° A = mm

2 0.2
4 0.4
6 0.6
8 0.8
10 1.0
12 1.2
14 1.4
16 1.6
18 1.8
20 2.0

LO0406 Tranchante / Knife / Messer / Cuchillo



HSS L = 65 mm

WS L = 80 mm

LO0406-18-HSS
LO0406-20-HSS
LO0406-22-HSS
LO0406-24-HSS
LO0406-26-HSS
LO0406-28-HSS
LO0406-30-HSS
LO0406-32-HSS

LO0406-18-WS
LO0406-20-WS
LO0406-22-WS
LO0406-24-WS
LO0406-26-WS
LO0406-28-WS
LO0406-30-WS
LO0406-32-WS

N° A = mm

18 1.8
20 2.0
22 2.2
24 2.4
26 2.6
28 2.8
30 3.0
32 3.2

LO0408 A revider plate / Flat narrow back / Flach zum Ausrunden / Plano



WS L = 80 mm

LO0408-16
LO0408-18
LO0408-20
LO0408-22
LO0408-24
LO0408-26
LO0408-28

N° A = mm

16 1.6
18 1.8
20 2.0
22 2.2
24 2.4
26 2.6
28 2.8

针钻系列 Burs and drills

规格说明 Specifications: 005 = 0.5mm, 010 = 1mm, ..., 080 = 8mm

德国蓝盒针钻系列
Germany KOMET burs series

F1波针 F1 round burs set

型号 Model	直径 Diameter (mm)
T.SL.KF0099-T.SL.KF0119	003-023
T.SL.KF0120-T.SL.KF0127	024-040
T.SL.KF0142-T.SL.KF0180	042-080

F3轮针 F3 wheel burs set

型号 Model	直径 Diameter (mm)
T.SL.KF0202-T.SL.KF0219	006-023

F5伞针 F5 pointed burs set

型号 Model	直径 Diameter (mm)
T.SL.KF0305-T.SL.KF0319	009-023
T.SL.KF0320-T.SL.KF0323	025-031

F6桃针 F6 bud burs set

型号 Model	直径 Diameter (mm)
T.SL.KF0405-T.SL.KF0419	009-023
T.SL.KF0420-T.SL.KF0423	025-031

F36直牙针 F36 cylinder burs set

型号 Model	直径 Diameter (mm)
T.SL.KF0502-T.SL.KF0519	006-023
T.SL.KF0520-T.SL.KF0522	025-027

F38斜牙针 F38 cone burs set

型号 Model	直径 Diameter (mm)
T.SL.KF0621-T.SL.KF0619	005-023
T.SL.KF0620	025

F203钻针 F203 twist drill

型号 Model	直径 Diameter (mm)
T.SL.KF0701-T.SL.KF0719	005-023

F249雕刻针 F249 carving burs set

型号 Model	直径 Diameter (mm)
T.SL.KF0805-T.SL.KF0819	009-023

F253厚飞碟 F253 bearing cutter

型号 Model	直径 Diameter (mm)
T.SL.KF0905-T.SL.KF0919	005-023
T.SL.KF0921-T.SL.KF0933	025-037

F253W薄飞碟 F253W bearing cutter

型号 Model	直径 Diameter (mm)
T.SL.KF1005-T.SL.KF1019	009-023
T.SL.KF1021	025

F256密口吸珠 F256 bearing cutter

型号 Model	直径 Diameter (mm)
T.SL.KF1105-T.SL.KF1119	009-023
T.SL.KF1120-T.SL.KF1125	024-029

F256A开口吸珠 F256A concave cutter

型号 Model	直径 Diameter (mm)
T.SL.KF1205-T.SL.KF1219	009-023

瑞士万利发针钻系列
Switzerland maillefer burs series

23#波针 23# round burs set

型号 Model	直径 Diameter (mm)
T.SL.23005-T.SL.23023	005-023
T.SL.23024-T.SL.23040	024-040
T.SL.23045-T.SL.23065	045-065

25#轮针 25# wheel burs set

型号 Model	直径 Diameter (mm)
T.SL.25006-T.SL.25023	006-023

34#直牙针 34# cylinder burs set

型号 Model	直径 Diameter (mm)
T.SL.34007-T.SL.34023	007-023

38#斜牙针 38# cone burs set

型号 Model	直径 Diameter (mm)
T.SL.38006-T.SL.38023	006-023

58#钻针 58# twist drill

型号 Model	直径 Diameter (mm)
T.SL.38006-T.SL.38023	005-023

HB#薄飞碟 HB# bearing cutter

型号 Model	直径 Diameter (mm)
T.SL.HB009-T.SL.HB023	009-023

HD#厚飞碟 HD# bearing cutter

型号 Model	直径 Diameter (mm)
T.SL.HD008-T.SL.HD023	008-023
T.SL.HD024-T.SL.HD040	024-040
T.SL.HD042-T.SL.HD045	042-045

S密口吸珠 S bearing cutter

型号 Model	直径 Diameter (mm)
T.SL.S008-T.SL.S023	008-023
T.SL.S040	040

HH超薄飞碟 HH bearing cutter

型号 Model	直径 Diameter (mm)
T.SL.HH009-T.SL.HH023	009-023

钨钢牙针138 Tungsten carbide cross cut burs

型号 Model	直径 Diameter (mm)
T.SL.138012	012





德国DZ钨钢波针
German DZ Round burs set

代码 Model	规格 specification	代码 Model	规格 specification	代码 Model	规格 specification
T.SL.WGDZ03	003	T.SL.WGDZ10	010	T.SL.WGDZ17	017
T.SL.WGDZ04	004	T.SL.WGDZ11	011	T.SL.WGDZ18	018
T.SL.WGDZ05	005	T.SL.WGDZ12	012	T.SL.WGDZ19	019
T.SL.WGDZ06	006	T.SL.WGDZ13	013	T.SL.WGDZ20	020
T.SL.WGDZ07	007	T.SL.WGDZ14	014	T.SL.WGDZ21	021
T.SL.WGDZ08	008	T.SL.WGDZ15	015	T.SL.WGDZ23	023
T.SL.WGDZ09	009	T.SL.WGDZ16	016	T.SL.WGDZ27	027



KS钨钢波针
KS round burs set

代码 Model	规格 specification	代码 Model	规格 specification	代码 Model	规格 specification
T.SL.WGF10105	005	T.SL.WGF10112	012	T.SL.WGF10119	019
T.SL.WGF10106	006	T.SL.WGF10113	013	T.SL.WGF10120	020
T.SL.WGF10107	007	T.SL.WGF10114	014	T.SL.WGF10121	021
T.SL.WGF10108	008	T.SL.WGF10115	015	T.SL.WGF10122	022
T.SL.WGF10109	009	T.SL.WGF10116	016	T.SL.WGF10123	023
T.SL.WGF10110	010	T.SL.WGF10117	017		
T.SL.WGF10111	011	T.SL.WGF10118	018		



KS钨钢牙针
KS cylinder burs set

代码 Model	规格 specification	代码 Model	规格 specification
T.SL.WGF13808	008	T.SL.WGF13816	016
T.SL.WGF13809	009	T.SL.WGF13817	017
T.SL.WGF13810	010	T.SL.WGF13818	018
T.SL.WGF13811	011	T.SL.WGF13819	019
T.SL.WGF13812	012	T.SL.WGF13820	020
T.SL.WGF13813	013	T.SL.WGF13821	021
T.SL.WGF13814	014	T.SL.WGF13822	022
T.SL.WGF13815	015	T.SL.WGF13823	023




白盒钨钢牙针
White box cylinder burs set




代码 Model	规格 specification	代码 Model	规格 specification
T.SL.WGBH006	006	T.SL.WGBH015	015
T.SL.WGBH007-1	007	T.SL.WGBH016	016
T.SL.WGBH008	008	T.SL.WGBH017	017
T.SL.WGBH009	009	T.SL.WGBH018	018
T.SL.WGBH010	010	T.SL.WGBH019	019
T.SL.WGBH011	011	T.SL.WGBH020	020
T.SL.WGBH012	012	T.SL.WGBH021	021
T.SL.WGBH013	013	T.SL.WGBH022	022
T.SL.WGBH014	014	T.SL.WGBH023	023


白盒钨钢钻针
White box twist drill


代码 Model	规格 specification	代码 Model	规格 specification
T.SL.WGBHZ005	005	T.SL.WGBHZ015	015
T.SL.WGBHZ006	006	T.SL.WGBHZ016	016
T.SL.WGBHZ007	007	T.SL.WGBHZ017	017
T.SL.WGBHZ008	008	T.SL.WGBHZ018	018
T.SL.WGBHZ009	009	T.SL.WGBHZ019	019
T.SL.WGBHZ010	010	T.SL.WGBHZ020	020
T.SL.WGBHZ011	011	T.SL.WGBHZ021	021
T.SL.WGBHZ012	012	T.SL.WGBHZ022	022
T.SL.WGBHZ013	013	T.SL.WGBHZ023	023
T.SL.WGBHZ014	014		


铁锤
Gold smith hammer


代码 Model	A	B	W	L
A T.ET.A0007	13mm	13mm	40mm	230mm
B T.ET.A0009	15mm	15mm	48mm	230mm
C T.ET.A0011	19mm	19mm	55mm	230mm
D T.ET.A0010	22mm	22mm	63mm	255mm
E T.ET.A0008	24mm	24mm	70mm	255mm


金工锤
Chasing Hammers


代码 Model	Φ1	Φ2	H	L	重量 Weight
T.ET.A0031-1	Φ21mm	Φ35mm	55mm	275mm	0.23kg
T.ET.A0032-1	Φ26mm	Φ39mm	60mm	300mm	0.35kg
T.ET.A0033-1	Φ28mm	Φ44mm	64mm	330mm	0.45kg


金工锤
Chasing Hammers

代码 Model	R	Φ2	H	L	重量 Weight
T.ET.A0031-1	10.5mm	Φ35mm	63mm	275mm	0.26kg
T.ET.A0032-1	13mm	Φ39mm	68mm	300mm	0.36kg
T.ET.A0033-1	16mm	Φ44mm	75mm	330mm	0.53kg




进口金工锤
Imported metalworking hammer




代码 Model	A	B	H	L
A T.ET.A0017-1	Φ19mm	Φ19mm	75mm	235mm
B T.ET.A0017-2	20×10mm	20×8mm	75mm	243mm
C T.ET.A0017-3	20×6mm	20×5mm	73mm	235mm
D T.ET.A0017-4	Φ15mm	Φ12mm	78mm	238mm
E T.ET.A0017-5	Φ5mm	Φ3mm	75mm	240mm



肌理锤
Texture Hammer



代码 Model	W	H	L
A T.ET.A0030-1	23×23mm	83mm	270mm
B T.ET.A0030-2	23×23mm	83mm	270mm
C T.ET.A0030-3	23×23mm	83mm	270mm
D T.ET.A0030-4	23×23mm	83mm	270mm
E T.ET.A0030-5	23×23mm	83mm	270mm
F T.ET.A0030-6	23×23mm	83mm	270mm



錾刻锤
Chisel hammer

代码 Model	W	H	重量 Weight
T.ET.A0036-1	20×20mm	65mm	180g
T.ET.A0036-2	Φ18mm	65mm	180g



锻打横面锤
Forging horizontal hammer

代码 Model	W	H	重量 Weight
T.ET.A0034-1	Φ32mm	105mm	700g
T.ET.A0034-2	Φ35mm	115mm	900g
T.ET.A0034-3	Φ38mm	120mm	1100g



锻打竖面锤
Forging vertical hammer

代码 Model	W	H	重量 Weight
T.ET.A0035-1	Φ34mm	105mm	700g
T.ET.A0035-2	Φ38mm	115mm	940g
T.ET.A0035-3	Φ41mm	120mm	1100g




T.ET.A0005



T.ET.A0006

安装锤
Plastic head hammer



代码 Model	Φ1	H	L1	L2
T.ET.A0005	Φ25mm	65mm	235mm	125mm
T.ET.A0006	Φ30mm	75mm	255mm	135mm



T.ET.A0002




T.ET.A0003



T.ET.A0003-B

德国猎人尼龙锤
Germany nylon head hammer



代码 Model	Φ1	H	L1	重量 Weight
T.ET.A0002	Φ22mm	70mm	255mm	135g
T.ET.A0003	Φ27mm	85mm	270mm	225g
T.ET.A0003-B	Φ27mm	85mm	270mm	225g

錾刻刀 Chisel carving knife



代码 Model	形状 Shape	长度 Length	直径 Diameter
TJK.00006-1	细直线 Fine straight line 1mm	90mm	Φ5.5mm
TJK.00006-2	细直线 Fine straight line 3mm	90mm	Φ5.5mm
TJK.00006-3	细直线 Fine straight line 5mm	90mm	Φ5.5mm
TJK.00006-4	细直线 Fine straight line 7mm	90mm	Φ5.5mm
TJK.00006-5	粗直线 Thick straight line 1mm	90mm	Φ5.5mm
TJK.00006-6	粗直线 Thick straight line 5mm	90mm	Φ5.5mm
TJK.00006-7	平曲 Flat curvature 2mm	90mm	Φ5.5mm
TJK.00006-8	平曲 Flat curve 3mm	90mm	Φ5.5mm
TJK.00006-9	平曲 Flat curve 5mm	90mm	Φ5.5mm
TJK.00006-10	中曲 Medium curvature 2mm	90mm	Φ5.5mm
TJK.00006-11	中曲 Medium curvature 3mm	90mm	Φ5.5mm
TJK.00006-12	中曲 Mid curve 5mm	90mm	Φ5.5mm
TJK.00006-13	深曲 Deep curvature 2mm	90mm	Φ5.5mm
TJK.00006-14	深曲 Deep curvature 3mm	90mm	Φ5.5mm
TJK.00006-15	深曲 Deep curvature 5mm	90mm	Φ5.5mm
TJK.00006-16	半圆压錾 Half circle chisel 2mm	90mm	Φ5.5mm
TJK.00006-17	三角压錾 Triangular chisel 1×3mm	90mm	Φ5.5mm
TJK.00006-18	椭圆压錾 Elliptical chisel 3×4mm	90mm	Φ5.5mm
TJK.00006-19	方形压錾 Square chisel 2×2mm	90mm	Φ5.5mm
TJK.00006-20	空心点錾 Hollow point chisel 1mm	90mm	Φ5.5mm
TJK.00006-21	空心点錾 Hollow point chisel 2mm	90mm	Φ5.5mm
TJK.00006-22	空心点錾 Hollow point chisel 3mm	90mm	Φ5.5mm
TJK.00006-23	空心点錾 Solid point chisel 1mm	90mm	Φ5.5mm
TJK.00006-24	空心点錾 Solid point chisel 2mm	90mm	Φ5.5mm

唐草/唐纹錾刻刀 Tang Grass/Tang Pattern Carving Knife





代码 Model	形状 Shape	长度 Length	直径 Diameter
TJK.00009-1	左 Left 2mm	90mm	Φ5.5mm
TJK.00009-2	右 Right 2mm	90mm	Φ5.5mm
TJK.00009-3	左 Left 3mm	90mm	Φ5.5mm
TJK.00009-4	右 Right 3mm	90mm	Φ5.5mm
TJK.00009-5	左 Left 4mm	90mm	Φ5.5mm
TJK.00009-6	右 Right 4mm	90mm	Φ5.5mm
TJK.00009-7	左 Left 5mm	90mm	Φ5.5mm
TJK.00009-8	右 Right 5mm	90mm	Φ5.5mm
TJK.00009-9	左 Left 6mm	90mm	Φ5.5mm
TJK.00009-10	右 Right 6mm	90mm	Φ5.5mm
TJK.00009-11	左 Left 8mm	90mm	Φ5.5mm
TJK.00009-12	右 Right 8mm	90mm	Φ5.5mm
TJK.00009-13	左 Left 10mm	90mm	Φ5.5mm
TJK.00009-14	右 Right 10mm	90mm	Φ5.5mm
TJK.00009-15	左 Left 12mm	90mm	Φ5.5mm



圆头唐草簪子
Tang Grass/Tang Pattern Carving Knife

代码 Model	长度 Length	头部宽度 Head width
TJK.00010-1	90mm	2mm
TJK.00010-2	90mm	3mm
TJK.00010-3	90mm	4mm
TJK.00010-4	90mm	5mm
TJK.00010-5	90mm	6mm
TJK.00010-6	90mm	7mm
TJK.00010-7	90mm	8mm
TJK.00010-8	90mm	9mm
TJK.00010-9	90mm	10mm

花簪
Flower chisel



代码 Model	编号 Number	代码 Model	编号 Number	代码 Model	编号 Number	代码 Model	编号 Number	代码 Model	编号 Number
TJK.00011-1	A1	TJK.00011-14	A14	TJK.00011-27	B7	TJK.00011-40	B20	TJK.00011-53	C13
TJK.00011-2	A2	TJK.00011-15	A15	TJK.00011-28	B8	TJK.00011-41	C1	TJK.00011-54	C14
TJK.00011-3	A3	TJK.00011-16	A16	TJK.00011-29	B9	TJK.00011-42	C2	TJK.00011-55	C15
TJK.00011-4	A4	TJK.00011-17	A17	TJK.00011-30	B10	TJK.00011-43	C3	TJK.00011-56	C16
TJK.00011-5	A5	TJK.00011-18	A18	TJK.00011-31	B11	TJK.00011-44	C4	TJK.00011-57	C17
TJK.00011-6	A6	TJK.00011-19	A19	TJK.00011-32	B12	TJK.00011-45	C5	TJK.00011-58	C18
TJK.00011-7	A7	TJK.00011-20	A20	TJK.00011-33	B13	TJK.00011-46	C6	TJK.00011-59	C19
TJK.00011-8	A8	TJK.00011-21	B1	TJK.00011-34	B14	TJK.00011-47	C7	TJK.00011-60	C20
TJK.00011-9	A9	TJK.00011-22	B2	TJK.00011-35	B15	TJK.00011-48	C8	TJK.00011-61	C21
TJK.00011-10	A10	TJK.00011-23	B3	TJK.00011-36	B16	TJK.00011-49	C9	TJK.00011-62	C22
TJK.00011-11	A11	TJK.00011-24	B4	TJK.00011-37	B17	TJK.00011-50	C10	TJK.00011-63	C23
TJK.00011-12	A12	TJK.00011-25	B5	TJK.00011-38	B18	TJK.00011-51	C11		
TJK.00011-13	A13	TJK.00011-26	B6	TJK.00011-39	B19	TJK.00011-52	C12		



圆铁平砧
Round iron anvil

代码 Model	直径 Diameter	厚度 Thickness	重量 Weight
TJK.00012-1	Φ110mm	4mm	3kg
TJK.00012-2	Φ110mm	4.7mm	3.5kg
TJK.00012-3	Φ120mm	4mm	3.5kg
TJK.00012-4	Φ130mm	4mm	4.2kg
TJK.00012-5	Φ140mm	4mm	4.6kg
TJK.00012-6	Φ150mm	4mm	6.4kg
TJK.00012-7	Φ160mm	4mm	6.6kg
TJK.00012-8	Φ160mm	4.5mm	7kg
TJK.00012-9	Φ160mm	6mm	9.3kg
TJK.00012-10	Φ180mm	6mm	12kg
TJK.00012-11	Φ200mm	6mm	14.5kg



方铁平砧
Square iron anvil
TJK.00012-12
115×115×40mm 4kg



纹底整刀
Pattern bottom chisel knife
TJK.00013
Φ5×90mm 13 Pcs



首饰篆刻台(铁)
Jewelry carving table (Iron)
TJK.00007
240×130×40mm 8kg



首饰篆刻台(不锈钢)
Jewelry carving table (Stainless steel)
TJK.00007-2
240×130×40mm 16kg



旋转篆刻台
Rotating chiseling table
TTJK.00007-3
210×150×45mm 9.5kg



松香胶板(木质)-黄胶
Rosin gum board (wood) - yellow gum
TJK.00008-1
320×285mm



松香胶板(木质)-黄胶
Rosin gum board (wood) - yellow gum
TJK.00008-2
280×190×33mm 1.8kg



松香胶板(木质)-黄胶
Rosin gum board (wood) - yellow gum
TJK.00008-3
230×230×33mm 1.8kg




松香胶板(木质)-黑胶
Rosin gum board (wood) - black gum
TJK.00008-3
280×190×33mm 1.8kg



松香胶板(木质)-黑胶
Rosin gum board (wood) - black gum
TJK.00008-4
230×230×33mm 1.8kg



松香胶板(白铁)-黄胶
Rosin gum board (iron) - yellow gum
TJK.00008-5
280×190×33mm 4.2kg



松香胶板(白铁)-黄胶
Rosin gum board (iron) - yellow gum
TJK.00008-6
230×230×33mm 4.2kg



松香胶板(白铁)-黑胶
Rosin gum board (iron) - black gum
TJK.00008-7
280×190×33mm 1.8kg



松香胶板(白铁)-黑胶
Rosin gum board (iron) - black gum
TJK.00008-8
230×230×33mm 1.8kg



手镯槽
Bracelet groove
TJK.00014
L180×W60mm 5kg



吉言鑿
Auspicious chisel
TJK.00015
L73mm

铁马铁砧
Iron horse and anvil



中黄胶锤
Yellow plastic head hammer
T.ET.A0004



台木
Bench pin
T.CG.00001



红木台塞
Bench pin
T.CG.00042



不锈钢手环
Bracelet mandrel-stainless steel
T.CG.00068
椭圆形 Oval 42×35mm, 81×63mm
长度 Length: 280mm Weight: 1kg



不锈钢手环
Bracelet mandrel-stainless steel
T.CG.00097
圆形 Circular Φ72mm, Φ38mm
长度 Length: 280mm Weight: 1kg



铜手环
Wooden bracelet clamp
T.CG.00081
圆形 Circular Φ72mm, Φ38mm
长度 Length: 280mm Weight: 1kg



铜手环
Wooden bracelet clamp
T.CG.00080
椭圆形 Oval 40×32mm, 82×66mm
长度 Length: 280mm Weight: 1kg



木手环
Wooden bracelet clamp
T.GI.00045
椭圆形 Oval



木手环
Wooden bracelet clamp
T.CG.00039
圆形 Circular



塑料手环
Plastic hand ring
T.CG.00110
椭圆形 Oval Φ79mm, Φ40mm
长度 Length: 297mm Weight: 380g



塑料手环
Plastic hand ring
T.CG.00109
圆形 Circular Φ79mm, Φ36mm
长度 Length: 307mm Weight: 460g



塑料刻度手环
Plastic scale hand ring
T.CG.00163
圆形 Circular Φ77mm, Φ35mm
长度 Length: 300mm Weight: 370g



梯形手环
Trapezoid hand ring

T.CG.00113
圆形 Circular $\Phi 68\text{mm}$, $\Phi 40\text{mm}$
长度 Length: 294mm Weight: 445g



戒指木
Wood ring mandrel

T.GI.00071



方形戒指木
Square wood ring mandrel

T.CG.00235



蜂窝状石英焊板
Honeycomb ceramic soldering plate

C.CS.135095002-W
137×97×13mm 150g



字印 (可订制)
Stamp (tailored)

代码 Model	直径 Diameter
T.CG.ZY001	14K曲字印 14K stamp
T.CG.ZY002	18K曲字印 18K stamp
T.CG.ZY003	999曲字印 999 stamp
T.CG.ZY004	925曲字印 925 stamp
T.CG.ZY006	数字字印 Digit stamp
T.CG.ZY007	16K字印 16K stamp
T.CG.ZY008	24K字印 24K stamp
T.CG.ZY009	797字印 797 stamp
T.CG.ZY017-B	916字印 916 stamp
T.CG.ZY018-B	750字印 750 stamp
T.CG.ZY019-B	21K字印 21K stamp
T.CG.ZY020-B	9K字印 9K stamp
T.CG.ZY021	950字印 950 stamp



0, 1, 2, 3, 4, 5, (69), 7, 8



数字字印
Digit stamp

代码 Model	字高 Font height
T.CG.ZY022-1	1.5mm
T.CG.ZY022-2	2.0mm
T.CG.ZY022-3	2.5mm
T.CG.ZY022-4	3.0mm
T.CG.ZY022-5	4.0mm
T.CG.ZY022-6	5.0mm
T.CG.ZY022-7	6.0mm



ABCDEFGHIJKLMNOPQRSTUVWXYZ&

字母字印
Letter stamp

代码 Model	字高 Font height
T.CG.ZY023-1	1.5mm
T.CG.ZY023-2	2.0mm
T.CG.ZY023-3	2.5mm
T.CG.ZY023-4	3.0mm
T.CG.ZY023-5	4.0mm
T.CG.ZY023-6	5.0mm
T.CG.ZY023-7	6.0mm
T.CG.ZY023-8	8.0mm



万能微镶机
Zoom stereo stone setting microscope
M.MS.WX002



微镶机
Setting microscope
M.MS.WX003



微镶机
Setting microscope
M.MS.WX005



多角度伸缩微镶机
Flexible arm zoom stereo microscope
M.MS.WX001



热能微镶机
Thermal micro setting
M.MS.WX004

小型万能镶石座
Small engraver's block



T.GI.00002 1.5KG



T.GI.00002-1 1.5KG



T.GI.00001-4 1.5KG



T.GI.00067



T.GI.0023-7 13KG



T.GI.00001-5 1.5KG



高精度万能镶石座
High-precision engraver's block
T.GI.00152 10KG



高精度万能镶石座
High-precision engraver's block
Model: T.GI.00023-B 10KG



高精度万能镶石座
High-precision engraver's block
T.GI.00023-C 11KG



多角度的活动万能镶石座
Multi-angle & adjustable engraver's block
T.GI.00001-2 17KG



韩式万能镶石座
Korean engraver's block
T.GI.00001-3 12KG



万能镶石座
Engraver's block
T.GI.00001 8.5KG

不锈钢微镶实心球 SS micro setting solid ball



T.GI.00068-1
2#-13#/13-22mm 1.3KG



T.GI.00068-2
2#-13#/13-22mm 1.3KG



T.GI.00004
1.3KG



T.GI.00068
2#-13#/13-22mm 1.4KG



木柄微镶戒指套(黑)
Wooden handle ring holder for
stone setting (black)
T.GI.00069
2#-13#/13-22mm



木柄微镶戒指套(白)
Wooden handle ring holder for
stone setting (white)
T.GI.00070
2#-13#/13-22mm



铝柄微镶戒指套
Aluminum handle ring holder
for stone setting
T.GI.00070-2
2#-13#/13-22mm



活动调节固定戒指器 (黑色)
Adjustable and fixed ring device (black)
T.GI.00242



活动调节固定戒指器 (白色)
Adjustable and fixed ring device (white)
T.GI.00242-W



微镶戒指套
Ring holder for stone setting
T.GI.00003



手批戒指夹
Hand ring clamp
T.GI.1023-5 0.8KG



万能戒指夹
Engraver's ring clamp
T.GI.1021-3



铝合金金属戒指夹
Aluminum alloy ring clamp
T.GI.00070-3



活动戒指夹
Adjustable ring clamp
T.GI.01030 2.4KG

活动戒指夹-微钻套装 Adjustable ring clamp -stone setting set



T.GI.00243-1 3.3kg



T.GI.00243 3.5kg

四方窝砧 Square steel dapping block



T.GI.00222



T.GI.00222-1



T.GI.00057



T.GI.00058



T.GI.00058-1



T.GI.00058-2



T.GI.00222-T



T.GI.00222-1-T



T.GI.00057-T



T.GI.00057-M

型号 Model	名称 Designation	尺寸 Size	重量 Weight	内腔尺寸 Cavity Size (mm)
T.GI.00222	四方窝砧 Square steel dapping block	25×25×25mm	0.11 kg	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
T.GI.00222-1	四方窝砧 Square steel dapping block	38×38×38mm	0.3kg	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 25, 30
T.GI.00057	四方窝砧 Square steel dapping block	50×50×50mm	0.66kg	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 22, 24, 26, 28, 31, 35, 39
T.GI.00058	四方窝砧 Square steel dapping block	63×63×63mm	1.4kg	5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 28, 35, 40, 45, 50
T.GI.00058-1	四方窝砧 Square steel dapping block	70×70×70mm	1.76kg	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 22, 25, 30, 35, 40, 45, 50
T.GI.00058-2	四方窝砧 Square steel dapping block	120×120×120mm	8kg	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 50, 60, 70, 80, 90, 100
T.GI.00222-T	铜四方窝砧 Copper Square steel dapping block	25×25×25mm	0.11 kg	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
T.GI.00222-1-T	铜四方窝砧 Copper square steel dapping block	38×38×38mm	0.3kg	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 25, 30
T.GI.00057-T	铜四方窝砧 Copper Square steel dapping block	50×50×50mm	0.66kg	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 22, 24, 26, 28, 31, 35, 39
T.GI.00057-M	木四方窝砧 Wood square steel dapping block	70×70×70mm		11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30, 35, 40, 45, 50

扁窝砧 Flat dapping block



T.GI.00065



T.GI.00065-B



T.GI.00066



T.GI.00066-B



T.GI.00066-C

型号 Model	名称 designation	尺寸 Size	重量 Weight	内腔尺寸 Cavity Size (mm)
T.GI.00065	小扁窝砧 Flat steep dapping block	100×60×20mm	0.8kg	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 20
T.GI.00065-B	小扁窝砧 Flat steep dapping block	60×100×20mm	0.9kg	2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10
T.GI.00066	大扁窝砧 Flat steep dapping block	100×60×30mm	1.55kg	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 20
T.GI.00066-B	大扁窝砧 Flat steep dapping block	200×170×30mm	6.8kg	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38
T.GI.00066-C	大扁窝砧 Flat steep dapping block	150×130×30mm	3.5kg	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32

坑铁 Dapping block



小坑铁
Dapping block
T.RC.RR018
32×32×205mm 1.35kg



大坑铁
Dapping block
T.RC.RR019
38×38×205mm 1.9kg



特大坑铁
Dapping block
T.RC.RR101
205×100×35mm 4.8kg



特大四面坑铁
Dapping block
T.RC.RR102
50×50×150mm 2.7kg



四方坑铁
Dapping block
T.RC.RR103
60×60×60mm 1.3kg



窝珠作 (冲头) 15支装
Dapping punches (15 Pcs)
T.CG.00003 1.7kg
内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18



窝珠作 (冲头) 17支装
Dapping punches (17 Pcs)
T.CG.00108 0.8kg
内腔尺寸 Cavity Size (mm): 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10



套装窝珠作 (冲头) 8支装
Punch dapping set (8 Pcs)
T.CG.00167 3.3kg
内腔尺寸 Cavity Size (mm): 5, 8, 11, 14, 17, 19, 25, 28



套装窝珠作 (冲头) 24支装
Punch dapping set (24 Pcs)
T.CG.00168-A 5.5kg
内腔尺寸 Cavity Size (mm): 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 23, 25, 28, 32, 36



套装组合窝珠作 (冲头) 25支
Punch dapping set (25 Pcs)
T.CG.00168-B 12kg
内腔尺寸 Cavity Size (mm): 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 23, 25, 28, 30, 32, 35, 40, 45, 50



英国窝铁套装
Dapping bead
T.GI.00233 10.5kg
内腔尺寸 Cavity Size (mm): 50, 57, 63, 70, 76, 82



整形套装
Dapping punches set

T.GI.00244



特大窝珠作套装
Dapping bead

T.CG.00169 24kg

内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 25, 28, 32, 36, 40, 45, 50



套装窝珠作 (冲头) 12支装
Dapping bead (12 Pcs)

T.CG.00170 1.1kg

内腔尺寸 Cavity Size (mm): 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 9, 10, 11, 12, 13



量珠棍套装24支装
Dapping bead (24 Pcs)

T.CG.00171 2kg

内腔尺寸 Cavity Size (mm): 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18



套装窝珠作 (冲头) 12支装
Dapping bead (12 Pcs)

T.CG.00172 1.2kg

内腔尺寸 Cavity Size (mm): 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12



套装窝珠作 (冲头) 5支装
Dapping bead (5 Pcs)

T.CG.00173 3.4kg

内腔尺寸 Cavity Size (mm): 28, 32, 35, 40, 45



特大窝珠作套装
Dapping bead

T.CG.00174 18kg

内腔尺寸 Cavity Size (mm): 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 25, 28, 30, 32, 35, 36, 40, 45, 50



椭圆窝珠作套
Dapping bead

T.GI.00233 12.5kg
内腔尺寸 Cavity Size (mm): 2, 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20,
23, 25, 28, 32, 36



特大窝珠作套装
Dapping bead

T.GI.1019-12 15kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25,
28, 32, 36, 40, 45, 50



特大窝珠作套装
Dapping bead

T.GI.1019-13 36kg
内腔尺寸 Cavity Size (mm): 2, 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24,
25, 28, 30, 32, 35, 40, 45, 50, 60, 70, 80, 90, 100



窝冲24件套
Dapping bead

T.GI.1019-14 6.8kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25, 28,
32, 36, 40, 45, 50



槽窝珠作套装
Dapping bead

T.GI.1019-15 7kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 12, 14, 16, 18, 20, 25, 30



方窝作24件套
Dapping bead (24 Pcs)

T.GI.1019-16 16kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25, 28,
32, 36, 40, 45, 50



套装窝珠作 29支装
Dapping block (12 Pcs)

T.GI.00250



套装窝作
Dapping bead

T.GI.1019-21



套装窝作
Dapping bead

T.GI.1019-23

镶口模具
Bezel block水滴形
Drop shape
T.GI.1019-24长方形
Rectangle shape
T.GI.1019-25圆形
Round shape
T.GI.1019-26正方形
Square shape
T.GI.1019-27正方形
Square shape
T.GI.1019-28椭圆形
Oval shape
T.GI.1019-29三角形
Triangle shape
T.GI.1019-30心形
Heart shape
T.GI.1019-31四方铁
Dappling block

代码 Model	尺寸 Size	重量 Weight	备注 Notes
T.GI.00060	63×63×30mm	0.9kg	
T.GI.00010	75×75×30mm	1.3kg	
T.GI.00062	100×100×30mm	2.3kg	
T.GI.00060-1	60×60×20mm	0.6kg	特硬 Extra hard
T.GI.00010-1	80×80×30mm	1.5kg	特硬 Extra hard
T.GI.00062-2	100×100×20mm	1.6kg	特硬 Extra hard
T.GI.00062-1	100×100×30mm	2.3kg	特硬 Extra hard



英国圆片冲压器
Durston

T.GI.40001 6KG
内腔尺寸 Cavity Size (mm): 3, 6, 9, 13, 16, 19, 22, 25, 32



英国圆形冲片器
Durston

T.GI.00238 6KG
内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20



英国圆片冲孔器 (17支)
Disc Cutter (17 pcs)

T.GI.00251 3.6KG
内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20



英国圆片冲孔器 (8支)
Disc Cutter (8 pcs)

T.GI.40003 15.5KG
内腔尺寸 Cavity Size (mm): 20, 25, 30, 35, 40, 45, 50, 55



圆片冲压器 (5支)
Disc Cutter with (5 pcs)

T.GI.40004 4.3KG
Size: 5 5/8" x 5 5/8" x 1 7/16"
内腔尺寸 Cavity Size: 1", 1 1/4", 1 3/4", 1 1/2", 2"



圆片冲压器 (7支)
Disc Cutter Set (7 pcs)

T.GI.40005 0.9KG
Size: 2 1/2" x 2 1/2" x 1"
内腔尺寸 Cavity Size: 1/4", 5/16", 3/8", 1/2", 9/16", 5/8"




圆片冲压器 (14支)
Disc Cutter Set (14 pcs)

T.GI.40006
Size: 4 1/8" x 1 3/4" x 1 1/8" 1.2KG
内腔尺寸 Cavity Size: 7/64", 11/64", 15/64", 3/16", 17/64", 19/64", 5/16", 21/64", 7/16", 15/32", 1/2", 35/64", 5/8"



圆片冲压器 (14支)
Disc Cutter Set (14 pcs)

T.GI.40007
Size: 2 7/8" x 2 7/8" x 1 5/16" 1.2KG
内腔尺寸 Cavity Size: 1/2", 5/8", 3/4", 7/8", 1"



五角星/三角形冲压器 (15支)
A star / Triangle (15 pcs)

T.GI.40010
Size: 4 1/8"×1 3/4"×1 1/8" 1.2KG
内腔尺寸 Cavity Size (mm): 6×6, 7.7×7.7, 9.5×9.5, 11×11, 13×13, 15×15, 17×17



四叶草冲压器 (6支)
Four leaf clover (6 pcs)

T.GI.40009
Size: 4 1/8"×1 3/4"×1 1/8" 1.35KG
内腔尺寸 Cavity Size (mm): 9×9, 12×12, 14×14, 16×16, 18×18, 20×20



长方/四方形冲压器 (11支)
Rectangular / Square (11 pcs)

T.GI.40008
Size: 4 1/8"×1 3/4"×1 1/8" 1.35KG
内腔尺寸 Cavity Size (mm): 5.9×5.9, 9.9×9.9, 10.4×10.4, 11.9×11.9, 12.5×12.5, 4×10, 6×10, 7.3×15.3, 8×16, 9.3×19.3, 10×20


冲片模具 Punching dies



十字形
Cross shape
T.GI.50005



心形
Heart shape
T.GI.50006



五角星形
Pentagram shape
T.GI.50001



四叶草形
Four-leaf clover
T.GI.50002



三角形
Triangle shape
T.GI.50003



水滴形
Drop shape
T.GI.50004



欧式两用小油夹 (圆条/平板)
Flat Ingot Mould

T.GI.00241
Diameter: $\Phi 5$ 、 $\Phi 7$ 、 $\Phi 9$ 、 $\Phi 11$ 、 $\Phi 13$ mm
Pieces: 6×80mm Weight: 2.5KG




两用小油夹 (圆条/平板)
Flat Ingot Mould

T.GI.00241-5
Diameter: $\Phi 5$ 、 $\Phi 7$ 、 $\Phi 9$ 、 $\Phi 11$ 、 $\Phi 13$ mm
Pieces: 6×80mm Weight: 2.2KG



两用大油夹 (圆条/平板)
Flat Ingot Mould

T.GI.00241-2
Diameter: $\Phi 4$ 、 $\Phi 6$ 、 $\Phi 8$ 、 $\Phi 12$ 、 $\Phi 12$ mm
Pieces: 8×12mm Weight: 3.8KG



小两用小油夹 (方条/薄片)
Small ingot mould

T.GI.00241-9
Diameter: 5×5、7×7、9×9、11×11、13×13mm
Pieces: 6×80mm Weight: 2.2KG

油槽 Steel trough



六坑油槽
Steel trough with six holes
T.RC.RR020



八坑油槽
Steel trough with eight holes
T.RC.RR021



4寸油槽
4" Steel trough
T.RC.RR022



7寸油槽
7" Steel trough
T.RC.RR027



8寸油槽
8" Steel trough
T.RC.RR035



大弧度四方墩
Big square pier
T.GI.1019-18
170×70×70mm 3KG



小弧度四方墩
Small square pier
T.GI.1019-19
170×70×70mm 3KG



台面定位铁
All sizes locating iron
T.GI.1021-2 1.5KG



配件定位铁
Fitting locating iron
T.GI.1021-3



牛角站
Horn anvil
T.GI.00009
76×102×100mm



微型牛角站
Mini horn anvil
T.GI.00009-1
118×65×20mm 0.5kg



重型牛角站
Heavy born anvil
Model: T.GI.00009-2
240×130×70mm 5kg



四方墩
Square pier
T.GI.00009-3
200×70×70mm 3KG



吸珠针套装
Beading Tools SET
T.SL.00001



吸珠针
Absorbent beads
T.SL.X0000-22
0#~22#



万能鑲石座承铁
Iron holder for engraver's block
T.GI.1023-2
2.4KG



台塞套装
Taisai set
T.CG.00227



火漆
Sealing wax
T.GI.00015 12 Pcs/Box



火漆球 (小、中、大)
Sealing wax ball with base (small, medium, large)
2" T.GI.00005, 4" T.GI.00016, 6" T.GI.00037



黑橡胶微鑲球底座
Rubber base
Model: T.GI.00110



万能手柄
Universal handle
T.SB.00006



冬菇索咀
Moushroom shape nozzle
T.GI.00042



葫芦索咀
STK steel nozzle
T.GI.00030



双头索咀
Double heads steel bur
T.GI.00029



3寸圆规机剪
3" Compass divider
T.GI.00059



5寸圆规机剪
5" Compass divider
T.GI.00059-1



6寸圆规机剪
6" Compass divider
T.GI.00059-2



宝石爪 (3爪)
Gem holder
T.GI.00063



火枪底座
Torch holder
T.GI.1019-20



马头木
Matou wood
T.CG.00064 180×35×12mm



坑木
Timber
T.CG.00001-C



戒指木夹
Wooden Ring Clamp
型号 Model: T.GI.00061



绿台灯
Green desk lamp
M.MS.WXPJ26



钻石台灯
Diamond table lamp
M.MS.WXPJ23



LED灯
LED lamp
M.MS.WXPJ18



可调LED灯
Adjustable LED lamp
M.MS.WXPJ18-C



LED灯
LED lamp
M.MS.WXPJ32



LED灯
LED lamp
M.MS.WXPJ34



LED环形灯
LED circular lamp
M.MS.WXPJ35



144颗金属灯头LED灯
144 metal lamp heads LED lights
M.MS.WXPJ35-B



三色LED环形灯
Tri color LED circular lamp
M.MS.WXPJ36

放大镜台灯 Magnifying mirror desk lamp



M.MS.WXPJ21



M.MS.WXPJ33



M.MS.WXPJ37



M.MS.WXPJ38



M.MS.WXPJ39

折叠台灯 Folding desk lamp



颜色: 黑色 / 白色 / 红色 / 黄色 / 金色 / 银色 / 粉红色
Color: Black / White / Red / Yellow / Gold / Silver / Pink
M.MS.WXPJ20



颜色: 黑色 / 白色 / 蓝色 / 红色
Color: Black / White / Blue / Red
M.MS.WXPJ20-B



美国氧气小火枪
USA torch for oxygen

氧气枪配合氧气和丁烷(液化气)使用，每个枪头的大小不一样，可根据不同的产品，配置不同的枪头。使用最高焊接温度可达1700°C，适合熔铸焊接各种精密产品，如黄金、银、K金、铂金、钯金、铜、铅锡合金及一些工艺品焊接等。

The oxygen gun is used in conjunction with oxygen and butane (liquefied gas), and each gun head has a different size. Different gun heads can be configured according to different products. The highest welding temperature can reach 1700 °C, making it suitable for melting and welding various precision products, such as gold, silver, K-gold, platinum, palladium, copper, lead-tin alloys, and some handicraft welding.

枪头Tips: 3#, 4#, 5#, 6#, 7#

T.TO.A0006



台湾氧气枪五个焊咀
Taiwan Torch for oxygen with 5 tips

T.TQ.T0005



美国氧气枪
Taiwan Torch made in USA

T.TO.A0005



台湾氧气枪一个焊咀
Taiwan Torch for oxygen with 1 tip

T.TQ.T0001



H01-20焊枪
H01-20 torch for oxygen

T.TO.H0120



300型焊枪
300 torch for oxygen

T.TO.00300-R



150E型割枪 (乙炔专用)
150E torch for oxygen

T.TO.0150E-A



150E型割枪 (丙烷专用)
150E torch for oxygen

T.TO.0150E-B



1006白单喉吹
Single tube small oil pot

T.TO.01006



铜加大单喉吹
Single tube small oil pot

T.TO.00004



铜加大双喉吹
Single tube small oil pot


T.TO.00028

喉吹 Welding torch lighter

配全熔焊机或者风球等设备使用，可以熔合金、银、铜等及焊接各种材料工艺品。

Equipped with full fusion welding machines or wind turbines, it can melt gold, silver, copper, and weld various materials and handicrafts.

代码 Model	D	W	H	重量 Weight
A T.TO.00002	Φ12mm	39mm	206mm	75g
B T.TO.00001	Φ16mm	51mm	258mm	105g
C T.TO.00003	Φ20mm	69mm	285mm	155g



单管小油壶
Single tube small oil pot
T.BK.00001



单管大油壶
Single tube large oil pot
T.BK.00002



双管小油壶
Double tube small oil pot
T.BK.00004



双管大油壶
Double tube large oil pot
T.BK.00004



多方位电子点火器
Electrical torch lighter
尺寸 Size: 75×75×50mm
重量 Weight: 338g
T.TO.00005



单方位电子点火器
Electrical torch lighter
尺寸 Size: 90×50×70mm
重量 Weight: 209g
T.TO.00009

只需将火吹咀轻放在点火器上便能将火点燃，适用于熔焊机，皮老虎打火使用。
Simply place the fire nozzle lightly on the igniter to ignite the fire, suitable for welding machines and leather tiger ignition.



进口银焊粉
Imported silver welding powder
T.GI.00072



银焊粉
Silver welding powder
T.GI.00084



高磷铜焊粉
High phosphorus copper welding powder
T.GI.00133
60#~200#



高磷铜焊粉
High phosphorus copper welding powder
T.GI.00133-2
150#~300#




25%银焊粉
25% Silver welding powder
T.GI.00176



30%银焊粉
30% Silver welding powder
T.GI.00177



进口黑焊粉
Imported black welding powder
T.GI.00231



进口铜焊粉
Imported copper welding powder
T.GLHF001

用于金银首饰、DIY加工、焊接、融化金银铜等金属使用。
Used for gold and silver jewelry, DIY processing, welding, melting gold, silver, copper and other metals.



风球
Leather air bellow
T.AB.P0003



风球套装
Leather air bellow kit
T.AB.A0002

气体打火机 Gas torch

火焰大小可调节，带有锁火功能，可变换直冲或明火，反复充气使用。

The flame size can be adjusted, with a flame locking function, which can be changed to direct or open flames, and can be repeatedly inflated for use.

代码 Model	气体 Gas	容量 Capacity	尺寸 Size	重量 Weight
T.TO.00040	丁烷 Butane	10g	100×60×140mm	177g
T.TO.00041	丁烷 Butane	10g	120×45×172mm	139g
T.TO.00042	丁烷 Butane	10g	120×60×157mm	206g
T.TO.00048	丁烷 Butane	8g	76×60×150mm	142g



T.TO.00040



T.TO.00041



T.TO.00042



T.TO.00048

银焊枝

Silver welding branch

代码 Model	名称 Designation	尺寸 Size
T.CG.00121	35%银焊枝	Φ1.0mm
T.CG.00122	40%银焊枝	Φ0.6mm
T.CG.00123	15%银焊枝	Φ1.0mm
T.CG.00143	30%银焊枝	Φ0.6mm
T.CG.00192	15%银焊枝	Φ1.5mm
T.CG.00198	30%银焊枝	Φ1.0mm
T.CG.00212	40%银焊枝	Φ0.4mm
T.CG.00215	60%银焊枝	Φ0.4mm
T.CG.00216	30%银焊枝	Φ1.5mm
T.CG.00217	25%银焊枝	Φ1.6mm



银焊片

Silver solder joint

代码 Model	名称 Designation	尺寸 Size
A.CW.00013-B	60%银焊片	35.8×19.05×0.3mm
A.CW.00013-C	30%银焊片	35.8×19.05×0.3mm
A.CW.00011-H	高温银焊片	40×19×0.5mm
A.CW.00011-Z	中温银焊片	40×19×0.5mm
A.CW.00011-D	低温银焊片	40×19×0.5mm



铜焊条

Copper welding branch

A.CW.00001 Φ0.6mm	A.CW.00003 Φ0.8mm	A.CW.00004 Φ0.3mm	A.CW.00005 Φ0.4mm	A.CW.00006 Φ0.5mm
----------------------	----------------------	----------------------	----------------------	----------------------



铜线

Copper wire

A.CW.00050 Φ0.3mm	A.CW.00044 Φ0.5mm	A.CW.00032 Φ0.6mm	A.CW.00015 Φ0.7mm	A.CW.00037 Φ0.8mm
A.CW.00014 Φ0.9mm	A.CW.00046 Φ1.0mm	A.CW.00016 Φ1.2mm	A.CW.00022 Φ1.5mm	A.CW.00033 Φ1.7mm
A.CW.00045 Φ1.8mm	A.CW.00018 Φ2.0mm	A.CW.00021 Φ2.5mm	A.CW.00017 Φ3.0mm	



石英烧杯
Ceramic beaker



代码 Model	直径 Diameter	高度 Height
C.CA.03000-B	Φ170mm	350mm
C.CA.03000-C	Φ160mm	-
C.CA.03000-D	Φ171mm	350mm
C.CA.05000	Φ180mm	280mm
C.CA.0800	Φ205mm	300mm
C.CA.170230	Φ250mm	160mm
C.CA.250160	Φ250mm	160mm
C.CA.280160	Φ280mm	160mm
C.CA.300025	Φ300mm	250mm



石英篮
Ceramic basket

代码 Model	直径 Diameter	高度 Height
C.CA.00002-B	Φ180mm	310mm
C.CA.00002-C	Φ150mm	310mm
C.CA.00005	Φ140mm	330mm

石英板
Ceramic board

C.CA.300300012
300×300×12mm



石英烧杯盖子
Ceramic beaker cover

代码 Model	直径 Diameter	高度 Height
C.CA.00003	Φ210mm	5mm
C.CA.00004	Φ190mm	5mm
C.CA.00006	Φ180mm	5mm
C.CA.00008	Φ200mm	5mm



洗货挂勾
Hanging hook



代码 Model	层 Layer
M.UC.P0016	2
M.UC.P0017	3
M.UC.P0032	4
M.UC.P0032-B	4



代码 Model	层 Layer
M.UC.P0016-B	2
M.UC.P0017-B	3
M.UC.P0032-C	4

过滤纸
Filter paper



T.GI.00021
60×60cm 厚 Thick



T.GI.00194
60×60cm 薄 Thin



T.GI.00051
Φ12.5mm



T.GI.00052
Φ18mm



塑料钛篮 (吊酸篮)
Plastic titanium basket (Acid hanging basket)

1000ML T.AB.B0035
2000ML T.AB.B0036
3000ML T.AB.B0032
5000ML T.AB.B0034



钛篮 (吊酸篮)
Titanium basket (Acid hanging basket)

1000ML T.AB.B0037
2000ML T.AB.B0038
3000ML T.AB.B0039
5000ML T.AB.B0022



钛金数控小吊酸炉
Titanium CNC small hanging acid furnace



水线
Waterline

Φ0.2mm T.GI.00086-2
Φ0.3mm T.GI.00086
Φ0.35mm T.GI.00087
Φ0.45mm T.GI.00197
Φ0.6mm T.GI.00160
Φ1mm T.GI.00197-B

铂金钛网

Platinum titanium mesh

常用于电解和电镀，不容易溶解，不容易变色，有良好的导电作用。

1、钛网配合电镀机和电解水使用，在金银铜饰品表面有效的进行清洗活化，对工件表面起到清洁的作用。

2、钛网配合电镀机和电镀水使用，在金银铜饰品表面镀上一层白金或黄金，起到保护饰品防止氧化。

Commonly used in electrolysis and electroplating, it is not easily dissolved, not easily discolored, and has good conductivity.

1. Titanium mesh is used in conjunction with electroplating machines and electrolytic water to effectively clean and activate the surface of gold, silver, and copper jewelry, providing a cleaning effect on the surface of the workpiece.

2. Titanium mesh is used in conjunction with electroplating machines and electroplating water to coat the surface of gold, silver, and copper jewelry with a layer of platinum or gold, which protects the jewelry from oxidation.



T.AB.B0016 50×110mm
T.AB.B0016-B 50×110mm (带柄 With handle)
T.AB.B0017 60×150mm
T.AB.B0017-B 60×150mm (带柄 With handle)
T.AB.B0002 50×210mm
T.AB.B0040 25×50mm
T.AB.B0041 35×80mm
T.AB.B0042 90×150mm



30安电金机
30A plating machine
M.RH.0030A



30安电金机
30A plating machine
M.RH.0030A-b



20安脉冲电金机
20A pulse plating machine
M.RH.0020B



30安脉冲电金机
30A pulse plating machine
M.RH.0030B



数显电金机
Digital plating machine
M.RH.00001
电源 Power supply: 220V
输出 Output: 30V/20A



数显电金机
Digital plating machine
M.RH.00002
电源 Power supply: 220V
输出 Output: 15V/5A



数显电金机
Digital plating machine
M.RH.00003
电源 Power supply: 220V
输出 Output: 30V/5A



数显电金机
Digital plating machine
M.RH.00004
电源 Power supply: 220V
输出 Output: 30V/5A



笔用电金机
Pen plating machine
M.RH.B0001



笔用电金机
Pen plating machine

型号 Model	M.RH.B0002
输入电压 Input voltage	115-230V/50-60HZ
最大耗电量 Maximum power consumption	65VA
最大输出电压 Maximum output voltage	2-13V
最大输出电流 Maximum output current	3A
尺寸 Size	170 × 160 × 130mm
重量 Weight	700g



电镀笔喷嘴
Nozzle for palting pen

代码 Model	直径 Diameter	高度 Height
M.RH.P0002	Φ3.5mm	25mm
M.RH.P0003	Φ3mm	46mm
M.RH.P0004	Φ3.5mm	20mm
M.RH.P0005	Φ3.5mm	22.5mm
M.RH.P0006-1	Φ3.5mm	24mm
M.RH.P0006-2	Φ3.5mm	24mm
M.RH.P0006-3	Φ3.5mm	25mm



A-塑料量杯
Measuring cup

代码 Model	宽度 Width	高度 Height	容量 Capacity	包装 Package
H.BK.C0004	65mm	96mm	250ml	500 Pcs/Box
H.BK.C0005	65mm	96mm	300ml	500 Pcs/Box
H.BK.C0006	88mm	114mm	500ml	200 Pcs/Box
H.BK.B0007	98mm	143mm	1000ml	150 Pcs/Box
H.BK.C0001	116mm	203mm	2000ml	100 Pcs/Box
H.BK.C0003	139mm	217mm	3000ml	60 Pcs/Box
H.BK.C0002	163mm	261mm	5000ml	30 Pcs/Box



B-塑料量杯
Measuring cup

代码 Model	宽度 Width	高度 Height	容量 Capacity	包装 Package
H.BK.B0004	34mm	39mm	25ml	3000 Pcs/Box
H.BK.B0002	42mm	62mm	50ml	2000 Pcs/Box
H.BK.B0003	49mm	68mm	100ml	1000 Pcs/Box
H.BK.B0011	58mm	78mm	150ml	1000 Pcs/Box
H.BK.B0012	62mm	85mm	200ml	500 Pcs/Box
H.BK.B0013	69mm	95mm	250ml	500 Pcs/Box
H.BK.B0014	69mm	95mm	300ml	500 Pcs/Box
H.BK.B0015	90mm	114mm	500ml	300 Pcs/Box
H.BK.B0016	104mm	140mm	1000ml	200 Pcs/Box



C-塑料量杯
Measuring cup

代码 Model	宽度 Width	高度 Height	容量 Capacity	包装 Package
H.BK.D0001	31mm	22mm	10ml	10000 Pcs/Box
H.BK.D0002	32mm	28mm	15ml	8000 Pcs/Box
H.BK.D0003	32mm	32mm	20ml	7500 Pcs/Box
H.BK.D0004	32mm	36mm	30ml	5000 Pcs/Box
H.BK.D0005	33mm	57mm	50ml	5000 Pcs/Box
H.BK.D0006	42mm	49mm	60ml	3500 Pcs/Box
H.BK.D0007	47mm	62mm	100ml	2500 Pcs/Box
H.BK.D0008	56mm	69mm	200ml	1600 Pcs/Box



玻璃量杯
Glass measuring cup

代码 Model	容量 Capacity	包装 Package
H.BK.A0005	250ml	10 Pcs/Box
H.BK.A0006	5000ml	8 Pcs/Box
H.BK.A0007	1000ml	6 Pcs/Box
H.BK.A0008	2000ml	6 Pcs/Box
H.BK.A0004	3000ml	8 Pcs/Box
H.BK.A0003	5000ml	6 Pcs/Box

EP300电解抛光机 EP300 ELECTRIC POLISHING MACHINE

适合于金、银、铜、不锈钢材质小件的精密抛光。在隙位、细孔、内凹等部位上发挥出重要作用，抛光不需要任何磨料，完全借助电解作用。电解基本原则高电平去毛刺，中电平整平，低电平出光，分段程序控制。

电解过程安全可靠，电解液不含铬酐、氰化物等有毒有害物质，绿色环保，不燃烧，不爆炸，尾液处理容易。

Suitable for precision polishing of small pieces made of gold, silver, copper, and stainless steel materials. Plays an important role in areas such as gaps, pores, and indentations, polishing does not require any abrasives and relies entirely on electrolysis. The basic principles of electrolysis include deburring at high levels, leveling at medium levels, emitting light at low levels, and segmented program control.

The electrolysis process is safe and reliable, and the electrolyte does not contain toxic and harmful substances such as chromic anhydride and cyanide. It is environmentally friendly, non combustible, non explosive, and easy to handle the tail liquid.

产品特点 PRODUCT FEATURES



循环过滤 CIRCULATING FILTRATION

带有循环过滤系统，提高电解抛光质量。

Equipped with a circulating filtration system to improve the quality of electrolytic polishing.



恒温功能 CONSTANT TEMPERATURE FUNCTION

配备冷暖双控温冷水机，提高电解抛光效率。

Equipped with a dual temperature controlled chiller to improve the efficiency of electrolytic polishing.



回收处理 RECYCLING PROCESSING

一键自动回收，解除回收难的问题。

One click automatic recycling, eliminating the problem of difficult recycling.



抛光前 Before polishing



抛光后 After polishing

型号 Model	电源 Power supply	功率 Power	最大电流输出 Maximum current output	尺寸 Size
Z.M.MT.EP300D	单相 Single-phase AC220V, 50 / 60Hz	2.2KW	DC20V, 100A	700×950×1100mm

抛光工件数量：5个挂篮，单个放置4~8件工件

Quantity of polished workpieces: 5 hanging baskets, each holding 4-8 workpieces

SP2000磁力抛光机 SP2000 Magnetic polishing machine

应用于首饰铸件表面处理，适用于金、银、铜等合金及其它非磁性材质的抛光，适用于小金表面去毛刺、去披锋等。

Application scenarios: treatment for the surface of jewelry castings; polishing of alloys like gold, silver and copper alloys and other non-magnetic materials; eliminating burrs on the surface of metals etc.

型号 Model	M.MT.SP2000
电源 Voltage	AC220V 50-60Hz
功率 Power	370W
抛光量 Polishing amount	2000g
抛光桶尺寸 Polishing chamber size	370×260×200mm
尺寸 Size	428×428×585mm
净重 Neight weight	24.5Kg




抛光前 Before polishing

抛光后 After polishing

磁力抛光机系列 Magnetic tumbler series



亚克力抛光桶
Polishing chamber



产品特点

本机适用于金、银、铜、锌合金及其他它不导磁材料的抛光，去毛刺、去披锋等。

- 1、大功率马达，交替式磁场设计，动力更强劲；
- 2、数字式电路，可自由设定正反转时间继电器；
- 3、电气控制部分，选用进口配件，机器寿命更长；
- 4、设计精巧，操作方便；
- 5、搬离抛光桶后自动停机，节能环保。

Product Features

Apply to jewelry surface processing, suitable for the polishing of gold/silver/copper/zinc-alloy and other metals without magnetic. Suitable to make the surface of hardware to be smooth without burrs.

1. Big power motor and alternate magnetic field to machine make it more powerful.
2. With digital circuit, reversible time can be set any time.
3. Electrical parts are made by imported material to extend the life of machine.
4. Elaborate design and convenient operation.
5. When polishing chamber is took out of machine, tumbler will stop automatically to save power.

型号 Model	Z.M.MT.P0800	Z.M.MT.P1000	Z.M.MT.P1500	Z.M.MT.P2500
外形尺寸 Outline size	260×250×310mm	290×290×340mm	360×400×370mm	450×420×530mm
包装尺寸 Package size	360×290×480mm	390×330×520mm	470×450×580mm	530×495×645mm
机器毛重 G.W	18kg	22kg	28kg	42kg
机器净重 N.W	16kg	20kg	23.5kg	37kg
额定功率 Rated power	250W	550W	750W	1100W
额定电压 Rated voltage	110V, 60Hz/220V, 50Hz	110V, 60Hz/220V, 50Hz	110V, 60Hz/220V, 50Hz	220V, 50Hz
电机转速 Motor speed	2800 rpm/min	2800 rpm/min	2800 rpm/min	1400 rpm/min
抛光量 Polishing amount	800g	1000g	1500g	2500g
抛光桶尺寸 Polishing chamber size	Φ165×H140mm	Φ210×H150mm	Φ290×H160mm	Φ330×H175mm

强磁研磨抛光机 Strong magnetic polishing machine



M.MT.B0260



M.MT.B0360



M.MT.B0360-A

型号 Model	M.MT.B0260	M.MT.B0360	M.MT.B0360-A
电压 Voltage	220V	220V	220V
功率 Power	550W	750W	1500W
电机转速 Motor speed	1400 rpm/min	1400 rpm/min	1400 rpm/min
钢针用量 Steel needle quantity	0-600G	0-800G	0-1000G
抛光量 Polishing amount	2KG	3KG	4KG
外形尺寸 Outline size	330x330x380mm	410x410x430mm	410x410x430mm
重量 Weight	33KG	40KG	42KG

变频调速磁力抛光机 Frequency conversion magnetic polishing machine



M.MT.B0260-B



M.MT.B0360-B



M.MT.P0460

型号 Model	M.MT.B0260-B	M.MT.B0360-B	M.MT.P0460
电压 Voltage	220V	220V	220V
功率 Power	750W	11500W	2200W
电机转速 Motor speed	1800 rpm/min	1800 rpm/min	1800 rpm/min
钢针用量 Steel needle quantity	0-600G	0-1000G	0-2000G
抛光量 Polishing amount	2.5KG	5KG	10KG
外形尺寸 Outline size	340x340x380mm	410x410x430mm	520x520x680mm
重量 Weight	28KG	42KG	80KG



M.MT.B0420



M.MT.B0520



M.MT.B0620

型号 Model	M.MT.B0420	M.MT.B0520	M.MT.B0620
电压 Voltage	220V/380V	220V/380V	220V/380V
功率 Power	1500W	3000W	4000W
电机转速 Motor speed	1800 rpm/min	1800 rpm/min	1800 rpm/min
钢针用量 Steel needle quantity	0-1500G	0-3000G	0-4000G
抛光量 Polishing amount	8KG	12KG	28KG
外形尺寸 Outline size	510x650x1030mm	600x760x1030mm	730x790x1100mm
重量 Weight	63KG	115KG	150KG

平移式变频调速磁力抛光机 Strong magnetic polishing machine

单组平移磁力抛光机：在原有的普通磁力研磨机的基础上，增加移动机构可消除中心盲区，解决大件长条工件的抛光效果，改善了整个抛光的均匀度，产品在研磨桶内无盲区，特别是磁盘中心及四周围位置。

平移磁力抛光机优点：

- 1、抛大件长条均匀度高，包括亮度和沙面、去毛刺均匀度极高。
- 2、平移抛光机在原有的圆形基础上，因为左右来回移动，大大增加了磁场面积的长度，适合抛较长的产品。（较适合抛管类、块状的产品。如：笔记本电脑底壳）
- 3、平移设备可配合隔板处理盆状或怕磕碰的产品分隔批量处理。



M.MT.B360BP

Single group translational magnetic polishing machine: On the basis of the original ordinary magnetic polishing machine, adding a moving mechanism can eliminate the central breeding area, solve the polishing effect of large and long workpieces, improve the uniformity of the entire polishing, and the product has no blind spots in the grinding barrel, especially in the center and surrounding positions of the disk.

Advantages of translation magnetic polishing machine:

1. The uniformity of throwing large pieces is high, including high brightness and sand surface, as well as extremely high uniformity of deburring.
2. The translation polishing machine, on the basis of the original circular shape, greatly increases the length of the magnetic field area due to its left and right back and forth movement, making it suitable for polishing longer products. (More suitable for products in the form of throwing tubes and blocks, such as laptop bottoms)
3. The translation device can be used in conjunction with partitions to handle batch processing of basin shaped or collision resistant products.



M.MT.B1050



M.MT.BJ1200



M.MT.BJ1800

型号 Model	M.MT.B360BP	M.MT.B1050	M.MT.BJ1200	M.MT.BJ1800
电压 Voltage	220V	380V	380V	380V
功率 Power	1.5KW	2.5KW	4.3KW	8.3KW
电机转速 Motor speed	2000 rpm/min	1800 rpm/min	1800 rpm/min	1800 rpm/min
钢针用量 Steel needle quantity	0-2KG	5-15KG	10-20KG	10-30KG
抛光量 Polishing amount	10KG	20KG	30KG	60KG
外形尺寸 Outline size	780x640x970mm	1200x660x680mm	1350x760x680mm	2000x760x680mm
重量 Weight	115KG	190KG	216KG	385KG



M.MT.BO280-A



M.MT.BSK360



M.MT.B0280



M.MT.B0360AD

型号 Model	M.MT.BO280-A	M.MT.BSK360	M.MT.B0280	M.MT.B0360AD
电压 Voltage	220V/380V	220V/380V	220V/380V	220V/380V
功率 Power	550W	750W	1100W	1500W
电机转速 Motor speed	1400 rpm/min	1400 rpm/min	1400 rpm/min	1400 rpm/min
钢针用量 Steel needle quantity	0-600G	0-800G	0-600G x 2	0-800G x 2
抛光量 Polishing amount	2.5KG	3.5KG	2.5KG	3.5KG
外形尺寸 Outline size	440x430x930mm	540x500x930mm	700x380x1200mm	860x440x1200mm
重量 Weight	33KG	40KG	65KG	58KG



磁力抛光机MP-100
Magnetic polishing machine MP-100

型号 Model	M.MT.P0100
电压 Voltage	110V/220V
转速 Speed	2000 rpm/min
容量 Capacity	400g (Polishing pins and accessories)
抛光桶尺寸 Polishing chamber size	110x120mm
外形尺寸 Outline size	280x260x400mm
重量 Weight	10kg

磁力抛光机KT-185
Magnetic polishing machine KT-185

型号 Model	M.MT.P185
电压 Voltage	110V/220V
转速 Speed	2000 rpm/min
容量 Capacity	600g (Polishing pins and accessories)
抛光桶尺寸 Polishing chamber size	180×130mm
外形尺寸 Outline size	280×260×400mm
重量 Weight	13kg



磁力抛光机KT-185S
Magnetic polishing machine KT-185S

型号 Model	M.MT.P185S
电压 Voltage	110V/220V
转速 Speed	2000 rpm/min
容量 Capacity	600g (Polishing pins and accessories)
抛光桶尺寸 Polishing chamber size	180×130mm
外形尺寸 Outline size	280×260×400mm
重量 Weight	13kg



磁力抛光机KT-205
Magnetic polishing machine KT-205

型号 Model	M.MT.PT0205
电压 Voltage	110V/220V
转速 Speed	2800 rpm/min
容量 Capacity	800g (Polishing pins and accessories)
抛光桶尺寸 Polishing chamber size	200×130mm
外形尺寸 Outline size	270×270×400mm
重量 Weight	20kg





磁力抛光机KT-205S
Magnetic polishing machine KT-205S

型号 Model	M.MT.PT0205S
电压 Voltage	110V/220V
转速 Speed	2800 rpm/min
容量 Capacity	800g (Polishing pins and accessories)
抛光桶尺寸 Polishing chamber size	200×130mm
外形尺寸 Outline size	270×270×400mm
重量 Weight	20kg



磁力抛光机KT-360
Magnetic polishing machine KT-360

型号 Model	M.MT.P360A
电压 Voltage	110V/220V
转速 Speed	0-1900rpm/min
容量 Capacity	1300g (Polishing pins and accessories)
抛光桶尺寸 Polishing chamber size	288×160mm
外形尺寸 Outline size	360×360×500mm
重量 Weight	30kg



磁力抛光机KT-360A
Magnetic polishing machine KT-360A

型号 Model	M.MT.P360S
电压 Voltage	110V/220V
转速 Speed	0-1900rpm/min
容量 Capacity	1300g (Polishing pins and accessories)
抛光桶尺寸 Polishing chamber size	288×160mm
外形尺寸 Outline size	360×360×500mm
重量 Weight	30kg



WS-18升湿式三头涡流机
Wet type 18L polishing tumbler (triple)



应用范围

用于金银首饰、钟表眼镜配件、电子零件、纺织轮针及其他细薄精密五金件的去毛刺、倒角与精密抛光。替代人工或布轮打磨等传统低效率的作业方式，实现批量化、自动化的生产流程。

产品特点

旋涡式研磨抛光机采用多项专利技术，确保机器的整体结构科学合理与超细的间隙（0.05~0.1mm左右）以及良好的旋涡流动工作状态，使本机在加工复杂、细细薄工件时，具有更好的适用性。

1. 美国杜邦聚胺脂（PU）桶体、转盘。
2. 采用高耐磨陶瓷/合金间隙结构。
3. 螺旋间隙调整结构。
4. 具有自动散热功能。
5. 变频控制系统，具有定时工作及正反转功能。
6. 自动循环水装置。

Application

Used for gold and silver jewelry, clocks and watches, glasses accessories, electronic parts, textile needle wheel and other thin precision hardware deburring, chamfering and precise polishing. Replace artificial or cloth round of polishing low efficiency of traditional practices, realizing mass, automation of production processes.

Product Features

Gyrate polishing machine adopt patent technique ensure the machine has a reasonable structure, every small gap (about 0.05~0.1 mm) and well work condition. The feature made machine use-friendly when polish the complicated and thin workpiece.

1. Grinding barrel and rotating disc are made of DuPont polyurethane (PU) .
2. The gap adopts the durable ceramic/alloy ring structure.
3. The gap is adjusted by means of helix device.
4. Automatic radiate heat fuction.
5. Inverter device, timer of the opration and normal/reversal rotation.
6. Automatic cycle water device.

名称 Denomination	型号 Model	容积 Volume	工作容积 Barrel capacity	电压 Voltage	功率 Power	外形尺寸 Outline size (LxWxH)	重量 Weight
WE-18升湿式涡流机	M.GM.WE018	18L	14L	220V, 50/60Hz	0.75KW	700x790x1440mm	140kg
WS-18升湿式双头涡流机	M.GM.WS018-2	2x18L	2x14L	220V, 50/60Hz	2x0.75KW	1160x790x1440mm	235kg
WS-18升湿式三头涡流机	M.GM.WE018-3	3x18L	3x14L	220V, 50/60Hz	3x0.75KW	1690x790x1440mm	330kg
WE-36升湿式涡流机	M.GM.WE036	36L	28L	380V, 50/60Hz	2.2KW	890x800x1440mm	220kg



WF-36升干式涡流机
Dry type 36L polishing tumbler (single)



WE-18升湿式涡流机
Wet type 18L polishing tumbler (single)



WS-18升湿式双头涡流机
Wet type 18L polishing tumbler (double)

LS-32立式离心研磨机 LS-32 vertical centrifugal grinding machine

产品特点

- 1、行星传动方式，利用离心运动原理，研磨效率高，比普通滚桶提高工效10至15倍。
- 2、适用批量小型的工件研磨抛光。
- 3、采用同步带传动，运转平稳，噪音小，使用寿命更长。
- 4、内桶采用进口聚氨酯胶，耐酸碱、耐磨。
- 5、本机采用电子刹车系统，操作更安全，免去人为操作的失误。
- 6、带变频调速功能，速度可以随时调节，减少不良率。
- 7、内置4个桶，均可拆下来的，方便清洗，4个桶可以同时进行研磨或抛光功能，或者同时加工不同类型的工件，易于分拣。

应用范围

LS-32立式离心研磨机适合铝压铸件、锌压铸件、钟表部件、锁、电子配件各类首饰、珠宝及粉末冶金、树脂等；用作多种行业种类零件的去刺、表面抛光、飞边、倒圆角、除氧化皮、除锈、强化金属表面、光亮抛光、电镀前及化学处理前的表面光整处理。

特别是以某些不能承受较大机械压力的薄壁、窄缝薄壁零件、异形复杂的腔孔的光整加工有其特异的优越功能，经该机型光整加工的零件，不破坏原有的形位精度，而且表面质量有所提高，起到工业美容的作用。

Product Features

1. Planetary transmission mode, using the principle of centrifugal motion. Compared with the ordinary drum, the grinding efficiency is increased 10-15 times.
2. Suitable for grinding and polishing small batch workpieces.
3. Adopt synchronous belt transmission, smooth operation, low noise, long service life.
4. The inner barrel adopts imported polyurethane glue, acid and alkali resistant and wear-resisting.
5. This machine adopts electronic brake system, which makes the operation safer and avoids the mistake of human operation.
6. With frequency control function, the speed can be adjusted at any time to reduce the rate of defects.
7. There are four built-in drums, which can be removed for easy cleaning. The four drums can be ground or polished at the same time, or different types of workpiece can be processed at the same time, which is easy to be selected.

Application

LS-32 vertical centrifugal grinding machine is suitable for aluminum die casting, zinc die casting, clock parts, locks, electronic accessories, all kinds of jewelries and powder metallurgy, resin, etc. It can be used for cutting, surface polishing, flapping, rounding, deoxidizing, derusting, strengthening metal surface, bright polishing, surface finishing before electroplating and chemical treatment of various kinds of parts in difference industries. Particularly, the machine has superior function for the finishing processing of some thin parts, narrow seam thin parts and special-shaped complex cavity holes, which cannot stand the larger mechanical pressure. After the finishing processing by this machine, the original shape and accuracy of the parts won't be destroyed. The surface quality of the parts is improved. It plays the important role in industrial beauty.



型号 Model	容量 Capacity	电压 Voltage	磨料桶数量 Abrasive Barrels No	功率 Power	机器尺寸 Machine Size	重量 Weight
Z.M.MT.LS-32	16L	220V 50/60HZ	4×4L	1.5KW	1120×880×912mm	365KG



双层干式滚筒研磨机 Dry barrel polishing machine with double layer

产品特点

双层干式滚筒研磨机利用滚动滑动运动的原理，加装数显计时器及点动开关及行位开关，从而使操作更加安全方便，抛光研磨效率高，运转平稳，噪声小，适用批量中，小型的工件抛光研磨加工，特别适用异型工件。

应用范围

金银铜首饰、服饰配件，电子、塑胶类小零件去披锋(毛刺)、倒角、去斑、去氧化皮、抛光等高精密研磨抛光作业。

Product Features

Dry barrel polishing machine is working by rotating the barrels, with counter and jog switch to make it easier operation and safety. High polishing efficiency, Low noise and rotates smooth. Suitable for polishing medium, small work piece and irregular shape work piece.

Application

Suitable for jewelry products, clothing & accessories, electronic parts, plastic small parts for rough grinding, deburring, surface polishing finishing.

型号 Model	容积 Volume	电压 Voltage	功率 Power	转速 Speed (rpm/min)	桶身尺寸 Barrel size	外形尺寸 Outline size (L x W x H)	重量 Weight
M.MT.GT022	600L	380V	0.75KW	33	700x1130mm	1720x850x1800mm	400kg



抛光前
Casting Workpieces

抛光后
After Electrolysis

震动抛光机
Vibration polishing machine



8寸震动抛光机SP-B
8" Vibration polishing machine SP-B
型号 Model: M.ZD.8SPB-1



12寸震动抛光机SP-7
12" Vibration polishing machine SP-7
型号 Model: M.ZD.12SP7



12寸震动抛光研磨机SP-A
12" Vibration polishing machine SP-A
型号 Model: M.ZD.12SPA



抛光前
Before polishing



抛光后
After polishing



17寸震动抛光机SP-A
17" Vibration polishing machine SP-A
型号 Model: M.ZD.17SPA



17寸震动抛光研磨机SP-C
17" Vibration polishing machine SP-C
型号 Model: M.ZD.17SPC

型号 Model	M.ZD.8SPB-1	M.ZD.12SP7	M.ZD.12SPA	M.ZD.17SPA	M.ZD.17SPC
电压 Voltage	110V/220V	110V/220V	110V/220V	110V/220V	110V/220V
功率 Power	150W	180W	180W	200W	180W
容量 Capacity	3KG	6.2KG	6.2KG	20KG	20KG
尺寸 Size	250x250x400mm	355x355x400mm	355x355x400mm	430x430x410mm	355x355x400mm
重量 Weight	8KG	14KG	14KG	23KG	20KG

滚桶抛光机 Barrel polishing machine



滚桶抛光机KT-6808
Barrel polishing machine KT-6808
型号 Model: M.MT.GT001



滚桶抛光机KT-2000
Barrel polishing machine KT-2000
型号 Model: M.MT.GT002



滚桶抛光机KT-245
Barrel polishing machine KT-245
型号 Model: M.MT.GT003



电子滚动抛光机KT-250
Electronic barrel polishing machine KT-250
型号 Model: M.MT.GT004



滚桶抛光机KT-3010
Barrel polishing machine KT-3010
型号 Model: M.MT.GT005

型号 Model	M.MT.GT001	M.MT.GT002	M.MT.GT003	M.MT.GT004	M.MT.GT005
电压 Voltage	110V/220V	110V/220V	110V/220V	110V/220V	110V/220V
功率 Power	60W	150W	150	150W	250W
容量 Capacity	3KG	5KG	8KG	8KG	12KG
抛光桶 Polishing barrel	145x150mm	190x180mm	250x220mm	250x220mm	300x240mm
外形尺寸 Outline size	230x180x240mm	280x220x290mm	298x222x325mm	298x222x325mm	370x390x430mm
重量 Weight	5KG	6KG	12KG	12KG	15KG

滚桶抛光机1320 Barrel polishing machine 1320

型号 Model	M.MT.GT006
电压 Voltage	110V/220V
功率 Power	300W
容量 Capacity	11KG
外形尺寸 Outline size	570x210x390mm
重量 Weight	18KG

单桶 / 双桶可选
Single polishing barrel / Double polishing barrel for option
尺寸 Size: 235x310mm, 210x130mm × 2



变频双桶抛光机KT620 Barrel polishing machine 1320

型号 Model	M.MT.GT009
电压 Voltage	110V/220V
功率 Power	750W
容量 Capacity	20KG
抛光桶 Polishing barrel	310x290mm
外形尺寸 Outline size	1000x450x650mm
重量 Weight	50KG



台式滚桶抛光机KT-4200 Barrel polishing machine 1320

型号 Model	M.MT.G4200
电压 Voltage	110V/220V
容量 Capacity	40KG
抛光桶 Polishing barrel	420x300mm
外形尺寸 Outline size	670x3560x630mm
重量 Weight	50KG





分体式潜水抛光机KT-400
Under water polishing machine KT-400

型号 Model	M.MT.G4200-B
电压 Voltage	220V
功率 Power	550W
容量 Capacity	20KG
抛光桶 Polishing barrel	320x200mm
外形尺寸 Outline size	290x310x720mm
重量 Weight	48KG



小型单头打磨机
Small one head grinding machine

型号 Model	M.MT.DM002
电压 Voltage	110V/220V
功率 Power	550W
外形尺寸 Outline size	660x330x190mm
重量 Weight	22KG



双头吸尘打磨机
Double heads dust collection grinding machine

型号 Model	M.MT.DM001
电压 Voltage	110V/220V
打磨马达 Polishing Motor	1/2HP
吸入马达 Suction Motor	1/2HP
速度 Speed	2800rpm
外形尺寸 Outline size	680x540x340mm
重量 Weight	43KG

吸尘抛光机DM-5
Dust collection polishing machine DM-5

型号 Model	M.MT.DM005-A
电压 Voltage	110V/220V
功率 Power	200W
速度 Speed	500-7000rpm
外形尺寸 Outline size	490x340x260mm
重量 Weight	11KG



变频高速吸尘打磨机DM-6
Frequency conversion speed dust collection grinding machine DM-6

型号 Model	M.MT.DM006-A
电压 Voltage	110V/220V
打磨马达 Polishing Motor	1/2HP匹
吸入马达 Suction Motor	1/2HP匹
速度 Speed	500-3600rpm
外形尺寸 Outline size	550x420x300mm
重量 Weight	28KG



吸尘布轮抛光机
Dust collection polishing machine

型号 Model	M.MT.DM008-1
电压 Voltage	110V/220V
功率 Power	750W
速度 Speed	0-4300rpm





双头吸尘抛光机H3700S
Double sides polishing machine H3700S

型号 Model	M.MT.H3700S
电压 Voltage	220V
功率 Power	690W
外形尺寸 Outline size	795x490x300mm
重量 Weight	34KG



吸尘抛光机H3600
Polishing machine H3600

型号 Model	M.MT.H3600
电压 Voltage	220V
功率 Power	550W
外形尺寸 Outline size	540x350x310mm
重量 Weight	23.6KG



抛光机H4300
Polishing machine H4300

型号 Model	M.MT.H4300
电压 Voltage	220V
功率 Power	430W
外形尺寸 Outline size	400x300x370mm
重量 Weight	13.4KG



小型双头打磨机
Small double heads grinding machine
型号 Model: M.MT.DM003
电压 Voltage: 220V
功效 Power: 200W
外形尺寸 Outline size: L330xH130mm
重量 Weight: 3.4KG



布轮抛光机
Buff grinding machine
型号 Model: M.MT.DM003-B
电压 Voltage: 220V
功效 Power: 180W
外形尺寸 Outline size: L330xH130mm
重量 Weight: 3.5KG



布轮抛光机
Buff grinding machine
型号 Model: M.MT.DM007
电压 Voltage: 220V
功效 Power: 200W
速度 Speed: 500-7000rpm



打磨机
Polishing machine
型号 Model: M.MT.DM008
电压 Voltage: 10V/220V
功效 Power: 200W
速度 Speed: 500-7000rpm

多功能切割磨光机
Multi functional cutting and polishing machine

型号 Model	M.MT.B0042
电压 Voltage	220V
功效 Power	200W
速度 Speed	500-7000rpm
外形尺寸 Outline size	300x250x160mm
重量 Weight	7kg



打磨机
Brush micromotor

型号 Model	M.MT.DM011
电压 Voltage	110V/60Hz, 220V/50Hz
功率 Power	65W
重量 Weight	1.38kg





韩国精密磨打机206
Brush micromotor 206

型号 Model	M.MT.DM206
电压 Voltage	220V
速度 Speed	5500-45000rpm



SP-A90电子打磨机
SP-A90 brush micromotor

型号 Model	M.MT.DMA90
电压 Voltage	110V/60Hz, 220V/50Hz
功率 Power	65W
速度 Speed	35000rpm



进口精密打磨机407
Imported precision brush micromotor 407

型号 Model	M.MT.DM004-A
电压 Voltage	220V
功率 Power	230W
外形尺寸 Outline size	160x210x100mm
重量 Weight	2.31KG



韩国磨打机204
Korea 204 brush micromotor

型号 Model	M.MT.DM204
电压 Voltage	110V/220V
功率 Power	65W
速度 Speed	35000rpm

N4打磨机 N4 brush micromotor

型号 Model	M.MT.N4
电压 Voltage	110V/60Hz, 220V/50Hz
功率 Power	65W
速度 Speed	35000rpm



N3+H37L1打磨机 N3+H37L1 brush micromotor

型号 Model	M.MT.H37L1-C
电压 Voltage	110V/60Hz, 220V/50Hz
功率 Power	65W
速度 Speed	35000rpm



207B+102LN打磨机 207B+102LN brush micromotor

型号 Model	M.MT.DM207B
电压 Voltage	110V/60Hz, 220V/50Hz
功率 Power	65W
速度 Speed	35000rpm



世洋H37L1打磨机 Saeyang H37L1 brush micromotor

型号 Model	M.MT.H37L1
电压 Voltage	11V/220V
速度 Speed	35000rpm
外形尺寸 Outline size	118x156x78mm
重量 Weight	1.25KG





世洋N7M45打磨机
Saeyang N7M45 brush micromotor

型号 Model	M.MT.N7M45
电压 Voltage	11V/220V
速度 Speed	45000rpm
外形尺寸 Outline size	115x147x88mm
重量 Weight	1.2KG



世洋NY-SH37LN-FS60打磨
Saeyang NY-SH37LN-FS60 brush micromotor

型号 Model	M.MT.NYSH37LN
功率 Power	70W
速度 Speed	0-45000rpm
外形尺寸 Outline size	250x250x200mm
重量 Weight	2.5KG



KV002吊磨机
KV002 flex shaft

型号 Model: M.FS.00013
焊针直径 Welding pen diameter: Φ 2.3mm/ Φ 3mm/ Φ 4mm/ Φ 6mm
电源 Power supply: 110V/240V
频率 Frequency: 50/60Hz
输入功率 Power input: 600W
负载速度 Rotating speed: 500/25000r/min



KV003吊磨机
KV003 flex shaft

型号 Model: M.FS.00014
焊针直径 Welding pen diameter: Φ 4mm/ Φ 6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/20000r/min



KT-A02吊磨机
KT-A02 flex shaft

型号 Model: M.FS.00A02
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



KT-A03吊磨机
KT-A03 flex shaft

型号 Model: M.FS.00A03
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



KT-A04吊磨机
KT-A04 flex shaft

型号 Model: M.FS.00A04
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



KT-A05吊磨机
KT-A05 flex shaft

型号 Model: M.FS.00A05
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min



KT-A06吊磨机
KT-A06 flex shaft

型号 Model: M.FS.00A06
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/24000r/min



KT-A07吊磨机
KT-A07 flex shaft

型号 Model: M.FS.00A07
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min



KT-A08吊磨机
KT-A08 flex shaft

型号 Model: M.FS.00A08
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min



KT-A09吊磨机
KT-A09 flex shaft

型号 Model: M.FS.00A09
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/19000r/min



KT-A10吊磨机
KT-A10 flex shaft

型号 Model: M.FS.00A10
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min



KT-A11吊磨机
KT-A11 flex shaft

型号 Model: M.FS.00A11
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/17000r/min



KT-A12吊磨机
KT-A12 flex shaft

型号 Model: M.FS.00A12
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/5000r/min



KT-A13吊磨机
KT-A13 flex shaft

型号 Model: M.FS.00A13
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



KT-A15吊磨机
KT-A15 flex shaft

型号 Model: M.FS.00A15
焊针直径 Welding pen diameter: $\Phi 4\text{mm}/\Phi 6\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



CC-30金科达吊磨机
CC-30 flex shaft

型号 Model: M.FS.00001
焊针直径 Welding pen diameter: $\Phi 2.35\text{mm}/\Phi 4.5\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



CH330保利吊磨机
CH330 poli flex shaft

型号 Model: M.FS.00003
焊针直径 Welding pen diameter: $\Phi 2.35\text{mm}/\Phi 4.5\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/18000r/min



SR吊磨机
SR flex shaft

型号 Model: M.FS.00004
焊针直径 Welding pen diameter: $\Phi 2.35\text{mm}/\Phi 4.5\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



意大利吊磨机
Pfingst flex shaft

型号 Model: M.FS.00005
焊针直径 Welding pen diameter: $\Phi 2.35\text{mm}/\Phi 4.5\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



吊磨机SL10-128A
Flex shaft SL10-128A

型号 Model: M.FS.SL128
焊针直径 Welding pen diameter: $\Phi 4\text{mm}$
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 250W
负载速度 Rotating speed: 0-24000r/min



T30吊磨机细头
T30 handpiece
M.FS.P0004



T38细头
T38 handpiece
M.FS.P0005



金科达吊磨机脚踏
Foredom foot pedal
M.FS.P1004



保利脚踏
Poli foot pedal
M.FS.P2005



手柄匙
Chuck key
M.FS.P2008

2.5升蒸汽清洗机 2.5L Steam cleaning machine

型号 Model	M.ST.A0002
电压 Voltage	220V/50Hz
功率 Power input	4000W
容量 Capacity	2.5L
主机尺寸 Size	435x300x355mm
水箱尺寸 Tank size	230x180x245mm
重量 Weight	Weight: 19.5Kg





单头吸尘抛光机
One side buff polishing machine

型号 Model	Z.M.MT.Z100E
电压 Voltage	220V / 可订制110V
打磨功率 Power	550W
吸尘功率 Sucking power	370W
重量 Weight	80kg
转速 Speed (rpm/min)	2800
外形尺寸 Outline size	900x586x1250mm



双头双位吸尘抛光机
Two sides two position buff polishing machine

型号 Model	Z.M.MT.Z200E
电压 Voltage	220V / 可订制110V
打磨功率 Power	550W
吸尘功率 Sucking power	550W
重量 Weight	123kg
转速 Speed (rpm/min)	2800
外形尺寸 Outline size	1600x580x1185mm



双头双位吸尘抛光机
Two sides two position buff polishing machine

型号 Model	Z.M.MT.Z200E-DZ
电压 Voltage	220V
打磨功率 Power	750W
吸尘功率 Sucking power	750W
重量 Weight	125kg
转速 Speed (rpm/min)	2800
外形尺寸 Outline size	1530x525x1185mm

双头双位吸尘抛光机
Two sides two position buff polishing machine

型号 Model	Z.M.PM-7000
电压 Voltage	220V
打磨功率 Power	750W
吸尘功率 Sucking power	4000W
转速 Speed (rpm/min)	4000
外形尺寸 Outline size	1600×1150×1555mm



单头布轮抛光机
One side buff polishing machine

型号 Model	M.MT.B0001
电压 Voltage	220V / 可订制110V
功率 Power	550W
外形尺寸 Outline size	950×500×1170mm



双头布轮抛光机
Double sides buff polishing machine

型号 Model	M.MT.B0002
电压 Voltage	220V / 可订制110V
功率 Power	550W+550W
外形尺寸 Outline size	1470×500×1170mm





单头飞碟抛光机
One head split lapping machine

型号 Model	M.MT.B0003
电压 Voltage	220V / 可订制110V
功率 Power	550W
外形尺寸 Outline size	950x500x1170mm



抛光一体机(加双变频)
All-in-one polishing machine
(dual-frequency converting)

型号 Model	M.MT.B0015
电压 Voltage	220V / 可订制110V
功率 Power	550W
外形尺寸 Outline size	950x500x1170mm



不锈钢双头布轮抛光机(带调速)
Stainless steel double sides buff
polishing machine (with speed regulation)

型号 Model	M.MT.B0013
电压 Voltage	220V / 可订制110V
功率 Power	550W+550W
外形尺寸 Outline size	1480x570x1130mm

双头吸尘布轮抛光机
Double side dust buff polishing machine

型号 Model	M.MT.B0023
电压 Voltage	220V / 可订制110V
功率 Power	550W+550W
外形尺寸 Outline size	1470x500x1170mm



超声波清洗机
Ultrasonic cleaning machine



名称 Description	型号 Model	电压 Voltage	超声功率 Power	加热功率 Power	清洗槽尺寸 Power
6头超声波清洗机 Ultrasonic cleaning machine	M.UCA1006	220V	300W	1KW	290×200×230mm
12头超声波清洗机 Ultrasonic cleaning machine	M.UCA1012	220V	600W	2KW	370×280×300mm
18头超声波清洗机 Ultrasonic cleaning machine	M.UCA1018	220V	900W	4KW	460×330×400mm
24头超声波清洗机 Ultrasonic cleaning machine	M.UCA1024	220V	200W	4KW	600×400×400mm
30头超声波清洗机 Ultrasonic cleaning machine	M.UCA1030	220V	500W	6KW	600×500×400mm
36头超声波清洗机 Ultrasonic cleaning machine	M.UCA1036	220V	1800W	6KW	650×500×400mm
40头超声波清洗机 Ultrasonic cleaning machine	M.UCA1040	220V-380V	2000W	9KW	700×500×400mm
48头超声波清洗机 Ultrasonic cleaning machine	M.UCA1048	220V-380V	2400W	9KW	700×500×400mm
72头超声波清洗机 Ultrasonic cleaning machine	M.UCA1072	220V-380V	3600W	12KW	800×550×500mm



型号 Model: M.UC.230HD



型号 Model: M.UC.240HD



型号 Model: M.UC.340HD



型号 Model: M.UC.360HD



型号 Model: M.UC.410HD



型号 Model: M.UC.615HD



型号 Model: M.UC.820HD



型号 Model: M.UC.1030HD

数码超声波清洗机 Digital ultrasonic cleaning machine

产品特点:

外壳采用优质防指纹不锈钢压花板制作, 美观大方。
清洗槽采用优质SUS304不锈钢一次冲压成形, 无焊接, 防水性能好。
采用德国最先进的换能器粘接工艺, 实现清洗槽内无焊接印进一步提高换能器转换效率及其使用寿命。
业内首创休眠模式, 一键唤醒功能, 更节能、更安全。
独有脱气功能, 实现真正意义的超声真空, 电路转换效率高: 98%, 无功损耗极低。
工作时间数码控制, LED数字显示1-99分钟任意可调, 满足不同的清洗需求; 清洗温度在0-80℃范围内任意可调。
6升以上含排水口及散热装置

技术参数

1. 使用电压: 220V 50Hz
2. 超声频率: 40KHz

Product Features:

1. The shell is made of high quality anti-fingerprint stainless steel embossed plate, nice.
2. A cleaning tank made of high quality SUS304 stainless steel stamping, no welding is good, waterproof performance.
3. Germany's most advanced transducer bonding process to achieve the cleaning tank without welding and India to further improve the conversion efficiency of the transducer and its service life.
4. The industry's first sleep mode, a key-on wakeup function, more energy efficient and safer.
5. The unique degas function, the real significance of ultrasound vacuum circuit high conversion efficiency: 98%, reactive power loss is very low.
6. The working time digital control, LED digital display 1-99 minutes adjustable, to meet the different needs cleaning; cleaning temperature in the range of 0-80 °C adjustable.



内槽 Tank




排水口 Outfall

Technical Parameters

1. Voltage: 220V 50Hz
2. Ultrasonic frequency: 40KHz

名称 Description	型号 Model	功率 Power	时间可调 Adjustable time	温度可调 Adjustable temperature	容积 capacity	内槽尺寸 Tank dimension	外形尺寸 Outer dimension
2头3升超声波清洗机 3L Ultrasonic cleaning machine	M.UC.230HD	120W	1~99	0~80℃	3.2L	224x140x100mm	270x170x240mm
2头4升超声波清洗机 4L Ultrasonic cleaning machine	M.UC.240HD	120W			4.5L	300x155x100mm	312x162x240mm
3头4升超声波清洗机 4L Ultrasonic cleaning machine	M.UC.340HD	180W			4.5L	300x155x100mm	312x162x240mm
3头6升超声波清洗机 6L Ultrasonic cleaning machine	M.UC.360HD	180W			6.5L	300x155x150mm	330x180x330mm
4头10升超声波清洗机 10L Ultrasonic cleaning machine	M.UC.410HD	240W			10L	300x240x150mm	330x270x330mm
6头15升超声波清洗机 15L Ultrasonic cleaning machine	M.UC.615HD	360W			15L	330x300x150mm	360x330x330mm
8头22升超声波清洗机 22L Ultrasonic cleaning machine	M.UC.822HD	480W			22L	500x300x150mm	550x330x330mm
10头30升超声波清洗机 30L Ultrasonic cleaning machine	M.UC.1030HD	600W			30L	500x300x200mm	550x330x380mm

**SY** 塑质研磨石**SY** Plastic abrasive stone

型号 Model	尺寸 Size (W×H)	颜色 Color	形状 Shape	用途 Function
SYJ10H00	10×10mm	黑色 Black	三角形 Triangle	适用于软金属产品，如金、银、铜、铝等，工件刮痕少。 Suitable for soft metal products, such as gold, silver, copper, aluminum, etc., with fewer scratches on the workpiece.
SYJ10A00	10×10mm	灰色 Grey	三角形 Triangle	
SYJ10R00	10×10mm	红色 Red	三角形 Triangle	
SYJ10G00	10×10mm	绿色 Green	三角形 Triangle	
SYJ10O00	10×10mm	橙色 Orange	三角形 Triangle	
SYJ10B00	10×10mm	蓝色 Blue	三角形 Triangle	
SYJ10P00	10×10mm	粉红 Pink	三角形 Triangle	
SYJ10W00	10×10mm	白色 White	三角形 Triangle	
SYJ10H00	10×10mm	黑色 Black	圆锥形 Cone	
SYJ10A00	10×10mm	灰色 Grey	圆锥形 Cone	
SYJ10R00	10×10mm	红色 Red	圆锥形 Cone	
SYJ10G00	10×10mm	绿色 Green	圆锥形 Cone	
SYJ10O00	10×10mm	橙色 Orange	圆锥形 Cone	
SYJ10B00	10×10mm	蓝色 Blue	圆锥形 Cone	
SYJ10P00	10×10mm	粉红 Pink	圆锥形 Cone	
SYJ10W00	10×10mm	白色 White	圆锥形 Cone	

SC 塑质研磨石**SC** Plastic abrasive stone

型号 Model	尺寸 Size (W×H)	颜色 Color	形状 Shape	用途 Function
SCJ10H00	10×10mm	黑色 Black	三角形 Triangle	适用于硬金属产品，如钛、不锈钢、铁等，切削力强；不能用于镶嵌钻石的工件。 Suitable for hard metal products such as titanium, stainless steel, and iron, with strong cutting force, not applicable for workpieces with stone setting.
SCJ10A00	10×10mm	灰色 Grey	三角形 Triangle	
SCJ10R00	10×10mm	红色 Red	三角形 Triangle	
SCJ10G00	10×10mm	绿色 Green	三角形 Triangle	
SCJ10O00	10×10mm	橙色 Orange	三角形 Triangle	
SCJ10B00	10×10mm	蓝色 Blue	三角形 Triangle	
SCJ10P00	10×10mm	粉红 Pink	三角形 Triangle	
SCY10H00	10×10mm	黑色 Black	圆锥形 Cone	
SCY10A00	10×10mm	灰色 Grey	圆锥形 Cone	
SCY10R00	10×10mm	红色 Red	圆锥形 Cone	
SCY10G00	10×10mm	绿色 Green	圆锥形 Cone	
SCY10O00	10×10mm	橙色 Orange	圆锥形 Cone	
SCY10B00	10×10mm	蓝色 Blue	圆锥形 Cone	
SCY10P00	10×10mm	粉红 Pink	圆锥形 Cone	

AO 塑料研磨石 AO Plastic abrasive stone

型号 Model	尺寸 Size (W×H)	颜色 Color	形状 Shape
AQJ10H00	10×10mm	黑色 Black	三角形 Triangle
AQJ10A00	10×10mm	灰色 Grey	三角形 Triangle
AQJ10R00	10×10mm	红色 Red	三角形 Triangle
AQJ10G00	10×10mm	绿色 Green	三角形 Triangle
AQJ10O00	10×10mm	橙色 Orange	三角形 Triangle
AQJ10B00	10×10mm	蓝色 Blue	三角形 Triangle
AQJ10P00	10×10mm	粉红 Pink	三角形 Triangle
AOY10H00	10×10mm	黑色 Black	圆锥形 Cone
AOY10A00	10×10mm	灰色 Grey	圆锥形 Cone
AOY10R00	10×10mm	红色 Red	圆锥形 Cone
AOY10G00	10×10mm	绿色 Green	圆锥形 Cone
AOY10O00	10×10mm	橙色 Orange	圆锥形 Cone
AOY10B00	10×10mm	蓝色 Blue	圆锥形 Cone
AOY10P00	10×10mm	粉红 Pink	圆锥形 Cone



适用于非金属产品，如亚克力、宝石等；磨光效果好。

Suitable for non-metallic products such as acrylic and gemstones, provides excellent polishing results.

ZO 塑料研磨石 ZO Plastic abrasive stone

型号 Model	尺寸 Size (W×H)	颜色 Color	形状 Shape
ZOJ10H00	10×10mm	黑色 Black	三角形 Triangle
ZOJ10A00	10×10mm	灰色 Grey	三角形 Triangle
ZOJ10R00	10×10mm	红色 Red	三角形 Triangle
ZOJ10G00	10×10mm	绿色 Green	三角形 Triangle
ZOJ10O00	10×10mm	橙色 Orange	三角形 Triangle
ZOJ10B00	10×10mm	蓝色 Blue	三角形 Triangle
ZOJ10P00	10×10mm	粉红 Pink	三角形 Triangle
ZOY10H00	10×10mm	黑色 Black	圆锥形 Cone
ZOY10A00	10×10mm	灰色 Grey	圆锥形 Cone
ZOY10R00	10×10mm	红色 Red	圆锥形 Cone
ZOY10G00	10×10mm	绿色 Green	圆锥形 Cone
ZOY10O00	10×10mm	橙色 Orange	圆锥形 Cone
ZOY10B00	10×10mm	蓝色 Blue	圆锥形 Cone
ZOY10P00	10×10mm	粉红 Pink	圆锥形 Cone



适用于硬金属产品，如钛、不锈钢、铁等，磨光效果比AO系列研磨石好。

Suitable for hard metal products such as titanium, stainless steel, and iron etc., polishing effect is better than the AO series.



塑质研磨石 Plastic abrasive stone

代码 Model	尺寸 Size	颜色 Color	形状 Shape	粗细度 Fineness
T.PW.SSJZ010-P180#	10×10mm	浅红色 Light red	金字塔 Pyramid	180#
T.PW.SSYZ010-P180#	10×10mm	浅红色 Light red	圆锥形 Cone	180#
T.PW.SSJZ010-G240#	10×10mm	青绿色 Green	金字塔 Pyramid	240#
T.PW.SSYZ010-G240#	10×10mm	青绿色 Green	圆锥形 Cone	240#
T.PW.SSJZ010-G400#	10×10mm	青绿色 Green	金字塔 Pyramid	400#
T.PW.SSYZ010-G400#	10×10mm	青绿色 Green	圆锥形 Cone	400#
T.PW.SSJZ010-O600#-B	10×10mm	橙色 Orange	金字塔 Pyramid	600#
T.PW.SSYZ010-O600#-B	10×10mm	橙色 Orange	圆锥形 Cone	600#
T.PW.SSJZ010-Y600#	10×10mm	黄色 Yellow	金字塔 Pyramid	600#
T.PW.SSYZ010-Y600#	10×10mm	黄色 Yellow	圆锥形 Cone	600#
T.PW.SSJZ010-B800#	10×10mm	蓝色 Blue	金字塔 Pyramid	800#
T.PW.SSYZ010-B800#	10×10mm	蓝色 Blue	圆锥形 Cone	800#
T.PW.SSJZ010-P800#	10×10mm	粉红色 Pink	金字塔 Pyramid	800#
T.PW.SSYZ010-W1000#	10×10mm	白色 White	圆锥形 Cone	1000#
T.PW.SSJZ010-W1000#	10×12mm	白色 White	金字塔 Pyramid	1000#
T.PW.SSJZ010-P1200#	10×10mm	粉红色 Pink	金字塔 Pyramid	1200#
T.PW.SSYZ010-P1200#	10×10mm	粉红色 Pink	圆锥形 Cone	1200#
T.PW.SSJZ010-P1200#-B	10×10mm	粉红色 Pink	金字塔 Pyramid	1200#
T.PW.SSYZ010-P1200#-B	10×10mm	粉红色 Pink	圆锥形 Cone	1200#
T.PW.SSYZ012-P800#-H	12×12mm	粉红色 Pink	圆锥形 Cone	800#
T.PW.SSYZ012-P1200#-H	12×12mm	粉红色 Pink	圆锥形 Cone	1200#
T.PW.SSYZ012-P800#-H-YS	-	粉色 Pink	不定形 Shapeless	800#
T.PW.SSYZ012-P1200#-H-YS	-	粉色 Pink	不定形 Shapeless	1200#
T.PW.SSYZ010-P1000#-D	10×10mm	粉红色 Pink	圆锥形 Cone	1000#
T.PW.SSYZ015-P1000#-D	15×15mm	粉红色 Pink	圆锥形 Cone	1000#
T.PW.SSYZ010-G400#-YS	-	青绿色 Green	不定形 Shapeless	400#



耐磨胶石 Wear-resistant plastic abrasive stone

代码 Model	尺寸 Size	颜色 Color	形状 Shape	粗细度 Fineness
T.PW.PL-G600#-YS	-	绿色 Green	不定形 Shapeless	600#
T.PW.PLJZ010-600#	10×10mm	浅绿色 light green	金字塔 Pyramid	600#
T.PW.PLYZ010-600#	10×10mm	浅绿色 light green	圆锥形 Cone	600#
T.PW.SSJZ010-P320#-Y	10×10mm	红色 Red	三角形 Triangle	320#
T.PW.SSYZ010-P320#-Y	10×10mm	红色 Red	圆锥形 Cone	320#



首饰精磨胶石 Fine polishing plastic abrasive stone

代码 Model	尺寸 Size	颜色 Color	形状 Shape	粗细度 Fineness
T.PW.PSJZ001-1300#-Y	10×10mm	粉红色 Pink	金字塔 Pyramid	1300#
T.PW.PSYZ001-1300#-Y	10×10mm	粉红色 Pink	圆锥形 Cone	1300#
T.PW.PSYZ001-1300#-Y-YS	-	粉色 Pink	不定形 Shapeless	1300#





瓷质抛光珠 (高铝瓷)
Ceramic polishing beads (high alumina porcelain)

代码 Model	尺寸 Size	颜色 Color	形状 Shape	切削力 Cutting force
T.PW.SCSJ0303	3×3mm	白色 White	三角形 Triangle	幼磨 Fine grinding force
T.PW.SCSJ0404	4×4mm	白色 White	三角形 Triangle	幼磨 Fine grinding force
T.PW.SCSJ0505	5×5mm	白色 White	三角形 Triangle	幼磨 Fine grinding force
T.PW.SCSJ0606	6×6mm	白色 White	三角形 Triangle	幼磨 Fine grinding force
T.PW.SCYZ01303	1.3×3mm	白色 White	圆柱形 Cylinder	幼磨 Fine grinding force
T.PW.SCYZ01303-L	1.3×3mm	白色 White	圆柱形 Cylinder	幼磨 Fine grinding force
T.PW.SCYZ01505	1.5×5mm	白色 White	圆柱形 Cylinder	幼磨 Fine grinding force
T.PW.SCYZ01505-L	1.5×5mm	白色 White	圆柱形 Cylinder	幼磨 Fine grinding force
T.PW.SCYZ0306-L	3×6mm	白色 White	圆柱形 Cylinder	幼磨 Fine grinding force
T.PW.SCYZ0516	5×16mm	白色 White	圆柱形 Cylinder	幼磨 Fine grinding force
T.PW.SCYZ0723	7×23mm	白色 White	圆柱形 Cylinder	幼磨 Fine grinding force
T.PW.SCYZ0204	2×4mm	白色 White	斜圆柱形 Angle cut cylinder	幼磨 Fine grinding force
T.PW.SCYZ0306	3×6mm	白色 White	斜圆柱形 Angle cut cylinder	幼磨 Fine grinding force
T.PW.SCYZ0408	4×8mm	白色 White	斜圆柱形 Angle cut cylinder	幼磨 Fine grinding force
T.PW.SCYZ0510	5×10mm	白色 White	斜圆柱形 Angle cut cylinder	幼磨 Fine grinding force
T.PW.SCYQ002-W	Φ2mm	白色 White	圆球形 Balls	幼磨 Fine grinding force
T.PW.SCYQ003-W	Φ3mm	白色 White	圆球形 Balls	幼磨 Fine grinding force
T.PW.SCYQ004-W	Φ4mm	白色 White	圆球形 Balls	幼磨 Fine grinding force
T.PW.SCYQ005-W	Φ5mm	白色 White	圆球形 Balls	幼磨 Fine grinding force
T.PW.SCYQ006-W	Φ6mm	白色 White	圆球形 Balls	幼磨 Fine grinding force
T.PW.SCYQ008-W	Φ8mm	白色 White	圆球形 Balls	幼磨 Fine grinding force
T.PW.SCYQ010-W	Φ10mm	白色 White	圆球形 Balls	幼磨 Fine grinding force
T.PW.SCYQ002-Y	Φ2mm	姜黄色 Ginger yellow	圆球形 Balls	幼磨 Fine grinding force



高分珠
High zirconium polishing beads

代码 Model	尺寸 Size	材质 Material	颜色 Color	形状 Shape	切削力 Cutting force
T.PW.GF010	Φ1.0mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GF015	Φ1.5mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GF020	Φ2.0mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GF030	Φ3.0mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GF040	Φ4.0mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force



抛光锆珠
Polished zirconium beads

代码 Model	尺寸 Size	材质 Material	颜色 Color	形状 Shape	切削力 Cutting force
T.PW.GZ001A-GS	Φ1.0mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GZ015A-GS	Φ1.5mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GZ002A-GS	Φ2.0mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GZ003A-GS	Φ3.0mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force

复合抛光珠

Mixed polished beads

代码 Model	尺寸 Size	材质 Material	颜色 Color	形状 Shape	切削力 Cutting force
T.PW.GZ001-FH-501	Φ1mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GZ015-FH-501	Φ1.5mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GZ002-FH-501	Φ2mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force
T.PW.GZ003-FH-501	Φ3mm	锆 Zirconium	白色 White	圆球形 Balls	零 Zero grinding force



日本扁豆

Japan flat beans

代码 Model	尺寸 Size	颜色 Color	形状 Shape	切削力 Cutting force
T.PW.BD02-Y	Φ2mm	黄色 Yellow	不定形 Shapeless	零 Zero grinding force
T.PW.BD03-Y	Φ3mm	黄色 Yellow	不定形 Shapeless	零 Zero grinding force
T.PW.BD04-Y	Φ4mm	黄色 Yellow	不定形 Shapeless	零 Zero grinding force
T.PW.BD05-Y	Φ5mm	黄色 Yellow	不定形 Shapeless	零 Zero grinding force



抛光黄珠

Yellow grinding beads

代码 Model	尺寸 Size	颜色 Color	形状 Shape	切削力 Cutting force
T.PW.00059	Φ2mm	黄色 Yellow	圆球形 Balls	零 Zero grinding force
T.PW.00062	Φ3mm	黄色 Yellow	圆球形 Balls	零 Zero grinding force
T.PW.00060	Φ4mm	黄色 Yellow	圆球形 Balls	零 Zero grinding force
T.PW.00064	Φ5mm	黄色 Yellow	圆球形 Balls	零 Zero grinding force



瓷质抛光珠 (高频瓷)

Ceramic polishing beads (high frequency porcelain)

代码 Model	尺寸 Size	颜色 Color	形状 Shape	切削力 Cutting force
T.PW.SCYZ01303	1.3×3mm	白色 White	圆柱形 Cylinder	微 Micro grinding force
T.PW.SCYZ01505	1.5×5mm	白色 White	圆柱形 Cylinder	微 Micro grinding force
T.PW.SCYQ002-Y	Φ2mm	白色 White	圆球形 Balls	微 Micro grinding force
T.PW.SCYQ003-G	Φ3mm	白色 White	圆球形 Balls	微 Micro grinding force



干式抛光介质-玉米芯

Dry polishing media (corn cob)

代码 Model	尺寸 Size	材质 Material	粗细度 Fineness
T.PW.C4-Y	5-6mm	原料 Raw materials	4#
T.PW.C5-Y	4-5mm	原料 Raw materials	5#
T.PW.C6-Y	3.5-4mm	原料 Raw materials	6#
T.PW.C8-Y	2.8-3.5mm	原料 Raw materials	8#
T.PW.C10-Y	2.2-2.8mm	原料 Raw materials	10#
T.PW.C12-Y	2-2.2mm	原料 Raw materials	12#
T.PW.C4	5-6mm	开好料 Processed	4#
T.PW.C5	4-5mm	开好料 Processed	5#
T.PW.C6	3.5-4mm	开好料 Processed	6#
T.PW.C8	2.8-3.5mm	开好料 Processed	8#
T.PW.C10	2.2-2.8mm	开好料 Processed	10#
T.PW.C12	2-2.2mm	开好料 Processed	12#





干式抛光介质-核桃壳
Dry polishing media (walnut)

代码 Model	尺寸 Size	材质 Material	粗细度 Fineness
T.PW.GHTW3-Y	5-8mm	原料 Raw materials	3#
T.PW.GHTW4-Y	5-6mm	原料 Raw materials	4#
T.PW.GHTW5-Y	4-5mm	原料 Raw materials	5#
T.PW.GHTW6-Y	3-4mm	原料 Raw materials	6#
T.PW.GHTW8-Y	2.8-3.5mm	原料 Raw materials	8#
T.PW.GHTW10-Y	2.2-2.8mm	原料 Raw materials	10#
T.PW.GHTW12-Y	2-2.2mm	原料 Raw materials	12#
T.PW.GHTW14-Y	1.6-2mm	原料 Raw materials	14#
T.PW.GHTW20-Y	0.8-1mm	原料 Raw materials	20#
T.PW.GHTW24-Y	0.6-0.8mm	原料 Raw materials	24#
T.PW.GHTW36-Y	0.4-0.5mm	原料 Raw materials	36#
T.PW.GHTW3	5-8mm	开好料 Processed	3#
T.PW.GHTW4	5-6mm	开好料 Processed	4#
T.PW.GHTW5	4-5mm	开好料 Processed	5#
T.PW.GHTW6	3-4mm	开好料 Processed	6#
T.PW.GHTW8	2.8-3.5mm	开好料 Processed	8#
T.PW.GHTW10	2.2-2.8mm	开好料 Processed	10#
T.PW.GHTW12	2-2.2mm	开好料 Processed	12#
T.PW.GHTW14	1.6-2mm	开好料 Processed	14#
T.PW.GHTW20	0.8-1mm	开好料 Processed	20#
T.PW.GHTW24	0.6-0.8mm	开好料 Processed	24#
T.PW.GHTW36	0.4-0.5mm	开好料 Processed	36#



干式抛光介质-木粒
Dry polishing media (wood chips)

代码 Model	尺寸 Size	形状 Shape	粗细度 Fineness	包装 Package
T.PW.GMLY004	33×12×12mm	菱形 Rhombus	粗抛 Primary polishing	30KG/包/Pack
T.PW.GMLY005	27×8×8mm	菱形 Rhombus	中抛 Medium polishing	25KG/包/Pack
T.PW.GMLS004	4×4×4mm	方形 Square	精抛 Fine polishing	25KG/包/Pack



混合抛光料
Mixed polishing compound
T.PW.PGG66



12#混合抛光料 (含锆珠)
12# mixed polishing compound (containing zirconium beads)
T.PW.PGG67

钢珠 Steel ball

代码 Model	尺寸 Size	形状 Shape	材质 Material
T.PW.SGY001-201	Φ1mm	圆球形 Balls	201
T.PW.SGY002-201	Φ2mm	圆球形 Balls	201
T.PW.SGY003-201	Φ3mm	圆球形 Balls	201
T.PW.SGY004-201	Φ4mm	圆球形 Balls	201
T.PW.SGY005-201	Φ5mm	圆球形 Balls	201
T.PW.SGY006-201	Φ6mm	圆球形 Balls	201
T.PW.SGY007-201	Φ7mm	圆球形 Balls	201
T.PW.SGY008-201	Φ8mm	圆球形 Balls	201
T.PW.SGY009-201	Φ9mm	圆球形 Balls	201
T.PW.SGY010-201	Φ10mm	圆球形 Balls	201
T.PW.SGY001-304	Φ1mm	圆球形 Balls	304
T.PW.SGY002-304	Φ2mm	圆球形 Balls	304
T.PW.SGY003-304	Φ3mm	圆球形 Balls	304
T.PW.SGY004-304	Φ4mm	圆球形 Balls	304
T.PW.SGY005-304	Φ5mm	圆球形 Balls	304
T.PW.SGY006-304	Φ6mm	圆球形 Balls	304
T.PW.SGY007-304	Φ7mm	圆球形 Balls	304
T.PW.SGY008-304	Φ8mm	圆球形 Balls	304
T.PW.SGY009-304	Φ9mm	圆球形 Balls	304
T.PW.SGY010-304	Φ10mm	圆球形 Balls	304
T.PW.SGY001-316	Φ1mm	圆球形 Balls	316
T.PW.SGY002-316	Φ2mm	圆球形 Balls	316
T.PW.SGY003-316	Φ3mm	圆球形 Balls	316
T.PW.SGY004-316	Φ4mm	圆球形 Balls	316
T.PW.SGY005-316	Φ5mm	圆球形 Balls	316



飞碟钢珠 Ball cone steel tumbling media

代码 Model	尺寸 Size	材质 Material	形状 Shape
T.PW.SGF24-201	2.5×4mm	201	飞碟 Flying saucer
T.PW.SGF35-201	3.5×5.5mm	201	飞碟 Flying saucer
T.PW.SGF47-201	4.5×7mm	201	飞碟 Flying saucer
T.PW.SGF57-201	5×7mm	201	飞碟 Flying saucer
T.PW.SGF812-201	8×12mm	201	飞碟 Flying saucer



钢制抛光介质 Other shape steel polishing media

代码 Model	尺寸 Size	材质 Material	形状 Shape
T.PW.SGJ27-201	2×7.5mm	201	双头尖 Double pointed head
T.PW.SGYZ24-201	2×4mm	201	圆柱形 Cylinder
T.PW.SGYZ28-201	2×8mm	201	圆柱形 Cylinder
T.PW.SGTY34-204	3×4mm	201	旦形 Oval





磁力抛光针 Magnetic polishing pins

代码 Model	尺寸 Size	形状 Shape
T.MPP2050	Φ0.2×L5mm	平头 Flat head
T.MPP3050	Φ0.3×L5mm	平头 Flat head
T.MPP4050	Φ0.4×L5mm	平头 Flat head
T.MPP5050	Φ0.5×L5mm	平头 Flat head
T.MPP6050	Φ0.6×L5mm	平头 Flat head
T.MPP8050	Φ0.8×L5mm	平头 Flat head
T.MPP2050-A	Φ0.2×L5mm	平头 Flat head
T.MPP3050-A	Φ0.3×L5mm	平头 Flat head
T.MPP4050-A	Φ0.4×L5mm	平头 Flat head
T.MPP5050-A	Φ0.5×L5mm	平头 Flat head
T.MPP6050-A	Φ0.6×L5mm	平头 Flat head
T.MPY2050	Φ0.2×L5mm	圆头 Round head
T.MPY3050	Φ0.3×L5mm	圆头 Round head
T.MPY4050	Φ0.4×L5mm	圆头 Round head
T.MPY5050	Φ0.5×L5mm	圆头 Round head
T.MPY6050	Φ0.6×L5mm	圆头 Round head
T.MPY2050-A	Φ0.2×L5mm	圆头 Round head
T.MPY3050-A	Φ0.3×L5mm	圆头 Round head
T.MPY4050-A	Φ0.4×L5mm	圆头 Round head
T.MPY5050-A	Φ0.5×L5mm	圆头 Round head
T.MPY6050-A	Φ0.6×L5mm	圆头 Round head
T.MPL040606	0.4×6×6mm	L型 L Type
T.MPL080606	0.8×6×6mm	L型 L Type
T.MPL050606	0.5×6×6mm	L型 L Type
T.MPL051212	0.5×12×12mm	L型 L Type
T.MPL061010	0.6×10×10mm	L型 L Type
T.MPL080808	0.8×8×8mm	L型 L Type
T.MPP305050	0.5×0.5×0.5mm	带圈异形 Circled heterotypic
T.MPP505050	0.3×5×5mm	带圈异形 Circled heterotypic
T.MPV050505	0.5×5×5mm	V型 V Type
T.MPV030505	0.3×5×5mm	V型 V Type





电解抛光液 Electrolytic polishing fluid

用途: 适用于金、银、铜、不锈钢材质工件的电解抛光, 可以对工件进行高亮度的镜面抛光且光泽保持时间长。

Function: Suitable for electrolytic polishing of work-pieces made of gold, silver, copper, stainless steel. It can perform high-brightness mirror polishing on work-pieces and the gloss can be maintained for a long time.

T.PW.PGG76 (Au) / T.PW.PGG77 (Ag) / T.PW.PGG78 (Cu)

磁力抛光液 Magnetic polishing solution

用途: 去氧化皮、清洁石膏粉, 除位打亮, 配合相应的磁力抛光针及磁力抛光机。

Function: It is used to remove scale, clean gypsum powder, and brighten gaps. It is used with corresponding magnetic polishing needles and magnetic polishing machines.

T.PW.PGG27

塑质研磨膏 Polishing paste

用途: 金、银、铜、不锈钢、钛合金、玉石等工件表面研磨处理, 提高工件表面平滑度。

Function: Surface grinding of gold, silver, copper, stainless steel, titanium alloy, jade and other workpieces can improve the smoothness of the workpiece surface.

粗磨 Rough grinding	中磨 Middle grinding	精磨 Fine polishing
T.PW.PGG60	T.PW.PGG61	T.PW.PGG62

光亮剂 Brightener

用途: 金、银、铜、不锈钢、钛合金、玉石等工件表面抛光处理, 提高工件表面光洁度和光亮度。

Function: To polish gold, silver, copper, stainless steel, titanium, jade and other workpiece surface, Improve brightness of polishing workpieces.

混合光亮剂	混合光亮剂	混合光亮剂	进口光亮剂
Brightener	Brightener	Brightener	Imported brightener
T.PW.PGG03A	T.PW.PGG03A-B	T.PW.PGG09A-B	T.PW.PGG09A

抛光粉 Polishing compound

用途: 在干式滚筒研磨过程中, 后期 (在工件即将磨透沙纸痕, 出机前2小时左右), 加入适量的抛光粉, 可以增强工件光亮度和平滑度。

Function: While in the dry polishing process, put some polishing powder into the work piece (before 2 hours before it stop polishing) to achieve better shiny and smooth surface.

T.PW.PGG36-4 / T.PW.PGG36-6 / T.PW.PGG42

开料油 Polishing oil for media

用途: 让核桃壳料与研磨膏更好粘在一起。

Function: It is for the walnut media and polishing paste stick together better.

T.PW.PGG23

除蜡水 Dewaxing water

使用方法: 取本品加水, 浓度 (4-5%) 温度 (70-90°C) 条件下; 佩戴安全防护用品进行工件清洗操作。

Usage method: take this product and add water, potency(4-5%), temperature (70-90°C), wear safety protection equipment for operation.

H.WR.00008-25 / H.WR.00006 / H.WR.00010 / H.WR.B-B10

混合膏 Polishing mixed

用途: 金、银、铜、不锈钢、钛合金、玉石等工件表面研磨处理, 提高工件表面平滑度。

Function: Surface grinding of gold, silver, copper, stainless steel, titanium alloy, jade and other workpieces can improve the smoothness of the workpiece surface.

T.PW.PGG45

研磨液 Grinding fluid

用途: 提高磨削效率, 减少磨具的磨损, 对工件有保护及润滑作用。

Function: Improve polishing efficiency, reduce wear and tear on the surface, It has protection and lubrication function to the workpiece.

T.PW.PG003A

研磨粉 Polishing powder

用途: 在干式滚筒研磨过程中, 前期用研磨膏调整好料之后, 加入适量的研磨粉, 能大幅提升切削力, 缩短研磨的时间, 使得工件磨得更平整。

Function: In the dry drum grinding process, after adjusting the material with the grinding paste in the early stage, adding an appropriate amount of grinding powder can greatly increase the cutting force, shorten the grinding time, and make the workpiece more smooth.

TT.PW.PGG73

研磨膏 Polishing paste

用途: 金、银、铜、不锈钢、钛合金、玉石等工件表面研磨处理, 提高工件表面平滑度。

Function: Surface grinding of gold, silver, copper, stainless steel, titanium alloy, jade and other workpieces can improve the smoothness of the workpiece surface.

精光 Fine polishing	精磨 Fine polishing	细磨 Finer grinding
T.PW.PGG35	T.PW.PGG21C-1	T.PW.PGG75
中磨 Giddle grinding	粗磨 Gough grinding	粗磨 Gough grinding
T.PW.PGG21A	TT.PW.PGG73	T.PW.PGG74

进口研磨膏 Import polishing paste

用途: 金、银、铜、不锈钢、钛合金、玉石等工件表面研磨处理, 提高工件表面平滑度。

Function: Surface grinding of gold, silver, copper, stainless steel, titanium alloy, jade and other workpieces can improve the smoothness of the workpiece surface.

粗磨 Gough grinding	中磨 Giddle grinding
T.PW.PGG53	T.PW.PGG48
中磨 Giddle grinding	精光 Fine polishing
T.PW.PGG49	T.PW.PGG50

抛光蜡
Polishing wax


BBB白蜡
BBB white compound
T.PW.PGL06
174×68×46mm
900g/条/Bar



BBB白蜡
BBB white compound
T.PW.PGL06-B
170×60×40mm
770g/条/Bar 500#



BBB青蜡
BBB green compound
T.PW.PGL07
174×68×46mm
900g/条/Bar



BBB青蜡
BBB green compound
T.PW.PGL07-B
170×60×40mm
880g/条/Bar 600#



555大青蜡
555 Green compound
T.PW.PGL41
150×60×42mm
750g/条/Bar 400#



555青蜡
555 Green compound
T.PW.PGL26
115×60×35mm
430g/条/Bar 800#



555白蜡
555 White compound
T.PW.PGL27
150×60×42mm
660g/条/Bar 400#



555黄蜡
555 Yellow compound
T.PW.PGL16
170×60×50mm
750g/条/Bar 400#



MEGA 5#小白蜡
5# White compound
T.PW.PGL57
150×50×30mm
350g/条/Bar



MEGA铁蜡
Iron compound
T.PW.PGL53
205×55×40mm
850g/条/Bar



MEGA 8#青蜡
Blue compound
T.PW.PGL54
205×55×40mm
850g/条/Bar



MEGA 蓝蜡
Blue compound
T.PW.PGL56
205×55×40mm
920kg/条/Bar



闪光3#绿蜡
3# Green compound
T.T.PW.PGL47
120×38×50mm
500g/条/Bar 3000#



闪光3#白蜡
3# White compound
T.PW.PGL36
200×55×41mm
900g/条/Bar 1200#



闪光1#白蜡
1# White compound
T.PW.PGL37-A
200×55×41mm
900g/条/Bar 800#



闪光1#紫蜡
1# Purple compound
T.PW.PGL50
200×55×41mm
900g/条/Bar 1000#



闪光4#绿蜡
4# Green compound
T.PW.PGL51
200×55×41mm
800g/条/Bar



1#黄蜡
1# Yellow compound
T.PW.PGL49
170×60×45mm
800g/条/Bar 200#



3#黄蜡
3# yellow compound
T.PW.PGL43
170×44mm
740g/条/Bar 300#



5#紫蜡
5# Purple compound
T.PW.PGL46
200×55×41mm
900g/条/Bar 500#



日本蓝蜡
Japan blue compound
T.PW.PGL12
130×51×40mm
500kg/条/Bar



英国红蜡
England red compound
T.PW.PGL14
440g/条/Bar



进口黄蜡
Import yellow compound
T.PW.PGL39
150g/条/Bar



进口黄蜡
Import yellow compound
T.PW.PGL40
150g/条/Bar



AT黄蜡
Yellow compound
T.PW.PGL17
192×42×40mm
750g/条/Bar 200#, 325#, 1000#



AT紫蜡
Purple compound
T.PW.PGL17
192×42×40mm
750g/条/Bar



AUG绿蜡
AUG green compound
T.PW.PGL09
205×55×45mm
880g/条/Bar 8000#



AUG白蜡
AUG white compound
T.PW.PGL08
205×55×45mm
830g/条/Bar 800#-1200#



D-36蓝蜡
Blue compound
T.PW.PGL13
130×55×45mm
500g/条/Bar 12000#-15000#



KOVO-HD青蜡
Green compound
T.PW.PGL25
122×46×30mm
410g/条/Bar 800#



精光小蓝蜡
Blue compound
T.PW.PGL55
150×50×30mm
350g/条/Bar



MEGA紫蜡
Purple compound
T.PW.PGL52
205×55×40mm
920g/条/Bar



PME青蜡
PME Green compound
T.PW.PGL03
220×47mm
850g/条/Bar



PME白蜡
PME white compound
TT.PW.PGL02
220×47mm
900kg/条/Bar



G105B大青蜡
Green compound
T.PW.PGL45
204×52mm
920g/条/Bar 1000#





包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSK404-VC	Φ4×12mm	特粗 Extra thick	10000-20000/Min
B T.BW.MTSK406-VC	Φ6×16mm	特粗 Extra thick	10000-20000/Min
C T.BW.MTSK410-VC	Φ10×20mm	特粗 Extra thick	10000-20000/Min
D T.BW.MTSK610-VC	Φ10×24mm	特粗 Extra thick	10000-20000/Min
E T.BW.MTSK810-VC	Φ10×17mm	特粗 Extra thick	10000-20000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits


代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSK404-C	Φ4×12mm	粗 Thick	10000-20000/Min
B T.BW.MTSK406-C	Φ6×16mm	粗 Thick	10000-20000/Min
C T.BW.MTSK410-C	Φ10×20mm	粗 Thick	10000-20000/Min
D T.BW.MTSK610-C	Φ10×24mm	粗 Thick	10000-20000/Min
E T.BW.MTSK810-C	Φ10×17mm	粗 Thick	10000-20000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSK404-M	Φ4×12mm	中粗 Medium thick	10000-15000/Min
B T.BW.MTSK406-M	Φ6×16mm	中粗 Medium thick	10000-15000/Min
C T.BW.MTSK410-M	Φ10×20mm	中粗 Medium thick	10000-15000/Min
D T.BW.MTSK610-M	Φ10×24mm	中粗 Medium thick	10000-15000/Min
E T.BW.MTSK810-M	Φ10×17mm	中粗 Medium thick	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSK404-EF	Φ4×12mm	级细 Extra thin	8000-15000/Min
B T.BW.MTSK406-EF	Φ6×16mm	级细 Extra thin	8000-15000/Min
C T.BW.MTSK410-EF	Φ10×20mm	级细 Extra thin	8000-15000/Min
D T.BW.MTSK810-EF	Φ10×24mm	级细 Extra thin	8000-15000/Min
E T.BW.MTSK810-EF	Φ10×17mm	级细 Extra thin	8000-15000/Min




包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSH406-C	Φ6×16mm	精 Sharp	15000-20000/Min
B T.BW.MTSH404-C	Φ4×12mm	精 Sharp	15000-20000/Min
C T.BW.MTSH704-C	Φ4×12mm	精 Sharp	15000-20000/Min
D T.BW.MTSH505-C	Φ5×12mm	精 Sharp	15000-20000/Min
E T.BW.MTSH512-C	Φ12×2mm	精 Sharp	15000-20000/Min
F T.BW.MTSH502-C	Φ12×2mm	精 Sharp	15000-20000/Min

硅胶磨头 Polyster polishing bits


代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTSH406-M	Φ6×16mm	中粗 Medium thick	10000-15000/Min
B T.BW.MTSH404-M	Φ4×12mm	中粗 Medium thick	10000-15000/Min
C T.BW.MTSH704-M	Φ4×12mm	中粗 Medium thick	10000-15000/Min
D T.BW.MTSH505-M	Φ5×12mm	中粗 Medium thick	10000-15000/Min
E T.BW.MTSH512-M	Φ12×2mm	中粗 Medium thick	10000-15000/Min
F T.BW.MTSH502-M	Φ12×2mm	中粗 Medium thick	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTSH406-F	Φ6×16mm	细 Thin	10000-12000/Min
B T.BW.MTSH404-F	Φ4×12mm	细 Thin	10000-12000/Min
C T.BW.MTSH704-F	Φ4×12mm	细 Thin	10000-12000/Min
D T.BW.MTSH505-F	Φ5×12mm	细 Thin	10000-12000/Min
E T.BW.MTSH512-F	Φ12×2mm	细 Thin	10000-12000/Min
F T.BW.MTSH502-F	Φ12×2mm	细 Thin	10000-12000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTSH403-C	Φ3×7mm	粗 Thick	10000-15000/Min
B T.BW.MTSH404-C	Φ4×12mm	粗 Thick	10000-15000/Min
C T.BW.MTSH405-C	Φ5×10mm	粗 Thick	10000-15000/Min
D T.BW.MTSH704-C	Φ4×11mm	粗 Thick	10000-15000/Min
E T.BW.MTSH906-C	Φ6×9.5mm	粗 Thick	10000-15000/Min
F T.BW.MTSH909-C	Φ9×9mm	粗 Thick	10000-15000/Min
G T.BW.MTSH312-C	Φ12×2mm	粗 Thick	10000-15000/Min
H T.BW.MTSH110-C	Φ10×1.8mm	粗 Thick	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTSH403-M	Φ3×7mm	中粗 Medium thick	10000-12000/Min
B T.BW.MTSH404-M	Φ4×12mm	中粗 Medium thick	10000-12000/Min
C T.BW.MTSH405-M	Φ5×10mm	中粗 Medium thick	10000-12000/Min
D T.BW.MTSH704-M	Φ4×11mm	中粗 Medium thick	10000-12000/Min
E T.BW.MTSH906-M	Φ6×9.5mm	中粗 Medium thick	10000-12000/Min
F T.BW.MTSH909-M	Φ9×9.5mm	中粗 Medium thick	10000-12000/Min
G T.BW.MTSH312-M	Φ12×2mm	中粗 Medium thick	10000-12000/Min
H T.BW.MTSH110-M	Φ10×1.8mm	中粗 Medium thick	10000-12000/Min



包装 Package: 100 Pcs/box



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSH403-F	Φ3×7mm	细 Thin	10000-12000/Min
B T.BW.MTSH404-F	Φ4×12mm	细 Thin	10000-12000/Min
C T.BW.MTSH405-F	Φ5×10mm	细 Thin	10000-12000/Min
D T.BW.MTSH704-F	Φ4×11mm	细 Thin	10000-12000/Min
E T.BW.MTSH906-F	Φ6×9.5mm	细 Thin	10000-12000/Min
F T.BW.MTSH909-F	Φ9×9.5mm	细 Thin	10000-12000/Min
G T.BW.MTSH312-F	Φ12×2mm	细 Thin	10000-12000/Min
H T.BW.MTSH110-F	Φ10×1.8mm	细 Thin	10000-12000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSG403-VC	Φ3×7mm	特粗 Extra thick	10000-15000/Min
B T.BW.MTSG404-VC	Φ4×12mm	特粗 Extra thick	10000-15000/Min
C T.BW.MTSG405-VC	Φ5×10mm	特粗 Extra thick	10000-15000/Min
D T.BW.MTSG704-VC	Φ4×11mm	特粗 Extra thick	10000-15000/Min
E T.BW.MTSG312-VC	Φ12×2mm	特粗 Extra thick	10000-15000/Min
F T.BW.MTSG110-VC	Φ10×1.8mm	特粗 Extra thick	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSG403-C	Φ3×7mm	粗 Thick	10000-15000/Min
B T.BW.MTSG404-C	Φ4×12mm	粗 Thick	10000-15000/Min
C T.BW.MTSG405-C	Φ5×10mm	粗 Thick	10000-15000/Min
D T.BW.MTSG704-C	Φ4×11mm	粗 Thick	10000-15000/Min
E T.BW.MTSG312-C	Φ12×2mm	粗 Thick	10000-15000/Min
F T.BW.MTSG110-C	Φ10×1.8mm	粗 Thick	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSG403-F	Φ3×7mm	细 Thin	7000-12000/Min
B T.BW.MTSG404-F	Φ4×12mm	细 Thin	7000-12000/Min
C T.BW.MTSG405-F	Φ5×10mm	细 Thin	7000-12000/Min
D T.BW.MTSG704-F	Φ4×11mm	细 Thin	7000-12000/Min
E T.BW.MTSG312-F	Φ12×2mm	细 Thin	7000-12000/Min
F T.BW.MTSG110-F	Φ10×1.8mm	细 Thin	7000-12000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTSG403-EF	Φ3×7mm	极细 Extra thin	7000-10000/Min
B T.BW.MTSG404-EF	Φ4×12mm	极细 Extra thin	7000-10000/Min
C T.BW.MTSG405-EF	Φ5×10mm	极细 Extra thin	7000-10000/Min
D T.BW.MTSG704-EF	Φ4×11mm	极细 Extra thin	7000-10000/Min
E T.BW.MTSG312-EF	Φ12×2mm	极细 Extra thin	7000-10000/Min
F T.BW.MTSG110-EF	Φ10×1.8mm	极细 Extra thin	7000-10000/Min

硅胶磨头

Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTRD505-M	Φ5×12mm	中粗 Medium thick	15000-20000/Min
B T.BW.MTRD205-M	Φ5×16mm	中粗 Medium thick	15000-20000/Min
C T.BW.MTRD406-M	Φ6×16mm	中粗 Medium thick	15000-20000/Min
D T.BW.MTRD404-M	Φ4×12mm	中粗 Medium thick	15000-20000/Min
E T.BW.MTRD704-M	Φ4×12mm	中粗 Medium thick	15000-20000/Min
F T.BW.MTRD312-M	Φ12×2mm	中粗 Medium thick	15000-20000/Min
G T.BW.MTRD112-M	Φ12×2mm	中粗 Medium thick	15000-20000/Min



包装 Package: 100 Pcs/box

硅胶磨头

Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTRD505-F	Φ5×12mm	细 Thin	15000-20000/Min
B T.BW.MTRD205-F	Φ5×16mm	细 Thin	15000-20000/Min
C T.BW.MTRD406-F	Φ6×16mm	细 Thin	15000-20000/Min
D T.BW.MTRD404-F	Φ4×12mm	细 Thin	15000-20000/Min
E T.BW.MTRD704-F	Φ4×12mm	细 Thin	15000-20000/Min
F T.BW.MTRD312-F	Φ12×2mm	细 Thin	15000-20000/Min
G T.BW.MTRD112-F	Φ12×2mm	细 Thin	15000-20000/Min



包装 Package: 100 Pcs/box

硅胶磨头

Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTRD505-EF	Φ5×12mm	极细 Extra thin	10000-15000/Min
B T.BW.MTRD205-EF	Φ5×16mm	极细 Extra thin	10000-15000/Min
C T.BW.MTRD406-EF	Φ6×16mm	极细 Extra thin	10000-15000/Min
D T.BW.MTRD404-EF	Φ4×12mm	极细 Extra thin	10000-15000/Min
E T.BW.MTRD704-EF	Φ4×12mm	极细 Extra thin	10000-15000/Min
F T.BW.MTRD312-EF	Φ12×2mm	极细 Extra thin	10000-15000/Min
G T.BW.MTRD112-EF	Φ12×2mm	极细 Extra thin	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头

Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转速 Rotating of number
A T.BW.MTRD403-C	Φ3×7mm	中粗 Medium thick	10000-15000/Min
B T.BW.MTRD404-C	Φ4×12mm	中粗 Medium thick	10000-15000/Min
C T.BW.MTRD405-C	Φ5×10mm	中粗 Medium thick	10000-15000/Min
D T.BW.MTRD704-C	Φ4×11mm	中粗 Medium thick	10000-15000/Min
E T.BW.MTRD906-C	Φ6×9.5mm	中粗 Medium thick	10000-15000/Min
F T.BW.MTRD909-C	Φ9×9mm	中粗 Medium thick	10000-15000/Min
G T.BW.MTRD312-C	Φ12×2mm	中粗 Medium thick	10000-15000/Min
H T.BW.MTRD110-C	Φ10×1.8mm	中粗 Medium thick	10000-15000/Min



包装 Package: 100 Pcs/box



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRD403-F	Φ3×7mm	细 Thin	10000-15000/Min
B T.BW.MTRD404-F	Φ4×12mm	细 Thin	10000-15000/Min
C T.BW.MTRD405-C	Φ5×10mm	细 Thin	10000-15000/Min
D T.BW.MTRD704-F	Φ4×11mm	细 Thin	10000-15000/Min
E T.BW.MTRD906-F	Φ6×9.5mm	细 Thin	10000-15000/Min
F T.BW.MTRD909-F	Φ9×9mm	细 Thin	10000-15000/Min
G T.BW.MTRD312-F	Φ12×2mm	细 Thin	10000-15000/Min
H T.BW.MTRD110-F	Φ10×1.8mm	细 Thin	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRD403-EF	Φ3×7mm	极细 Extra thin	10000-15000/Min
B T.BW.MTRD404-EF	Φ4×12mm	极细 Extra thin	10000-15000/Min
C T.BW.MTRD405-EF	Φ5×10mm	极细 Extra thin	10000-15000/Min
D T.BW.MTRD704-EF	Φ4×11mm	极细 Extra thin	10000-15000/Min
E T.BW.MTRD906-EF	Φ6×9.5mm	极细 Extra thin	10000-15000/Min
F T.BW.MTRD909-EF	Φ9×9mm	极细 Extra thin	10000-15000/Min
G T.BW.MTRD312-EF	Φ12×2mm	极细 Extra thin	10000-15000/Min
H T.BW.MTRD110-EF	Φ10×1.8mm	极细 Extra thin	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP505-C	Φ5×12mm	粗 Thick	15000-20000/Min
B T.BW.MTRP205-C	Φ5×16mm	粗 Thick	15000-20000/Min
C T.BW.MTRP406-C	Φ6×16mm	粗 Thick	15000-20000/Min
D T.BW.MTRP404-C	Φ4×12mm	粗 Thick	15000-20000/Min
E T.BW.MTRP704-C	Φ4×12mm	粗 Thick	15000-20000/Min
F T.BW.MTRP312-C	Φ12×2mm	粗 Thick	15000-20000/Min
G T.BW.MTRP112-C	Φ12×2mm	粗 Thick	15000-20000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP505-F	Φ5×12mm	细 Thin	10000-12000/Min
B T.BW.MTRP205-F	Φ5×16mm	细 Thin	10000-12000/Min
C T.BW.MTRP406-F	Φ6×16mm	细 Thin	10000-12000/Min
D T.BW.MTRP404-F	Φ4×12mm	细 Thin	10000-12000/Min
E T.BW.MTRP704-F	Φ4×12mm	细 Thin	10000-12000/Min
F T.BW.MTRP312-F	Φ12×2mm	细 Thin	10000-12000/Min
G T.BW.MTRP112-F	Φ12×2mm	细 Thin	10000-12000/Min

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP505-EF	Φ5×12mm	极细 Extra thin	10000-12000/Min
B T.BW.MTRP205-EF	Φ5×16mm	极细 Extra thin	10000-12000/Min
C T.BW.MTRP406-EF	Φ6×16mm	极细 Extra thin	10000-12000/Min
D T.BW.MTRP404-EF	Φ4×12mm	极细 Extra thin	10000-12000/Min
E T.BW.MTRP704-EF	Φ4×12mm	极细 Extra thin	10000-12000/Min
F T.BW.MTRP312-EF	Φ12×2mm	极细 Extra thin	10000-12000/Min
G T.BW.MTRP112-EF	Φ12×2mm	极细 Extra thin	10000-12000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP505-UF	Φ5×12mm	超细 Ultra-thin	10000-12000/Min
B T.BW.MTRP205-UF	Φ5×16mm	超细 Ultra-thin	10000-12000/Min
C T.BW.MTRP406-UF	Φ6×16mm	超细 Ultra-thin	10000-12000/Min
D T.BW.MTRP404-UF	Φ4×12mm	超细 Ultra-thin	10000-12000/Min
E T.BW.MTRP704-UF	Φ4×12mm	超细 Ultra-thin	10000-12000/Min
F T.BW.MTRP312-UF	Φ12×2mm	超细 Ultra-thin	10000-12000/Min
G T.BW.MTRP112-UF	Φ12×2mm	超细 Ultra-thin	10000-12000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP403-C	Φ3×7mm	粗 Thick	10000-15000/Min
B T.BW.MTRP404-C	Φ4×12mm	粗 Thick	10000-15000/Min
C T.BW.MTRP405-C	Φ5×10mm	粗 Thick	10000-15000/Min
D T.BW.MTRP704-C	Φ4×11mm	粗 Thick	10000-15000/Min
E T.BW.MTRP906-C	Φ6×9.5mm	粗 Thick	10000-15000/Min
F T.BW.MTRP909-C	Φ9×9mm	粗 Thick	10000-15000/Min
G T.BW.MTRP312-C	Φ12×2mm	粗 Thick	10000-15000/Min
H T.BW.MTRP110-C	Φ10×1.8mm	粗 Thick	10000-15000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP403-F	Φ3×7mm	细 Thin	10000-15000/Min
B T.BW.MTRP404-F	Φ4×12mm	细 Thin	10000-15000/Min
C T.BW.MTRP405-F	Φ5×10mm	细 Thin	10000-15000/Min
D T.BW.MTRP704-F	Φ4×11mm	细 Thin	10000-15000/Min
E T.BW.MTRP906-F	Φ6×9.5mm	细 Thin	10000-15000/Min
F T.BW.MTRP909-F	Φ9×9mm	细 Thin	10000-15000/Min
G T.BW.MTRP312-F	Φ12×2mm	细 Thin	10000-15000/Min
H T.BW.MTRP110-F	Φ10×1.8mm	细 Thin	10000-15000/Min



包装 Package: 100 Pcs/box



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP403-EF	Φ3×7mm	极细 Extra thin	10000-12000/Min
B T.BW.MTRP404-EF	Φ4×12mm	极细 Extra thin	10000-12000/Min
C T.BW.MTRP405-EF	Φ5×10mm	极细 Extra thin	10000-12000/Min
D T.BW.MTRP704-EF	Φ4×11mm	极细 Extra thin	10000-12000/Min
E T.BW.MTRP906-EF	Φ6×9.5mm	极细 Extra thin	10000-12000/Min
F T.BW.MTRP909-EF	Φ9×9mm	极细 Extra thin	10000-12000/Min
G T.BW.MTRP312-EF	Φ12×2mm	极细 Extra thin	10000-12000/Min
H T.BW.MTRP110-EF	Φ10×1.8mm	极细 Extra thin	10000-12000/Min

硅胶磨头 Polyster polishing bits


代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTRP403-UF	Φ3×7mm	超细 Ultra-thin	10000-12000/Min
B T.BW.MTRP404-UF	Φ4×12mm	超细 Ultra-thin	10000-12000/Min
C T.BW.MTRP405-UF	Φ5×10mm	超细 Ultra-thin	10000-12000/Min
D T.BW.MTRP704-UF	Φ4×11mm	超细 Ultra-thin	10000-12000/Min
E T.BW.MTRP906-UF	Φ6×9.5mm	超细 Ultra-thin	10000-12000/Min
F T.BW.MTRP909-UF	Φ9×9mm	超细 Ultra-thin	10000-12000/Min
G T.BW.MTRP312-UF	Φ12×2mm	超细 Ultra-thin	10000-12000/Min
H T.BW.MTRP110-UF	Φ10×1.8mm	超细 Ultra-thin	10000-12000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits


代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTCG2437	Φ3×7mm	粗 Thick	7000-10000/Min
B T.BW.MTCG2438	Φ3×8mm	粗 Thick	7000-10000/Min
C T.BW.MTCG2737	Φ3×7mm	粗 Thick	7000-10000/Min
D T.BW.MTCG2033	Φ3×3mm	粗 Thick	7000-10000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits


代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTCW2437	Φ3×7mm	细 Thin	7000-10000/Min
B T.BW.MTCW2438	Φ3×8mm	细 Thin	7000-10000/Min
C T.BW.MTCW2737	Φ3×7mm	细 Thin	7000-10000/Min
D T.BW.MTCW2033	Φ3×3mm	细 Thin	7000-10000/Min



包装 Package: 100 Pcs/box

硅胶磨头 Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTCG3437	Φ3×7mm	粗 Thick	7000-10000/Min
B T.BW.MTCG3438	Φ3×8mm	粗 Thick	7000-10000/Min
C T.BW.MTCG3737	Φ3×7mm	粗 Thick	7000-10000/Min
D T.BW.MTCG3033	Φ3×3mm	粗 Thick	7000-10000/Min



包装 Package: 100 Pcs/box

硅胶磨头

Polyster polishing bits

代码 Model	尺寸 Size	砂度 Sandness	转数 Rotating of number
A T.BW.MTCW3437	Φ3×7mm	细 Thin	7000-10000/Min
B T.BW.MTCW3438	Φ3×8mm	细 Thin	7000-10000/Min
C T.BW.MTCW3737	Φ3×7mm	细 Thin	7000-10000/Min
D T.BW.MTCW3033	Φ3×3mm	细 Thin	7000-10000/Min



A



B



C



D

包装 Package: 100 Pcs/box



RA抛光套装
RA Polishing set
T.BW.MT3306-D



RA抛光套装
RA Polishing set
T.BW.MT3308-D




RA抛光套装
RA Polishing set
T.BW.MTRA0309-D




RA抛光套装
RA Polishing set
T.BW.MTRA0109-D




HR抛光套装
HR Polishing set
T.BW.MTHP0412-D



HR抛光套装
HR Polishing set
T.BW.MTHP0412-2-D



抛光套装
HR Polishing set
T.BW.MTHP0312-D





木芯毛刷
Wood Hub Bristle Brush

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木芯直径 Core Diameter	排数 Row Number
T.BW.B1033	68mm	10mm	6.5mm	48mm	1
T.BW.B1022	68mm	10mm	6.5mm	48mm	2

包装 Package:
T.BW.B1033 200 Pcs/Box 8 Boxes/Carton
T.BW.B1022 144 Pcs/Box 8 Boxes/Carton



木芯毛刷
Wood Hub Bristle Brush

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木芯直径 Core Diameter	排数 Row Number
T.BW.B1031	68mm	10mm	6.5mm	48mm	1

包装 Package:
192 Pcs/Box 8 Boxes/Carton



木芯毛刷
Wood Hub Bristle Brush

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木芯直径 Core Diameter	排数 Row Number
T.BW.B1027	68mm	10mm	6.5mm	48mm	2

包装 Package:
168 Pcs/Box 8 Boxes/Carton



木芯毛刷
Wood Hub Bristle Brush

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木芯直径 Core Diameter	排数 Row Number
T.BW.B1019	68mm	10mm	6.5mm	48mm	2
T.BW.B1019-C	68mm	10mm	6.5mm	48mm	6

包装 Package:
144 Pcs/Box 8 Boxes/Carton



木芯毛刷
Wood Hub Bristle Brush

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木芯直径 Core Diameter	排数 Row Number
T.BW.B1036	68mm	10mm	6.5mm	48mm	2

包装 Package:
144 Pcs/Box 8 Boxes/Carton

4C木芯德国长毛刷

4C Wood Hub Long Bristle Brush (Germany)

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木心直径 Core Diameter	排数 Row Number
T.BW.B1035	78mm	19mm	6.5mm	40mm	4

包装 Package:

125 Pcs/Box 8 Boxes/Carton



4 Row



40mm

黄色胶芯毛刷

Yellow Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BW.A1030	54mm	13.5mm	6.5mm	27mm	2
T.BW.A1011	80mm	20mm	6.5mm	40mm	2

包装 Package:

T.BW.A1030 12 Pcs/Pack 400 Pack/Carton
T.BW.A1011 250 Pcs/Box 4 Boxes/Carton

T.BW.A1030



27mm

T.BW.A1011



40mm

胶芯毛刷

Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BW.A1010	65mm	15mm	6.5mm	35mm	2

包装 Package:

250 Pcs/Box 8 Boxes/Carton



2 Row



35mm

胶芯毛刷

Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BW.A1016	68mm	10mm	6.5mm	48mm	2

包装 Package:

300 Pcs/Box 8 Boxes/Carton



2 Row



48mm

胶芯毛刷

Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BW.A1031	78mm	19mm	6.5mm	40mm	6
T.BW.A1031-C	78mm	19mm	6.5mm	40mm	6

包装 Package:


100Pcs/Box 5 Boxes/Carton



6 Row



40mm



胶芯毛刷
Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BWA1002	78mm	19mm	6.5mm	40mm	4
T.BWA1002-C	78mm	19mm	6.5mm	40mm	3-4

包装 Package:
125 Pcs/Box 8 Boxes/Carton



胶芯毛刷
Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BWA1029-B	78mm	19mm	6.5mm	38mm	6

包装 Package:
100 Pcs/Box 5 Boxes/Carton



胶芯毛刷
Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BWA1032	68mm	13mm	6.5mm	40mm	6
T.BWA1032-C	68mm	13mm	6.5mm	40mm	6


包装 Package:
100 Pcs/Box 5 Boxes/Carton



胶芯毛刷
Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木心直径 Core Diameter	排数 Row Number
T.BWA1050	78mm	19mm	6.5mm	40mm	3

包装 Package:
100 Pcs/Box 5 Boxes/Carton



胶芯毛刷
Brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	塑料直径 Plastic Diameter	排数 Row Number
T.BWA1033	68mm	14mm	6.5mm	40mm	6
T.BWA1033-C	68mm	14mm	6.5mm	40mm	6

包装 Package:
100 Pcs/Box 5 Boxes/Carton

白羊毛木芯毛刷

White wool brush with wooden core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木心直径 Core Diameter	排数 Row Number
T.BW.B1037	78mm	19mm	6.5mm	40mm	4

包装 Package:

125 Pcs/Box 5 Boxes/Carton



4 Row



40mm

白羊毛胶芯毛刷

White wool brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木心直径 Core Diameter	排数 Row Number
T.BW.A1034	78mm	19mm	6.5mm	40mm	4

包装 Package:

125 Pcs/Box 5 Boxes/Carton



4 Row



40mm

胶芯铜丝刷

Copper brush with plastic core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木心直径 Core Diameter	排数 Row Number
T.BW.A2010-B	78mm	19mm	6.5mm	40mm	4
T.BW.A2010-C	78mm	19mm	6.5mm	40mm	4

包装 Package:

125 Pcs/Box 5 Boxes/Carton



4 Row



40mm

木芯线轮刷

Wire wheel brush with wooden core

代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	木心直径 Core Diameter	排数 Row Number
T.BW.B1040	80mm	18mm	6.5mm	44mm	5
T.BW.B1041	70mm	13mm	6.5mm	44mm	5
T.BW.B1042	52mm	12mm	6.5mm	28mm	4

包装 Package:

T.BW.B1040 60 Pcs/Box 8 Boxes/Carton

T.BW.B1041 100 Pcs/Box 8 Boxes/Carton

T.BW.B1042 300 Pcs/Box 8 Boxes/Carton



80mm



70mm



52mm



白灰羊毛
White & Grey Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷灰白色

Handled umbrella-shaped brush gray and white

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS045-17	17mm	42mm	2.35mm	10mm
T.BW.MS045-19	19mm	42mm	2.35mm	10mm
T.BW.MS045-22	22mm	42mm	2.35mm	10mm
T.BW.MS045-25	25mm	42mm	2.35mm	10mm



黑花羊毛
Black & White Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷深灰色

Handled umbrella brush dark gray

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS046-17	17mm	42mm	2.35mm	10mm
T.BW.MS046-19	19mm	42mm	2.35mm	10mm
T.BW.MS046-22	22mm	42mm	2.35mm	10mm
T.BW.MS046-25	25mm	42mm	2.35mm	10mm



包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷灰白色

Handled umbrella-shaped brush gray and white

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS047-10.5	10.5mm	26mm	2.35mm	6mm
T.BW.MS047-12	12mm	26mm	2.35mm	6mm



包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷白色

Handled umbrella-shaped brush white

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS048-10.5	10.5mm	26mm	2.35mm	6mm
T.BW.MS048-12	12mm	26mm	2.35mm	6mm



白灰羊毛
White & Grey Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷白色

Handled umbrella-shaped brush white

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS034-17	17mm	42mm	2.35mm	10mm
T.BW.MS034-19	19mm	42mm	2.35mm	10mm
T.BW.MS034-22	22mm	42mm	2.35mm	10mm
T.BW.MS034-25	25mm	42mm	2.35mm	10mm



白猪毛
White Pig Hair

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷白黄色

Handled umbrella-shaped brush with handle white and yellow

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS042-17	17mm	42mm	2.35mm	10mm
T.BW.MS042-19	19mm	42mm	2.35mm	10mm
T.BW.MS042-22	22mm	42mm	2.35mm	10mm
T.BW.MS042-25	25mm	42mm	2.35mm	10mm

有柄伞状毛刷咖啡色

Handled umbrella-shaped brush coffee

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS006-17	17mm	42mm	2.35mm	10mm
T.BW.MS006-19	19mm	42mm	2.35mm	10mm
T.BW.MS006-22	22mm	42mm	2.35mm	10mm
T.BW.MS006-25	25mm	42mm	2.35mm	10mm



白棕马毛

White & Brown Horsehair

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷深灰色

Handled umbrella brush dark gray

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS020-17	17mm	42mm	2.35mm	10mm
T.BW.MS020-19	19mm	42mm	2.35mm	10mm
T.BW.MS020-22	22mm	42mm	2.35mm	10mm
T.BW.MS020-25	25mm	42mm	2.35mm	10mm



黑灰羊毛

Black & White Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷黑色

Handled umbrella-shaped brush with handle black

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS005-17	17mm	42mm	2.35mm	10mm
T.BW.MS005-19	19mm	42mm	2.35mm	10mm
T.BW.MS005-22	22mm	42mm	2.35mm	10mm
T.BW.MS005-25	25mm	42mm	2.35mm	10mm



黑猪毛

Black Pig Hair

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷白色

Handled umbrella-shaped brush white

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter	铁芯直径 Core Diameter
T.BW.MS009-17	17mm	42mm	2.35mm	10mm
T.BW.MS009-19	19mm	42mm	2.35mm	10mm
T.BW.MS009-22	22mm	42mm	2.35mm	10mm
T.BW.MS009-25	25mm	42mm	2.35mm	10mm



白羊毛

White Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

无柄黑花羊毛毛刷

Handleless black floral wool brush

代码 Model	直径 Diameter	中心孔 Centre Hole	铁芯直径 Core Diameter
T.BW.MS043-17	17mm	3.2mm	10mm
T.BW.MS043-19	19mm	3.2mm	10mm
T.BW.MS043-22	22mm	3.2mm	10mm
T.BW.MS043-25	25mm	3.2mm	10mm



包装 Package: 20000 Pcs/Carton

无柄深黑马毛毛刷

Handleless dark black horsehair brush

代码 Model	直径 Diameter	中心孔 Centre Hole	铁芯直径 Core Diameter
T.BW.MS035-17	17mm	3.2mm	10mm
T.BW.MS035-19	19mm	3.2mm	10mm
T.BW.MS035-22	22mm	3.2mm	10mm
T.BW.MS035-25	25mm	3.2mm	10mm



包装 Package: 20000 Pcs/Carton

白灰羊毛
White & Grey Wool


包装 Package: 20000 Pcs/Carton

无柄灰色毛刷
Handleless gray brush

代码 Model	直径 Diameter	中心孔 Centre Hole	铁芯直径 Core Diameter
T.BW.MS025-17	17mm	3.2mm	10mm
T.BW.MS025-19	19mm	3.2mm	10mm
T.BW.MS025-22	22mm	3.2mm	10mm
T.BW.MS025-25	25mm	3.2mm	10mm

白羊毛
White Wool


包装 Package: 20000 Pcs/Carton

无柄白色毛刷
handleless white brush

代码 Model	直径 Diameter	中心孔 Centre Hole	铁芯直径 Core Diameter
T.BW.MS018-17	17mm	3.2mm	10mm
T.BW.MS018-19	19mm	3.2mm	10mm
T.BW.MS018-22	22mm	3.2mm	10mm
T.BW.MS018-25	25mm	3.2mm	10mm

黑猪毛
Black Pig Hair


包装 Package: 20000 Pcs/Carton

无柄黑色毛刷
handleless white brush

代码 Model	直径 Diameter	中心孔 Centre Hole	铁芯直径 Core Diameter
T.BW.MS019-17	17mm	3.2mm	10mm
T.BW.MS019-19	19mm	3.2mm	10mm
T.BW.MS019-22	22mm	3.2mm	10mm
T.BW.MS019-25	25mm	3.2mm	10mm



包装 Package: 100 Pcs/Pack 100 Pack/Carton

有柄伞状铜丝刷
Brass wire brush with handle

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter
T.BW.MS008-22	22mm	40mm	2.35mm
T.BW.MS008-25	25mm	40mm	2.35mm



包装 Package: 100 Pcs/Pack 100 Pack/Carton

有柄伞状钢丝刷
Steel wire brush

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter
T.BW.MS003-22	22mm	40mm	2.35mm
T.BW.MS003-25	25mm	40mm	2.35mm



直扫系列

Straight bristle

代码 Model	毛刷直径 Brush Diameter	毛刷长度 Brush length	总长度 Total Length	铁杆直径 Rod Diameter
T.BW.MS011	5mm	10mm	50mm	2.35mm
T.BW.MS041	5mm	10mm	50mm	2.35mm
T.BW.MS015	5mm	10mm	50mm	2.35mm
T.BW.MS016	5mm	10mm	50mm	2.35mm
T.BW.MS017	5mm	10mm	50mm	2.35mm
T.BW.MS027	5mm	10mm	50mm	2.35mm

包装 Package: 100 Pcs/Pack 100 Pack/Carton



碗刷系列

Straight bristle

代码 Model	毛刷直径 Brush Diameter	毛刷长度 Brush length	总长度 Total Length	铁杆直径 Rod Diameter
T.BW.MS013	15mm	8.5mm	50mm	2.35mm
T.BW.MS033	15mm	8.5mm	50mm	2.35mm
T.BW.MS010	15mm	8.5mm	50mm	2.35mm
T.BW.MS029	15mm	8.5mm	50mm	2.35mm
T.BW.MS030	15mm	8.5mm	50mm	2.35mm
T.MS.MS042	15mm	8.5mm	50mm	2.35mm

包装 Package: 100 Pcs/Pack 100 Pack/Carton



代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter
T.BW.L0001	22mm	42mm	2.35mm
T.BW.L0003	25mm	42mm	2.35mm
T.BW.L0006	25mm	42mm	2.35mm
T.BW.L0007	25mm	42mm	2.35mm
T.BW.L0008	25mm	42mm	2.35mm
T.BW.L0009	25mm	42mm	2.35mm
T.BW.L0010	25mm	42mm	2.35mm

包装 Package: 100 Pcs/Pack 100 Pack/Carton





T.BW.L0026 T.BW.D0022
包装 Package: 100 Pcs/Pack 100 Pack/Carton

有柄双层百洁布
Nylon Buffing Polishing Wheel

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter
T.BW.D0022-22	22mm	40mm	2.35mm
T.BW.D0022-25	25mm	40mm	2.35mm
T.BW.L0026-22	22mm	40mm	2.35mm
T.BW.L0026-25	25mm	40mm	2.35mm

铁芯毛刷
Iron core brush

包装 Package:
50 Pcs/Pack 200 Pcs/Box


代码 Model	直径 Diameter	毛长 Wool Length	中心孔 Centre Hole	铁芯直径 Core Diameter
T.BW.C1011	48mm	12mm	5mm	24mm
T.BW.C1013	48mm	12mm	5mm	24mm
T.BW.C1014	48mm	12mm	5mm	24mm
T.BW.C1015	48mm	12mm	5mm	24mm
T.BW.C1016	48mm	12mm	5mm	24mm



T.BW.C1011
黑猪毛
Black Pig Hair



T.BW.C1013
黑灰羊毛
Black & White Wool



T.BW.C1014
黑马毛
Black & Brown Horsehair



T.BW.C1015
白羊毛
White Wool



T.BW.C1016
白棕马毛
White&Brown Horsehair



铁芯铜丝刷
Iron core copper wire brushre

代码 Model	直径 Diameter	厚度 Thickness	中心孔 Centre Hole	铁芯直径 Iron core Diameter
T.BW.C1017	50mm	4.5mm	5mm	25mm

包装 Package:
50 Pcs/Pack 200 Pcs/Box



铁芯钢丝刷轮
Iron core wire brush wheel


代码 Model	直径 Diameter	厚度 Thickness	中心孔 Centre Hole	铁芯直径 Iron core Diameter
T.BW.C1018	50mm	4.5mm	5mm	25mm

包装 Package:
50 Pcs/Pack 200 Pcs/Box

深黄/浅黄布轮

Dark yellow buff / Light yellow buff

代码 Model	尺寸 Size	层 Ply	包装 Package
T.BW.Y2550	2.5"	50	800 Pcs/Box
T.BW.Y3015	3"	15	800 Pcs/Box
T.BW.Y3025	3"	25	800 Pcs/Box
T.BW.Y3040	3"	40	800 Pcs/Box
T.BW.Y3050	3"	50	800 Pcs/Box
T.BW.Y4015	4"	15	800 Pcs/Box
T.BW.Y4025	4"	25	800 Pcs/Box
T.BW.Y4040	4"	40	600 Pcs/Box
T.BW.Y4050	4"	50	500 Pcs/Box
T.BW.Y5015	5"	15	720 Pcs/Box
T.BW.Y5025	5"	25	480 Pcs/Box
T.BW.Y5040	5"	40	360 Pcs/Box
T.BW.Y5050	5"	50	360 Pcs/Box
T.BW.Y6015	6"	15	360 Pcs/Box
T.BW.Y6025	6"	25	360 Pcs/Box
T.BW.Y6040	6"	40	300 Pcs/Box
T.BW.Y6050	6"	50	240 Pcs/Box
T.BW.Y6060	6"	60	180 Pcs/Box
T.BW.Y6080	6"	80	160 Pcs/Box
T.BW.Y7015	7"	15	360 Pcs/Box
T.BW.Y7025	7"	25	240 Pcs/Box
T.BW.Y7030	7"	30	240 Pcs/Box
T.BW.Y7040	7"	40	180 Pcs/Box
T.BW.Y7050	7"	50	180 Pcs/Box
T.BW.Y7060	7"	60	150 Pcs/Box
T.BW.Y8015	8"	15	360 Pcs/Box
T.BW.Y8025	8"	25	240 Pcs/Box
T.BW.Y8030	8"	30	240 Pcs/Box
T.BW.Y8035	8"	35	180 Pcs/Box
T.BW.Y8040	8"	40	180 Pcs/Box
T.BW.Y8050	8"	50	160 Pcs/Box
T.BW.Y8060	8"	60	120 Pcs/Box
T.BW.Y8070	8"	70	120 Pcs/Box
T.BW.Y1030	10"	30	100 Pcs/Box
T.BW.Y1050	10"	50	80 Pcs/Box
T.BW.Y1250	12"	50	60 Pcs/Box




加厚黄布轮


Thickened yellow buff

代码 Model	尺寸 Size	层 Ply	包装 Package
T.BW.Y4000	4"	50	400 Pcs/Box
T.BW.Y5000	5"	50	240 Pcs/Box
T.BW.Y6000	6"	50	180 Pcs/Box
T.BW.Y7000	7"	50	120 Pcs/Box
T.BW.Y7000-60	7"	60	120 Pcs/Box
T.BW.Y8000	8"	50	120 Pcs/Box




蓝色布轮
Blue buff


代码 Model	尺寸 Size	层 Ply	包装 Package
T.BW.B2550	2.5"	50	800 Pcs/Box
T.BW.B0315	3"	15	800 Pcs/Box
T.BW.B0325	3"	25	800 Pcs/Box
T.BW.B0340	3"	40	800 Pcs/Box
T.BW.B0350	3"	50	800 Pcs/Box
T.BW.B0415	4"	15	800 Pcs/Box
T.BW.B0425	4"	25	800 Pcs/Box
T.BW.B0440	4"	40	600 Pcs/Box
T.BW.B0450	4"	50	500 Pcs/Box
T.BW.B0515	5"	15	720 Pcs/Box
T.BW.B0525	5"	25	480 Pcs/Box
T.BW.B0540	5"	40	360 Pcs/Box
T.BW.B0550	5"	50	360 Pcs/Box
T.BW.B0615	6"	15	360 Pcs/Box
T.BW.B0625	6"	25	360 Pcs/Box
T.BW.B0640	6"	40	300 Pcs/Box
T.BW.B0650	6"	50	240 Pcs/Box
T.BW.B0660	6"	60	180 Pcs/Box
T.BW.B0680	6"	80	160 Pcs/Box
T.BW.B0715	7"	15	360 Pcs/Box
T.BW.B0725	7"	25	240 Pcs/Box
T.BW.B0730	7"	30	240 Pcs/Box
T.BW.B0740	7"	40	180 Pcs/Box
T.BW.B0750	7"	50	180 Pcs/Box
T.BW.B0760	7"	60	150 Pcs/Box
T.BW.B0815	8"	15	360 Pcs/Box
T.BW.B0825	8"	25	240 Pcs/Box
T.BW.B0830	8"	30	240 Pcs/Box
T.BW.B0835	8"	35	180 Pcs/Box
T.BW.B0840	8"	40	180 Pcs/Box
T.BW.B0850	8"	50	160 Pcs/Box
T.BW.B0860	8"	60	120 Pcs/Box
T.BW.B0870	8"	70	120 Pcs/Box
T.BW.B1030	10"	30	100 Pcs/Box
T.BW.B1050	10"	50	80 Pcs/Box
T.BW.B1250	12"	50	60 Pcs/Box


紫色布轮
Purple buff

代码 Model	尺寸 Size	层 Ply	包装 Package
T.BW.P2550	2.5"	50	800 Pcs/Box
T.BW.P0315	3"	15	800 Pcs/Box
T.BW.P0325	3"	25	800 Pcs/Box
T.BW.P0340	3"	40	800 Pcs/Box
T.BW.P0350	3"	50	800 Pcs/Box
T.BW.P0415	4"	15	800 Pcs/Box
T.BW.P0425	4"	25	800 Pcs/Box
T.BW.P0440	4"	40	600 Pcs/Box

紫色布轮
Purple buff

代码 Model	尺寸 Size	层 Ply	包装 Package
T.BW.P0450	4"	50	500 Pcs/Box
T.BW.P0515	5"	15	720 Pcs/Box
T.BW.P0525	5"	25	480 Pcs/Box
T.BW.P0540	5"	40	360 Pcs/Box
T.BW.P0550	5"	50	360 Pcs/Box
T.BW.P0615	6"	15	360 Pcs/Box
T.BW.P0625	6"	25	360 Pcs/Box
T.BW.P0640	6"	40	300 Pcs/Box
T.BW.P0650	6"	50	240 Pcs/Box
T.BW.P0660	6"	60	180 Pcs/Box
T.BW.P0680	6"	80	160 Pcs/Box
T.BW.P0715	7"	15	360 Pcs/Box
T.BW.P0725	7"	25	240 Pcs/Box
T.BW.P0730	7"	30	240 Pcs/Box
T.BW.P0740	7"	40	180 Pcs/Box
T.BW.P0750	7"	50	180 Pcs/Box
T.BW.P0760	7"	60	150 Pcs/Box
T.BW.P0815	8"	15	360 Pcs/Box
T.BW.P0825	8"	25	240 Pcs/Box
T.BW.P0830	8"	30	240 Pcs/Box
T.BW.P0835	8"	35	180 Pcs/Box
T.BW.P0840	8"	40	180 Pcs/Box
T.BW.P0850	8"	50	160 Pcs/Box
T.BW.P0860	8"	60	120 Pcs/Box
T.BW.P0870	8"	70	120 Pcs/Box
T.BW.P1030	10"	30	100 Pcs/Box
T.BW.P1050	10"	50	80 Pcs/Box
T.BW.P1250	12"	50	60 Pcs/Box

白布轮
White buff

代码 Model	尺寸 Size	层 Ply
T.BW.W2550	2.5"	50
T.BW.W0350	3"	50
T.BW.W0415	4"	15
T.BW.W0425	4"	25
T.BW.W0440	4"	40
T.BW.W0450	4"	50
T.BW.W0515	5"	15
T.BW.W0525	5"	25
T.BW.W0540	5"	40
T.BW.W0550	5"	50
T.BW.W0615	6"	15
T.BW.W0625	6"	25
T.BW.W0630	6"	30
T.BW.W0640	6"	40
T.BW.W0650	6"	50
T.BW.W0660	6"	60





白布轮
White buff

代码 Model	尺寸 Size	层 Ply
T.BW.W0680	6"	80
T.BW.W0715	7"	15
T.BW.W0725	7"	25
T.BW.W0730	7"	30
T.BW.W0740	7"	40
T.BW.W0750	7"	50
T.BW.W0815	8"	15
T.BW.W0825	8"	25
T.BW.W0830	8"	30
T.BW.W0835	8"	35
T.BW.W0840	8"	40
T.BW.W0850	8"	50
T.BW.W0860	8"	60
T.BW.W0890	8"	90
T.BW.W08120	8"	120
T.BW.W1050	10"	50
T.BW.W1250	12"	50



麻轮
Flax wheel

代码 Model	尺寸 Size	层 Ply
T.BW.M5006	5"	6
T.BW.M6007	6"	7
T.BW.M9005	9"	5
T.BW.M1203	12"	3
T.BW.M1206	12"	6
T.BW.M1205	12"	5
T.BW.M6000	6"	5
T.BW.M7000	7"	5
T.BW.M8000	8"	5
T.BW.M1000	10"	5
T.BW.M1007	10"	7
T.BW.M1007-2	10"	7
T.BW.M1105	11"	5
T.BW.M1207-1	12"	7
T.BW.M1207-2	12"	7



6寸尼龙轮

6" Nylon wheel

代码 Model	厚度 Thickness	硬度 Hardness	目数 Mesh count
T.BW.N08102	2"	16P	180#
T.BW.N08103	2"	16P	240#
T.BW.N08104	2"	16P	320#
T.BW.N08105	2"	16P	400#
T.BW.N08106	2"	16P	600#



8寸尼龙轮

8" Nylon wheel


代码 Model	厚度 Thickness	硬度 Hardness	目数 Mesh count
T.BW.N0861	1"	5P	60#
T.BW.N0862	1"	5P	80#
T.BW.N0863	1"	5P	120#
T.BW.N0813	1"	5P	180#
T.BW.N0814	1"	5P	240#
T.BW.N0812	1"	5P	320#
T.BW.N0815	1"	5P	400#
T.BW.N0844	1"	5P	600#
T.BW.N0853	1"	7P	60#
T.BW.N0864	1"	7P	80#
T.BW.N0840	1"	7P	120#
T.BW.N0813	1"	7P	180#
T.BW.N0814	1"	7P	240#
T.BW.N0839	1"	7P	320#
T.BW.N0815	1"	7P	400#
T.BW.N0865	1"	7P	600#
T.BW.N0866	1"	9P	60#
T.BW.N0845	1"	9P	80#
T.BW.N0867	1"	9P	120#
T.BW.N0823	1"	9P	180#
T.BW.N0824	1"	9P	240#
T.BW.N0803	1"	9P	320#
T.BW.N0802	1"	9P	400#
T.BW.N0834	1"	9P	600#
T.BW.N0837	1"	12P	60#
T.BW.N0868	1"	12P	80#
T.BW.N0869	1"	12P	120#
T.BW.N0816	1"	12P	180#
T.BW.N0805	1"	12P	240#
T.BW.N0804	1"	12P	320#
T.BW.N0820	1"	12P	400#
T.BW.N0852	1"	12P	600#
T.BW.N0870	1"	16P	60#
T.BW.N0871	1"	16P	80#
T.BW.N0872	1"	16P	120#
T.BW.N0833	1"	16P	180#
T.BW.N0821	1"	16P	240#
T.BW.N0832	1"	16P	320#
T.BW.N0873	1"	16P	400#
T.BW.N0874	1"	16P	600#





8寸尼龙轮
8" Nylon wheel

代码 Model	厚度 Thickness	硬度 Hardness	目数 Mesh count
T.BW.N0875	2"	5P	60#
T.BW.N0876	2"	5P	80#
T.BW.N0877	2"	5P	120#
T.BW.N0878	2"	5P	180#
T.BW.N0879	2"	5P	240#
T.BW.N0851	2"	5P	320#
T.BW.N0880	2"	5P	400#
T.BW.N0881	2"	5P	600#
T.BW.N0882	2"	7P	60#
T.BW.N0883	2"	7P	80#
T.BW.N0884	2"	7P	120#
T.BW.N0849	2"	7P	180#
T.BW.N0885	2"	7P	240#
T.BW.N0886	2"	7P	320#
T.BW.N0887	2"	7P	400#
T.BW.N0888	2"	7P	600#
T.BW.N0889	2"	9P	60#
T.BW.N0890	2"	9P	80#
T.BW.N0891	2"	9P	120#
T.BW.N0841	2"	9P	180#
T.BW.N0892	2"	9P	240#
T.BW.N0893	2"	9P	320#
T.BW.N0807	2"	9P	400#
T.BW.N0894	2"	9P	600#
T.BW.N0895	2"	12P	60#
T.BW.N0896	2"	12P	80#
T.BW.N0897	2"	12P	120#
T.BW.N0898	2"	12P	180#
T.BW.N0836	2"	12P	240#
T.BW.N0850	2"	12P	320#
T.BW.N0898	2"	12P	400#
T.BW.N0860	2"	12P	600#
T.BW.N0899	2"	16P	60#
T.BW.N08100	2"	16P	80#
T.BW.N08101	2"	16P	120#
T.BW.N08102	2"	16P	400#
T.BW.N08103	2"	16P	600#
T.BW.N08104	2"	16P	60#
T.BW.N08105	2"	16P	80#
T.BW.N08106	2"	16P	120#



羊毛轮
Wool wheel

代码 Model	尺寸 Size	厚度 Thickness	材质 Material
T.BW.L0024-A	4"	25mm	粗毛 Coarse wool
T.BW.L0024	4"	25mm	细毛 Fine wool
T.BW.L0027-B	5"	25mm	粗毛 Coarse wool
T.BW.L0027	5"	25mm	细毛 Fine wool
T.BW.L0027-30	5"	30mm	细毛 Fine wool
T.BW.L0021-B	6"	25mm	细毛 Fine wool
T.BW.L0021	6"	25mm	细毛 Fine wool
T.BW.L0021-30	6"	30mm	细毛 Fine wool
T.BW.L0028-B	8"	25mm	粗毛 Coarse wool
T.BW.L0028	8"	25mm	细毛 Fine wool
T.BW.L0028-30	8"	30mm	细毛 Fine wool
T.BW.L0029-B	10"	25mm	粗毛 Coarse wool
T.BW.L0029	10"	25mm	细毛 Fine wool
T.BW.L0029-30	10"	30mm	细毛 Fine wool
T.BW.L0030-B	12"	25mm	粗毛 Coarse wool
T.BW.L0030	12"	25mm	细毛 Fine wool
T.BW.L0030-30	12"	30mm	细毛 Fine wool

飞碟轮
Split wheel

代码 Model	尺寸 Size	厚度 Thickness	硬度 Hardness
T.BW.F4001	4"	14mm	中 Medium
T.BW.F4002	4"	14mm	硬 Hard
T.BW.F4003	4"	14mm	特硬 Rock hard
T.BW.F4004	4"	14mm	超特硬 Flint hard
T.BW.F4005	4"	14mm	软 Soft
T.BW.F6001	6"	13mm	超特硬 Flint hard
T.BW.F6002	6"	13mm	硬 Hard
T.BW.F6003	6"	13mm	中 Medium
T.BW.F6006	6"	13mm	特硬 Rock hard
T.BW.F6007	6"	13mm	软 Soft
T.BW.F7001	7"	16mm	硬 Hard
T.BW.F7002	7"	16mm	中 Medium
T.BW.F7003	7"	16mm	特硬 Rock hard
T.BW.F7004	7"	16mm	软 Soft
T.BW.F7005	7"	16mm	超特硬 Flint hard

进口飞碟轮
Imported split wheel

代码 Model	尺寸 Size	厚度 Thickness	硬度 Hardness
T.BW.F4006	4"	14mm	超特硬 Flint hard
T.BW.F4007	4"	14mm	中 Medium
T.BW.F4009	4"	14mm	硬 Hard
T.BW.F4008	4"	14mm	特硬 Rock hard
T.BW.F6005	6"	13mm	超特硬 Flint hard
T.BW.F6008	6"	13mm	硬 Hard
T.BW.F6009	6"	13mm	中 Medium
T.BW.F6010	6"	13mm	软 Soft
T.BW.F6011	6"	13mm	特硬 Rock hard





柏轮
Cloth wheel

代码 Model	尺寸 Size	厚度 Thickness	硬度 Hardness
T.BW.B040S	4"	14mm	软 Soft
T.BW.B040M	4"	14mm	中 Medium
T.BW.B040H	4"	14mm	硬 Hard
T.BW.B040R	4"	14mm	特硬 Rock hard
T.BW.B040F	4"	14mm	超特硬 Flint hard
T.BW.B060H	6"	13mm	硬 Hard
T.BW.B060S	6"	14mm	软 Soft
T.BW.B060M	6"	14mm	中 Medium
T.BW.B060R	6"	14mm	特硬 Rock hard
T.BW.B060F	6"	14mm	超特硬 Flint hard
T.BW.B070S	7"	13mm	软 Soft
T.BW.B070M	7"	13mm	中 Medium
T.BW.B070H	7"	13mm	硬 Hard
T.BW.B070R	7"	13mm	特硬 Rock hard
T.BW.B070F	7"	13mm	超特硬 Flint hard

海绵抛光轮
Sponge polishing wheel




代码 Model	直径 Diameter	厚度 Thickness	目数 Mesh count
T.BW.H0811	200mm	20mm	60#
T.BW.H0803	200mm	20mm	80#
T.BW.H0812	200mm	20mm	120#
T.BW.H0801	200mm	20mm	180#
T.BW.H0802	200mm	20mm	240#
T.BW.H0805	200mm	20mm	320#
T.BW.H0806	200mm	20mm	400#
T.BW.H0813	200mm	20mm	600#
T.BW.H0804	200mm	20mm	800#
T.BW.H0814	200mm	10mm	800#
T.BW.H0815	200mm	10mm	60#
T.BW.H0816	200mm	10mm	80#
T.BW.H0817	200mm	10mm	120#
T.BW.H0810	200mm	10mm	180#
T.BW.H0818	200mm	10mm	240#
T.BW.H0819	200mm	10mm	320#
T.BW.H0820	200mm	10mm	400#
T.BW.H0821	200mm	10mm	600#
T.BW.H0822	200mm	10mm	800#
T.BW.H0823	200mm	13mm	320#
T.BW.H0824	200mm	16mm	220#
T.BW.H0825	200mm	16mm	320#
T.BW.H0826	200mm	20mm	240#
T.BW.H0827	200mm	25mm	180#
T.BW.H0828	200mm	25mm	240#
T.BW.H0829	200mm	25mm	320#
T.BW.H0830	200mm	25mm	320#
T.BW.H0831	200mm	25mm	400#
T.BW.H0832	200mm	50mm	180#
T.BW.H0833	200mm	50mm	320#
T.BW.H0834	200mm	50mm	400#
T.BW.H0835	200mm	20mm	280#
T.BW.H0836	200mm	16mm	240#

8寸飞翼轮

Non woven polishing wheel


代码 Model	厚度 Thickness	夹砂 Sand inclusion	目数 Mesh count
T.BW.FY0801-B	25mm	否 / No	240#
T.BW.FY0802-B	25mm	否 / No	320#
T.BW.FY0806-B	25mm	否 / No	60#
T.BW.FY0807-B	25mm	否 / No	80#
T.BW.FY0808-B	25mm	否 / No	120#
T.BW.FY0803-B	25mm	否 / No	180#
T.BW.FY0804-B	25mm	否 / No	400#
T.BW.FY0805-B	25mm	否 / No	600#
T.BW.FY0801	25mm	是 / Yes	240#
T.BW.FY0802	25mm	是 / Yes	320#
T.BW.FY0806	25mm	是 / Yes	60#
T.BW.FY0807	25mm	是 / Yes	80#
T.BW.FY0808	25mm	是 / Yes	120#
T.BW.FY0803	25mm	是 / Yes	180#
T.BW.FY0804	25mm	是 / Yes	400#
T.BW.FY0805	25mm	是 / Yes	600#



打磨轮

Radial shape disc

代码 Model	直径 Diameter	目数 Mesh count
T.BW.S0039-14	14mm	80#
T.BW.S0039-19	19mm	80#
T.BW.S0039-24	24mm	80#
T.BW.S0040-14	14mm	120#
T.BW.S0040-19	19mm	120#
T.BW.S0040-24	24mm	120#
T.BW.S0025-14	14mm	220#
T.BW.S0025-19	19mm	220#
T.BW.S0025-24	24mm	220#
T.BW.S0024-14	14mm	320#
T.BW.S0024-19	19mm	320#
T.BW.S0024-24	24mm	320#
T.BW.S0037-14	14mm	400#
T.BW.S0037-19	19mm	400#
T.BW.S0037-24	24mm	400#
T.BW.S0036-14	14mm	600#
T.BW.S0036-19	19mm	600#
T.BW.S0036-24	24mm	600#
T.BW.S0026-14	14mm	1000#
T.BW.S0026-19	19mm	1000#
T.BW.S0026-24	24mm	1000#
T.BW.S0049-14	14mm	2500#
T.BW.S0049-19	19mm	2500#
T.BW.S0049-24	24mm	2500#





T.BW.LS001

T.BW.LS003

T.BW.LS004



T.BW.LS005

T.BW.LS006

拉丝轮 (没夹砂)
Wire drawing wheel

代码 Model	直径 Diameter	厚度 Thickness	目数 Mesh count
T.BW.LS001	120mm	100mm	60#
T.BW.LS002	120mm	100mm	80#
T.BW.LS003	120mm	100mm	120#
T.BW.LS004	120mm	100mm	240#
T.BW.LS005	120mm	100mm	320#
T.BW.LS006	120mm	100mm	60#
T.BW.LS007	120mm	100mm	80#
T.BW.LS008	120mm	100mm	60#
T.BW.LS009	120mm	100mm	80#



T.BW.LS008

T.BW.LS009

拉丝轮 (夹砂)
Wire drawing wheel with sanding

代码 Model	直径 Diameter	厚度 Thickness	目数 Mesh count
T.BW.LS008	120mm	100mm	60#
T.BW.LS009	120mm	100mm	80#




T.BW.LS010

T.BW.LS012

拉丝轮 (进口料)
Wire drawing wheel imported

代码 Model	直径 Diameter	厚度 Thickness	目数 Mesh count
T.BW.LS010	120mm	100mm	60#
T.BW.LS011	120mm	100mm	80#
T.BW.LS012	120mm	100mm	60#
T.BW.LS013	120mm	100mm	80#



T.BW.LS014

T.BW.LS015

拉丝轮 (全砂布)
Wire drawing wheel full sanding

代码 Model	直径 Diameter	厚度 Thickness	目数 Mesh count
T.BW.LS014	120mm	100mm	60#
T.BW.LS015	120mm	100mm	80#
T.BW.LS016	120mm	100mm	120#
T.BW.LS017	120mm	100mm	180#
T.BW.LS018	120mm	100mm	240#

气动拉丝轮

Pneumatic wire drawing wheel

代码 Model	直径 Diameter	厚度 Thickness	目数 Mesh count
T.BW.LS019	120mm	50mm	60#
T.BW.LS020	120mm	50mm	80#
T.BW.LS021	120mm	50mm	60#
T.BW.LS022	120mm	50mm	80#



3M黑金钢丝轮

3M black steel wire drawing wheel

代码 Model	直径 Diameter	厚度 Thickness	目数 Mesh count
T.BW.LS023	120mm	100mm	-



金刚石切割片

Diamond cutter

代码 Model	直径 Diameter	中心孔 Centre Hole	厚度 Thickness
T.BW.S0014	16mm	3mm	0.6mm
T.BW.S0013	18mm	3mm	0.6mm
T.BW.S0012	20mm	3mm	0.6mm
T.BW.S0001	22mm	3mm	0.6mm
T.BW.S0011	25mm	3mm	0.6mm
T.BW.S0010	30mm	3mm	0.6mm
T.BW.S0002	35mm	3mm	0.6mm
T.BW.S0007	40mm	3mm	0.6mm
T.BW.S0009	45mm	3mm	0.6mm
T.BW.S0008	50mm	3mm	0.6mm
T.BW.S0070	60mm	3mm	0.6mm



T.BW.S0014



T.BW.S0013



T.BW.S0012




T.BW.S0011



T.BW.S0010



T.BW.S0008





A, B, C



D, E



F



G, H

金刚石切割片 Diamond cutter

代码 Model	直径 Diameter	中心孔 Centre Hole	厚度 Thickness
A T.BW.S0071	20mm	3mm	0.6mm
B T.BW.S0072	25mm	3mm	0.6mm
C T.BW.S0073	30mm	3mm	0.6mm
D T.BW.S0074	35mm	3mm	0.6mm
E T.BW.S0075	40mm	3mm	0.6mm
F T.BW.S0076	50mm	3mm	0.6mm
G T.BW.S0077	50mm	3mm	0.6mm
H T.BW.S0078	60mm	3mm	0.6mm



金刚石切割片 Diamond cutter

代码 Model	直径 Diameter	中心孔 Centre Hole	厚度 Thickness
T.BW.S0079	60mm	16mm	0.6mm
T.BW.S0080	100mm	20mm	1mm



超薄金刚石树脂切割片 Ultra-thin diamond resin cutter

代码 Model	直径 Diameter	中心孔 Centre Hole	厚度 Thickness
T.BW.S0100	100mm	20mm	1mm
T.BW.S0101	156mm	31.75mm	0.8mm
T.BW.S0102	159mm	32mm	1mm
T.BW.S0103	200mm	31.75mm	1.1mm
T.BW.S0104	125mm	31.75mm	1mm



红色大理石切割片 Red marble cutter

代码 Model	直径 Diameter	中心孔 Centre Hole	厚度 Thickness
T.BW.S0105	110mm	20mm	1.1~1.5mm

太阳砂纸 SUNMTCHT Sanding paper

代码 Model	尺寸 Size	目数 Mesh count
T.PPTY0120	230×280mm	120#
T.PPTY0180	230×280mm	180#
T.PPTY0240	230×280mm	240#
T.PPTY0320	230×280mm	320#
T.PPTY0400	230×280mm	400#
T.PPTY0600	230×280mm	600#
T.PPTY0800	230×280mm	800#



100 Pcs/Pack, 5 Packs/Box

德国勇士砂纸 STARCKE Sanding paper

代码 Model	尺寸 Size	目数 Mesh count
T.PPYS0180	230×280mm	180#
T.PPYS0220	230×280mm	220#
T.PPYS0240	230×280mm	240#
T.PPYS0280	230×280mm	280#
T.PPYS0320	230×280mm	320#
T.PPYS0400	230×280mm	400#
T.PPYS0600	230×280mm	600#
T.PPYS0800	230×280mm	800#
T.PPYS1000	230×280mm	1000#
T.PPYS1200	230×280mm	1200#
T.PPYS1500	230×280mm	1500#
T.PPYS2000	230×280mm	2000#
T.PPYS2500	230×280mm	2500#
T.PPYS3000	230×280mm	3000#
T.PPYS5000	230×280mm	5000#
T.PPYS7000	230×280mm	7000#





100 Pcs/Pack, 5 Packs/Box

理研砂纸 RIKEN Sanding paper

代码 Model	尺寸 Size	目数 Mesh count
T.PPL0060-B	230×280mm	60#
T.PPL0080-B	230×280mm	80#
T.PPL0120-B	230×280mm	120#
T.PPL0150-B	230×280mm	150#
T.PPL0180-B	230×280mm	180#
T.PPL0240-B	230×280mm	240#
T.PPL0320-B	230×280mm	320#
T.PPL0400-B	230×280mm	400#
T.PPL0600-B	230×280mm	600#
T.PPL0800-B	230×280mm	800#



100 Pcs/Pack, 5 Packs/Box



40#

60#



100#

120#

150#



180#

240#

砂带 Sanding belt

代码 Model	尺寸 Size	目数 Mesh count
T.BW.SD040-C	90×100mm	40#
T.BW.SD060-C	90×100mm	60#
T.BW.SD080-C	90×100mm	80#
T.BW.SD100-C	90×100mm	100#
T.BW.SD120-C	90×100mm	120#
T.BW.SD150-C	90×100mm	150#
T.BW.SD180-C	90×100mm	180#
T.BW.SD240-C	90×100mm	240#
T.BW.SD320-C	90×100mm	320#
T.BW.SD400-C	90×100mm	400#
T.BW.SD600-C	90×100mm	600#
T.BW.SD040-A	610×100mm	40#
T.BW.SD060-A	610×100mm	60#
T.BW.SD080-A	610×100mm	80#
T.BW.SD100-A	610×100mm	100#
T.BW.SD120-A	610×100mm	120#
T.BW.SD150-A	610×100mm	150#
T.BW.SD180-A	610×100mm	180#
T.BW.SD240-A	610×100mm	240#
T.BW.SD320-A	610×100mm	320#
T.BW.SD400-A	610×100mm	400#
T.BW.SD600-A	610×100mm	600#
T.BW.SD040	50×700mm	40#
T.BW.SD060	50×700mm	60#
T.BW.SD080	50×700mm	80#
T.BW.SD100	50×700mm	100#
T.BW.SD120	50×700mm	120#
T.BW.SD150	50×700mm	150#
T.BW.SD180	50×700mm	180#
T.BW.SD240	50×700mm	240#
T.BW.SD320	50×700mm	320#
T.BW.SD400	50×700mm	400#
T.BW.SD600	50×700mm	600#



包装 Package: 100 Pcs/Pack 100 Pack/Carton


砂纸棒 Sand paper rod

代码 Model	直径 Diameter	长度 Length	铁杆直径 Rod Diameter
T.CG.00218-320	12mm	48mm	2.35mm
T.CG.00218-400	12mm	48mm	2.35mm
T.CG.00218-600	12mm	48mm	2.35mm
T.CG.00218-800	12mm	48mm	2.35mm
T.CG.00218-1000	12mm	48mm	2.35mm
T.CG.00218-1200	12mm	48mm	2.35mm
T.CG.00218-1500	12mm	48mm	2.35mm
T.CG.00218-2000	12mm	48mm	2.35mm
T.CG.00218-2500	12mm	48mm	2.35mm
T.CG.00218-3000	12mm	48mm	2.35mm
T.CG.00218-5000	12mm	48mm	2.35mm
T.CG.00218-7000	12mm	48mm	2.35mm



飞碟夹
Split lap clamp

代码 Model	尺寸 Size
A T.BWJB002	Φ2.35×42.5mm
B T.BWJB003	Φ3.0×5×44mm
C T.BWJB017	Φ4×7×46mm
D T.BWJB005	Φ2.35×5×44mm
E T.BWJB016	Φ2.35×8×47mm
F T.BWJB004	Φ2.0mm
G T.BWJB018	Φ3.0mm



夹砂棒
Rod

代码 Model	尺寸 Size	槽宽 Groove width
A T.BWJB009	Φ2.35×50mm	0.5×17mm
B T.BWJB019	Φ3×50mm	0.5×17mm
C T.BWJB014	Φ4×50mm	0.5×17mm
D T.BWJB013	Φ5×Φ2.35×50mm	0.6×17mm
E T.BWJB008	Φ2.35×50mm	0.5×17mm



竹柄玛瑙刀
Agate knife with bamboo handle



钢柄玛瑙刀
Agate knife with steel handled

玛瑙刀
Agate knife

代码 Model	刀长 Knife length	柄长 Handle length
T.SB.00054-A	40mm	180mm
T.SB.00054-B	40mm	180mm
T.SB.00054-C	40mm	95mm
T.SB.00054-D	40mm	145mm



玛瑙刀
Agate knife

代码 Model	刀长 Knife length	代码 Model	刀长 Knife length
T.SB.00052-8	80mm	T.SB.00052-15	150mm
T.SB.00052-9	90mm	T.SB.00052-16	160mm
T.SB.00052-10	100mm	T.SB.00052-17	170mm
T.SB.00052-11	110mm	T.SB.00052-18	180mm
T.SB.00052-12	120mm	T.SB.00052-19	190mm
T.SB.00052-13	130mm	T.SB.00052-20	200mm
T.SB.00052-14	140mm		

钢压 Steel burnisher

代码 Model	Φ1	Φ2	L1	L2	形状 Shape
T.TS.G0013	2mm	5mm	22mm	220mm	常规 Routine
T.TS.G0004	2mm	5mm	22mm	220mm	加细 Tiny
T.TS.G0020	2mm	5mm	22mm	220mm	特细 Very detailed
T.TS.G0030	2mm	5mm	22mm	220mm	异形 Special-shaped
T.TS.G0008-B	3mm	5mm	20mm	165mm	常规 Routine
T.TS.G0006	3mm	5mm	20mm	165mm	加细 Tiny
T.TS.G0031	3mm	5mm	20mm	165mm	特细 Very detailed
T.TS.G0032	3mm	5mm	20mm	165mm	异形 Special-shaped
T.TS.G0033	3mm	5mm	20mm	165mm	异形 Special-shaped
T.TS.G0008	3mm	6mm	35mm	220mm	常规 Routine
T.TS.G0005	3mm	6mm	35mm	220mm	加细 Tiny
T.TS.G0017	3mm	6mm	35mm	220mm	特细 Very detailed
T.TS.G0027	3mm	6mm	35mm	220mm	异形 Special-shaped
T.TS.G0034	3mm	6mm	35mm	220mm	异形 Special-shaped
T.TS.G0035	3mm	6mm	35mm	220mm	异形 Special-shaped
T.TS.G0036	3mm	6mm	35mm	220mm	异形 Special-shaped
T.TS.G0037	3mm	6mm	35mm	220mm	异形 Special-shaped
T.TS.G0009	4mm	7mm	35mm	220mm	常规 Routine
T.TS.G0007	4mm	7mm	35mm	220mm	加细 Tiny
T.TS.G0021	4mm	7mm	35mm	220mm	特细 Very detailed
T.TS.G0018	4mm	7mm	35mm	220mm	异形 Special-shaped
T.TS.G0038	4mm	7mm	35mm	220mm	异形 Special-shaped

代码 Model	Φ1	Φ2	L1	L2	形状 Shape
T.TS.G0039	4mm	7mm	35mm	220mm	异形 Special-shaped
T.TS.G0040	4mm	7mm	35mm	220mm	异形 Special-shaped
T.TS.G0041	4mm	7mm	35mm	220mm	异形 Special-shaped
T.TS.G0042	4mm	7mm	35mm	220mm	异形 Special-shaped
T.TS.G0010	5mm	8mm	35mm	220mm	常规 Routine
T.TS.G0010-B	5mm	8mm	35mm	220mm	加细 Tiny
T.TS.G0043	5mm	8mm	35mm	220mm	特细 Very detailed
T.TS.G0025	5mm	8mm	35mm	220mm	异形 Special-shaped
T.TS.G0044	5mm	8mm	35mm	220mm	异形 Special-shaped
T.TS.G0045	5mm	8mm	35mm	220mm	异形 Special-shaped
T.TS.G0011	6mm	9mm	36mm	220mm	常规 Routine
T.TS.G0046	6mm	9mm	36mm	220mm	加细 Tiny
T.TS.G0047	6mm	9mm	36mm	220mm	特细 Very detailed
T.TS.G0048	6mm	9mm	36mm	220mm	异形 Special-shaped
T.TS.G0049	6mm	9mm	36mm	220mm	异形 Special-shaped
T.TS.G0050	6mm	9mm	36mm	220mm	异形 Special-shaped
T.TS.G0051	4mm	7mm	35mm	220mm	异形 Special-shaped
T.TS.G0052	5mm	8mm	35mm	220mm	异形 Special-shaped
T.TS.G0053	6mm	9mm	36mm	220mm	异形 Special-shaped
T.TS.G0054	4mm	7mm	35mm	220mm	异形 Special-shaped
T.TS.G0055	5mm	8mm	35mm	220mm	异形 Special-shaped
T.TS.G0056	6mm	9mm	36mm	220mm	异形 Special-shaped





T.TS.G0027-C 异形 Special-shaped

厚推木
Sanding wood
T.CG.00236-1薄推木
Sanding wood
T.CG.00236-2铝砂纸夹
Aluminium sanding wood
T.CG.00154 265×25×5mm铝砂纸夹
Aluminium sanding wood
T.CG.00155 265×20×5mm



钻石砂针
Diamond drill
T.CG.SZ036



钻石砂针
Diamond drill
T.CG.SZ036-B



钻石砂针
Diamond drill
T.CG.SZ037



钻石砂针(米粒形)
Diamond drill
T.CG.SZ019



钻石砂针(尖)
Pointed diamond drill

代码 Model	规格 Specifications
T.CG.SZ014	0.5D
T.CG.SZ015	0.6D
T.CG.SZ017	0.8D

100 Pcs/Pack




钻石砂针(圆)3.0F
Pointed diamond drill 3.0F
T.CG.SZ018




钻石砂针(圆柱形)
Pointed diamond drill
T.CG.SZ065

钻石砂针(圆柱形)
Pointed diamond drill




代码 Model	L	直径 Diameter
T.CG.SZ066-4-10	4mm	Φ1.0mm
T.CG.SZ066-4-12	4mm	Φ1.2mm
T.CG.SZ066-4-14	4mm	Φ1.4mm
T.CG.SZ066-4-16	4mm	Φ1.6mm
T.CG.SZ068-1	5mm	Φ1.8mm
T.CG.SZ068-2	5mm	Φ2.1mm
T.CG.SZ042-1	8.5mm	Φ1.5mm
T.CG.SZ042-2	8.5mm	Φ1.8mm
T.CG.SZ042-3	8.5mm	Φ2.1mm
T.CG.SZ042-4	8.5mm	Φ2.3mm
T.CG.SZ066-1	10mm	Φ1.6mm
T.CG.SZ066-2	12mm	Φ1.8mm
T.CG.SZ066-3	12mm	Φ2.1mm
T.CG.SZ066-4	12mm	Φ2.3mm

金刚砂针(倒追型)
Taper diamond drill




代码 Model	L	直径 Diameter
T.CG.SZ041-1	1.5mm	Φ1.4mm
T.CG.SZ041-2	1.7mm	Φ1.6mm
T.CG.SZ041-3	1.8mm	Φ1.8mm
T.CG.SZ041-4	2.1mm	Φ2.1mm
T.CG.SZ041-5	2.3mm	Φ2.3mm
T.CG.SZ041-6	4.0mm	Φ1.6mm
T.CG.SZ041-7	6.0mm	Φ2.3mm

金刚砂针(尖)
Pointed diamond drill



代码 Model	L	直径 Diameter
T.CG.SZ039	14mm	Φ2.3mm
T.CG.SZ039-2	10mm	Φ1.4mm
T.CG.SZ039-3	12mm	Φ1.8mm
T.CG.SZ039-4	14mm	Φ2.0mm

金刚砂针(圆)
Round diamond drill




代码 Model	直径 Diameter
T.CG.SZ040-10	Φ1.0mm
T.CG.SZ040-11	Φ1.1mm
T.CG.SZ040-12	Φ1.2mm
T.CG.SZ040-13	Φ1.3mm
T.CG.SZ040-14	Φ1.5mm
T.CG.SZ040-06	Φ0.6mm
T.CG.SZ040-07	Φ0.7mm
T.CG.SZ040-08	Φ0.8mm
T.CG.SZ040-09	Φ0.9mm
T.CG.SZ040-14	Φ1.4mm
T.CG.SZ040-16	Φ1.6mm
T.CG.SZ040-17	Φ1.7mm
T.CG.SZ040-18	Φ1.8mm
T.CG.SZ040-19	Φ1.9mm
T.CG.SZ040-20	Φ2.0mm
T.CG.SZ040-21	Φ2.1mm
T.CG.SZ040-22	Φ2.2mm
T.CG.SZ040-23	Φ2.3mm
T.CG.SZ040-24	Φ2.4mm
T.CG.SZ040-25	Φ2.5mm
T.CG.SZ040-26	Φ2.6mm
T.CG.SZ040-27	Φ2.7mm

代码 Model	直径 Diameter
T.CG.SZ040-28	Φ2.8mm
T.CG.SZ040-29	Φ2.9mm
T.CG.SZ040-30	Φ3.0mm
T.CG.SZ040-31	Φ3.1mm
T.CG.SZ040-32	Φ3.2mm
T.CG.SZ040-33	Φ3.3mm
T.CG.SZ040-34	Φ3.4mm
T.CG.SZ040-35	Φ3.5mm
T.CG.SZ040-36	Φ3.6mm
T.CG.SZ040-37	Φ3.7mm
T.CG.SZ040-38	Φ3.8mm
T.CG.SZ040-39	Φ3.9mm
T.CG.SZ040-40	Φ4.0mm
T.CG.SZ040-41	Φ4.1mm
T.CG.SZ040-42	Φ4.2mm
T.CG.SZ040-43	Φ4.3mm
T.CG.SZ040-44	Φ4.4mm
T.CG.SZ040-45	Φ4.5mm
T.CG.SZ040-46	Φ4.6mm
T.CG.SZ040-47	Φ4.7mm
T.CG.SZ040-48	Φ4.8mm
T.CG.SZ040-49	Φ4.9mm


代码 Model	直径 Diameter
T.CG.SZ040-50	Φ5.0 mm
T.CG.SZ040-51	Φ5.1mm
T.CG.SZ040-52	Φ5.2mm
T.CG.SZ040-53	Φ5.3mm
T.CG.SZ040-54	Φ5.4mm
T.CG.SZ040-55	Φ5.5mm
T.CG.SZ040-56	Φ5.6mm
T.CG.SZ040-57	Φ5.7mm
T.CG.SZ040-58	Φ5.8mm
T.CG.SZ040-59	Φ5.9mm
T.CG.SZ040-60	Φ6.0mm
T.CG.SZ040-61	Φ6.1mm
T.CG.SZ040-62	Φ6.2mm
T.CG.SZ040-63	Φ6.3mm
T.CG.SZ040-64	Φ6.4mm
T.CG.SZ040-65	Φ6.5mm
T.CG.SZ040-66	Φ6.6mm
T.CG.SZ040-67	Φ6.7mm
T.CG.SZ040-68	Φ6.8mm
T.CG.SZ040-69	Φ6.9mm
T.CG.SZ040-70	Φ7.0mm

金刚砂针(倒追型)
Taper diamond drill




代码 Model	L	直径 Diameter
T.CG.SZ044-1	1.2mm	Φ2.5mm
T.CG.SZ044-2	1.4mm	Φ3.0mm
T.CG.SZ044-3	1.6mm	Φ3.5mm
T.CG.SZ044-4	1.7mm	Φ4.0mm

金刚砂针(顺锥形)
Taper diamond drill



代码 Model	L	直径 Diameter
T.CG.SZ045-1	4mm	Φ1.6mm
T.CG.SZ045-2	4mm	Φ1.8mm
T.CG.SZ045-3	8mm	Φ2.3mm

金刚砂针(倒追型)
Taper diamond drill



代码 Model	L	直径 Diameter
T.CG.SZ046-1	3.5mm	Φ1.6mm
T.CG.SZ046-2	4.5mm	Φ2.1mm
T.CG.SZ046-3	5.5mm	Φ2.3mm
T.CG.SZ046-4	5.5mm	Φ2.5mm

旋转锉
Rotary file



3×4 双槽套装
3×4 Double slot set
T.BW.MTQT02-1



3×4 单槽套装
3×4 Single slot set
T.BW.MTQT02-2



3×4 单槽宽齿套装
3×4 Single slot wide tooth set
T.BW.MTQT02-3



3×6 双槽套装
3×6 Double slot set
T.BW.MTQT01-1



3×6 单槽套装
3×6 Single slot set
T.BW.MTQT01-2



3×6 单槽宽齿套装
3×6 Single slot wide tooth set
T.BW.MTQT01-3

旋转锉(3×4双槽套装)

Rotary file (3×4 Double Slot Set)

代码 Model	总长 Total length	柄直径 Handle diameter	刃径 Blade diameter	刃长 Blade length
A T.BW.MTQT02-4	50mm	Φ3mm	6mm	13mm
C T.BW.MTQT02-5	50mm	Φ3mm	6mm	13mm
D T.BW.MTQT02-6	50mm	Φ3mm	6mm	13mm
E T.BW.MTQT02-7	50mm	Φ3mm	6mm	13mm
F T.BW.MTQT02-8	50mm	Φ3mm	6mm	13mm
G T.BW.MTQT02-9	50mm	Φ3mm	6mm	13mm
H T.BW.MTQT02-10	50mm	Φ3mm	6mm	13mm
L T.BW.MTQT02-11	50mm	Φ3mm	6mm	13mm
M T.BW.MTQT02-12	50mm	Φ3mm	6mm	13mm
N T.BW.MTQT02-13	50mm	Φ3mm	6mm	13mm



包装 Package: 10 Pcs/Box

旋转锉(3×6双槽套装)

Rotary file ((3×6 Double Slot Set)

代码 Model	总长 Total length	柄直径 Handle diameter	刃径 Blade diameter	刃长 Blade length
A T.BW.MTQT01-4	50mm	Φ3mm	6mm	13mm
C T.BW.MTQT01-5	50mm	Φ3mm	6mm	13mm
D T.BW.MTQT01-6	50mm	Φ3mm	6mm	13mm
E T.BW.MTQT01-7	50mm	Φ3mm	6mm	13mm
F T.BW.MTQT01-8	50mm	Φ3mm	6mm	13mm
G T.BW.MTQT01-9	50mm	Φ3mm	6mm	13mm
H T.BW.MTQT01-10	50mm	Φ3mm	6mm	13mm
L T.BW.MTQT01-11	50mm	Φ3mm	6mm	13mm
M T.BW.MTQT01-12	50mm	Φ3mm	6mm	13mm
N T.BW.MTQT01-13	50mm	Φ3mm	6mm	13mm



包装 Package: 10 Pcs/Box

戒指绒棒

Felt ring buff


代码 Model	名称 Description	直径 Diameter	长度 Length
T.BW.L0014	戒指绒棒3寸小 3" felt ring buff-small	Φ18mm	112mm
T.BW.L0015	戒指绒棒3寸中 3" felt ring buff-medium	Φ19mm	112mm
T.BW.L0016	戒指绒棒3寸大 3" felt ring buff-large	Φ20mm	112mm
T.BW.L0017	戒指绒棒4寸 4" felt ring buff	Φ23mm	132mm
T.BW.L0019	戒指绒棒5寸 5" felt ring buff	Φ26mm	152mm



手锤棒/手锤内抛棍

Felt bange buff

代码 Model	Φ1	Φ2	L
T.BW.L0020	Φ50mm	Φ23mm	90mm





包装 Package: 6 Pcs/Box 16 Boxes/Carton

木柄铜丝刷

Rows brass wire brush with handle

代码 Model	铜丝直径 Diameter	铜丝长度 Length	排数 Row Number
T.BW.MS003-3	0.08mm	19mm	3mm
T.BW.MS003-4	0.08mm	19mm	4mm
T.BW.MS003-5	0.08mm	19mm	5mm
T.BW.MS003-6	0.08mm	19mm	6mm
T.BW.MS003-8	0.08mm	19mm	8mm
T.BW.MS003-10	0.08mm	19mm	10mm



包装 Package: 6 Pcs/Box 16 Boxes/Carton


木柄铜丝刷

Rows brass wire brush with handle

代码 Model	铜丝直径 Diameter	铜丝长度 Length	排数 Row Number
T.BW.MS004-3	0.08mm	19mm	3mm
T.BW.MS004-4	0.08mm	19mm	4mm
T.BW.MS004-5	0.08mm	19mm	5mm
T.BW.MS004-6	0.08mm	19mm	6mm
T.BW.MS004-8	0.08mm	19mm	8mm
T.BW.MS004-10	0.08mm	19mm	10mm

油漆刷

Paint brush



代码 Model	尺寸 Size	L	W	H
T.BW.D0030	1*	180mm	25mm	14mm
T.BW.D0031	2*	200mm	50mm	14mm
T.BW.D0036	2.5*	195mm	65mm	14mm
T.BW.D0032	3*	205mm	75mm	14mm
T.BW.D0033	4*	225mm	100mm	14mm
T.BW.D0034	5*	220mm	125mm	19mm
T.BW.D0037	6*	230mm	150mm	19mm



35cm T.HP.00028



45cm T.HP.00029



55cm T.HP.00029

防酸手套 Acid proof glove

采用橡胶制成，对多种化学溶剂有良好的防护作用，耐弱酸碱，防水防油，卷边设计，可防少量水倒流弄湿衣服。

Made of rubber, it has good protection against various chemical solvents, is resistant to weak acid and alkali, waterproof and oil resistant, with a rolled edge design that can prevent a small amount of water from flowing back and wetting clothes.



35cm T.HP.0002S



40cm T.HP.0002M



45cm T.HP.0002L

防护手套 High temp glove

采用优质牛皮制成，磨砂质感防脱落，具有防火耐磨隔热的性能，适合焊接、倒模、切割打磨等。

Made of high-quality cowhide, with a frosted texture and anti shedding properties, it has fire-resistant, wear-resistant, and heat-insulating properties, suitable for welding, molding, cutting, and polishing.



防护服 Protective clothing

采用优质牛皮，具有很好的防护功能，耐磨，耐高温防火花飞溅，经久耐穿，适合电焊工，氩弧焊工穿着。

Made of high-quality cowhide, it has excellent protective function, wear resistance, high temperature resistance, fire splash resistance, and durability, suitable for electric welders and argon arc welders to wear.

T.HP.00004



一次性防护口罩 Disposable protective mask

T.HP.00037



棉手套
Cotton gloves
T.HP.00018



线手套
Line gloves
T.HP.00019



胶手指套
Plastic finger guard
T.HP.00024



黄色胶手指套
Yellow plastic finger guard
T.HP.00022



防滑手指套
non-slip plastic finger guard
T.HP.00036



牛皮手指套
Leather finger guard
T.HP.00020



羊皮手指套
Sheepskin finger guard
T.HP.00021



棉手指套(加厚)
Thicken cotton finger guard
T.HP.00023



线手指套
Knitting finger guard
T.HP.00027



毛巾
Towel
T.CG.00018 300×600mm



厚毛巾
Thick towel
T.CG.00055 300×660mm



加厚毛巾
Thickening towel
T.CG.00185 350×750mm



抛光粉
Polishing powder
T.PW.PGG01 T.PW.PGG36-4
T.PW.PGG36-6 T.PW.PGG42



防锈粉
Rust-root powder
T.PW.PGG14



白矾
Alum
H.PD.00006



硼酸粉
Boric acid powder
H.PD.00041

干打砂机
Dry sand-making machine



M.SP.00012



M.SP.00015



M.SP.00018

型号 Model	M.SP.00012	M.SP.00015	M.SP.00018
电压 Voltage	220V	220V	220V
功率 Power	0.02KW	300W	400W
尺寸 Size	800×550×1150mm	900×600×1700mm	1000×630×580mm
重量 Weight	52KG	100KG	100KG

喷砂机

Sanding blasting machine

可干喷湿喷，金属、亚克力、塑料喷砂处理，达到磨砂、抛光效果。

It could make dry spray and wet spray, metal, acrylic, and plastic sandblasting treatment to achieve frosted and polished results.



M.SP.00001



M.SP.00001-2



M.SP.00006



M.SP.00005

型号 Model	M.SP.00001	M.SP.00001-2	M.SP.00006	M.SP.00005
电压 Voltage	220V	220V	220V	220V
功率 Power	40W	40W	100W	100W
尺寸 Size	420×350×500mm	420×350×500mm	570×420×700mm	570×420×1400mm
重量 Weight	8KG	8KG	18KG	18KG



M.SP.00002



M.SP.00002-A
不带雨刮
Without wiper



M.SP.00002-B
带变频，带温控
With frequency conversion and
temperature controller



M.SP.00004

型号 Model	M.SP.00002	M.SP.00002-A	M.SP.00002-B	M.SP.00004
电压 Voltage	220V	220V	220V	220V
功率 Power	1.1KW	1.1KW	1.1KW	1.1KW
尺寸 Size	500×600×1200mm	500×600×1200mm	500×600×1200mm	700×700×1600mm
重量 Weight	25KG	25KG	25KG	40KG



双笔喷砂机PS-7
Double-pen sanding blasting machine PS-7

型号 Model: M.SP.00009
尺寸 Size: 490×410×360mm
重量 Weight: 10KG



万能粗细喷砂机PS-A
Universal thick and thin sanding blasting machine PS-A

型号 Model: M.SP.00010
尺寸 Size: 540×510×390mm
重量 Weight: 18KG



喷砂机PS-B
Sanding blasting machine PS-B

型号 Model: M.SP.00011
尺寸 Size: 490×400×360mm
重量 Weight: 10KG



金刚砂
Emery

型号 Model	砂度 Sandness	包装 Package
H.PD.00048-1	细 Thin 70/80#	1kg/瓶/Box
H.PD.00048	细 Thin 80/100#	1kg/瓶/Box
H.PD.00043	中 Medium 40/50#	1kg/瓶/Box
H.PD.00044	中 Medium 50/60#	1kg/瓶/Box
H.PD.00051	粗 Thick 30/35#	1kg/瓶/Box
H.PD.00046	粗 Thick 35/40#	1kg/瓶/Box



型号 Model	名称 Designation	目数 Mesh count	包装 Package
H.PD.00061	玻璃砂 Glass sand	30#	50磅/包 50 lbs/Pack
H.PD.00042		60#	
H.PD.00049		80#	
H.PD.00054		100#	
H.PD.00032		120#	
H.PD.00033		150#	
H.PD.00015		180#	
H.PD.00020		220#	
H.PD.00013		280#	
H.PD.00014		320#	
H.PD.00042-B	古法砂 Ancient type sand	60#	5公斤/桶 5kg/Barrel
H.PD.00049-B		80#	
H.PD.00054-B		100#	
H.PD.00032-B		120#	
H.PD.00033-B		150#	
H.PD.00015-C		180#	
H.PD.00020-B		220#	
H.PD.00013-B		280#	
H.PD.00014-B		320#	



喷砂前
Before sandblasting




喷砂后
After sandblasting

戒指内孔刻字机 Inside ring engraver



M.RE.K0001
250×195×420mm 6.5kg



M.RE.K0002
250×200×270mm 5.6kg

用途：可刻英文和字母
Application: chinese and english engraving
雕刻字体：最高2mm，最矮1.5mm
Carving font: Maximum 2mm, Minimum 1.5mm



正面 Front



背面 Back



雕刻机
Graving machine

型号 Model	M.MF.K0001
电压 Votlage	220V 50Hz/110V 60Hz
手动工作速度 Handpiece working speed	400-8000 RPM
压力调节范围 Range of pressure regulation	0-45 PSI
尺寸 Size	270×140×225mm
重量 Weight	7kg



型号 Model	M.MF.K0003
电压 Votlage	220V 50Hz/110V 60Hz
手动工作速度 Handpiece working speed	400-8000 RPM
压力调节范围 Range of pressure regulation	0-60 PSI
尺寸 Size	290×130×210mm
重量 Weight	9kg



型号 Model	M.MF.K0004
电源 Votlage	220V 50Hz/110V 60Hz
手动工作速度 Handpiece working speed	400-8000 RPM
压力调节范围 Range of pressure regulation (脚部控制 Foot control)	0-60 PSI
压力调节范围 Range of pressure regulation (脚部控制 Foot control)	0-60 PSI
尺寸 Size	292×150×206mm
重量 Weight	11kg



型号 Model	M.MF.K0005
电压 Votlage	220V 50Hz/110V 60Hz
功率 Power	100W
手动工作速度 Handpiece working speed	0-5000 rpm
压力调节范围 Range of pressure regulation	0-60 PSI
尺寸 Size	270×140×225mm
重量 Weight	7kg

型号 Model	M.MF.K0006
电压 Votlage	220V 50Hz/110V 60Hz
功率 Power	150W
手动工作速度 Handpiece working speed	400-900 rpm
金刚石砂轮粒度 Diamond wheel grit	240, 600, 1200 Grit
双角度 Angle dual	90°, 105°, 120°, Any Angle Dual 任意双角度
尺寸 Size	290×152×187mm
重量 Weight	12.3kg



高速雕刻机
High-speed graving machine

型号 Model	M.MF.AG001
电压 Votlage	220V 50Hz/110V 60Hz
手动工作速度 Handpiece working speed	0-12000 RPM
压力调节范围 Range of pressure regulation	0-1 MAP
尺寸 Size	190×150×90mm
重量 Weight	2.2kg



型号 Model	M.MF.AT001
电压 Votlage	100-240V
功率 Power	100W
速度 Speed	0-100%
尺寸 Size	220×120×180mm
重量 Weight	4.6kg



型号 Model	M.MF.AT002
电压 Votlage	100-240V
功率 Power	160W
雕刻速度 Graver Speed	0-100%
微电机转速 Micromotor speed	0-35000RPM
尺寸 Size	220×120×180mm
重量 Weight	5kg





型号 Model	M.MF.AT003
电压 Voltage	100-240V
功率 Power	160W
雕刻速度 Graver Speed	0-100%
微电机转速 Micromotor speed	0-35000RPM
尺寸 Size	220×153×180mm
重量 Weight	6kg



型号 Model	M.MF.HR001
电压 Voltage	100-240V
功率 Power	100W
功率 Power	800W
手柄工作速度 Handpiece Working Speed	0-100%
手柄工作功率 Handpiece Working Power	0-100%
微电机转速 Micromotor speed	0-35000RPM
热风枪温度 Hot Gun Temperature	300T
尺寸 Size	210×165×120mm
重量 Weight	5kg



型号 Model	M.MF.HR002
电压 Voltage	100-240V
功率 Power	100W
雕刻速度 Graver Speed	0-100%
尺寸 Size	280×145×190mm
重量 Weight	6.5kg

线眼 Line hole

型号 Model: T.WM.XY001



Φ0.3mm	Φ0.65mm	Φ1.1mm	Φ1.9mm
Φ0.4mm	Φ0.70mm	Φ1.2mm	Φ1.05mm
Φ0.45mm	Φ0.75mm	Φ1.3mm	Φ2.0mm
Φ0.5mm	Φ0.80mm	Φ1.4mm	Φ2.1mm
Φ0.525mm	Φ0.85mm	Φ1.5mm	Φ2.2mm
Φ0.55mm	Φ0.9mm	Φ1.6mm	Φ0.225mm
Φ0.575mm	Φ0.95mm	Φ1.7mm	Φ0.275mm
Φ0.6mm	Φ1.0mm	Φ1.8mm	Φ3.0mm

手摇压片机 (压片压线) Manual rolling mill (sheet and wire)

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 110mm
 滚轴直径 Roller Diameter: 55mm
 最大开度 Maximum opening: 4mm
 平面面积 Flat area: 53mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0
 环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
 外形尺寸 Outline size: 230×135×280mm
 包装尺寸 Package size: 330×330×230mm
 机器毛重 G.W.: 18.5kg



M.R.O.00003



M.R.O.00003-A

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 130mm
 滚轴直径 Roller Diameter: 65mm
 最大开度 Maximum opening: 4.5mm
 平面面积 Flat area: 55mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0 6.5
 环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
 外形尺寸 Outline size: 300×125×295mm
 包装尺寸 Package size: 340×335×200mm
 机器毛重 G.W.: 23kg



M.R.O.00005



M.R.O.00005-A



M.R.O.00006-D



M.R.O.00008

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 130mm
 滚轴直径 Roller Diameter: 65mm
 最大开度 Maximum opening: 4.5mm
 平面面积 Flat area: 63mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0 6.5
 环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
 外形尺寸 Outline size: 300×135×295mm
 包装尺寸 Package size: 340×335×200mm
 机器毛重 G.W.: 24.2kg

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 130mm
 滚轴直径 Roller Diameter: 65mm
 最大开度 Maximum opening: 5mm
 平面面积 Flat area: 63mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0 6.5
 环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
 外形尺寸 Outline size: 280×200×325mm
 包装尺寸 Package size: 370×340×240mm
 机器毛重 G.W.: 26.2kg



M.R.O.00009

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 110mm
 滚轴直径 Roller Diameter: 55mm
 最大开度 Maximum opening: 5mm
 平面面积 Flat area: 53mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0
 环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
 外形尺寸 Outline size: 260×190×310mm
 包装尺寸 Package size: 350×330×230mm
 机器毛重 G.W.: 24.5kg





M.R.O.00010

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 90mm
 滚轴直径 Roller Diameter: 45mm
 最大开度 Maximum opening: 4mm
 平面面积 Flat area: 40mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 5.0
 环柄-半圆 Ring shank-half round ellipsis: 2.5×1, 3×1.25, 4×1.5mm
 外形尺寸 Outline size: 215×130×265mm
 包装尺寸 Package size: 330×330×200mm
 机器毛重 G.W.: 16kg



M.R.O.00007

齿轮比例 Gear ratio: 5.3:1
 滚轴宽度 Roller width: 100mm
 滚轴直径 Roller Diameter: 50mm
 最大开度 Maximum opening: 10mm
 平面面积 Flat area: 65mm
 方线 Square wire(+/-0.01mm): 1.0,, 5.0
 环柄-半圆 Ring shank-half round ellipsis: 5.3×1.2.....2.0×0.8mm
 外形尺寸 Outline size: 250×135×280mm
 包装尺寸 Package size: 360×340×200mm
 机器毛重 G.W.: 23.6kg

手摇压片机 (镜面压片) Manual rolling mill (mirror surface)



M.R.O.00004



M.R.O.00004-A

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 110mm
 滚轴直径 Roller Diameter: 55mm
 最大开度 Maximum opening: 4mm
 平面面积 Flat area: 110mm
 外形尺寸 Outline size: 230×135×280mm
 包装尺寸 Package size: 330×330×200mm
 机器毛重 G.W.: 18.5kg



M.R.O.00006



M.R.O.00006-A

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 130mm
 滚轴直径 Roller Diameter: 65mm
 最大开度 Maximum opening: 4.5mm
 平面面积 Flat area: 130mm
 外形尺寸 Outline size: 300×125×295mm
 包装尺寸 Package size: 340×335×200mm
 机器毛重 G.W.: 23kg

手摇压线机 (圆线) Manual rolling mill (Round wire)

齿轮比例 Gear ratio: 4:1
滚轴宽度 Roller width: 130mm
滚轴直径 Roller Diameter: 65mm
最大开度 Maximum opening: 5mm
圆线 Round wire(+/-0.01mm):
1.0, 1.2, 1.4, 1.8, 2.0, 2.2, 2.4, 2.6, 2.8, 3.0, 3.5, 4.0, 4.5, 5.0, 6.0, 7.0, 8.0, 9.0
外形尺寸 Outline size: 300×135×295mm
包装尺寸 Package size: 340×335×200mm
机器毛重 G.W.: 23kg



M.RO.00006-E

手摇压线机 (方线) Manual rolling mill (Square wire)

齿轮比例 Gear ratio: 4:1
滚轴宽度 Roller width: 130mm
滚轴直径 Roller Diameter: 65mm
最大开度 Maximum opening: 5mm
方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5.....8.0
外形尺寸 Outline size: 300×135×295mm
包装尺寸 Package size: 340×335×200mm
机器毛重 G.W.: 23kg



M.RO.00006-B

M.RO.00006-C

单头电动压片机 Single head electric rolling mill

型号 Model: M.RO.00015
电源 Power: 2HP
电压 Voltage: 110V / 220V
滚轮宽度 Roller width: 130mm
滚轮直径 Roller Diameter: 65mm
最大开口 Maximum Opening: 5mm
平面面积 Flat Area: 63mm
方线 (+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5
环柄-半圆 Ring shank-half round ellipsis: 2.5×1mm, 3×1.25mm, 4×1.5mm
尺寸 Dimension: 450×250×510mm
包装尺寸 Shipping Dimension: 600×410×660mm
包装重量 Shipping Weight: 72.5kg



双头电动压片机 Single head electric rolling mill

型号 Model: M.RO.00016
电源 Power: 2HP
电压 Voltage: 110V / 220V
滚轮宽度 Roller width: 130mm
滚轮直径 Roller Diameter: 65mm
最大开口 Maximum Opening: 5mm
平面面积 Flat Area: 130mm
方线 (+/-0.01mm): 1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.25, 3.5, 3.75,
4.0, 4.25, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0
尺寸 Dimension: 660×260×510mm
包装尺寸 Shipping Dimension: 810×460×670mm
包装重量 Shipping Weight: 108kg



拉线板
Drawingplates

NO.1-9 优质钨钢 Good-quality tungsten steel | NO.10-28 普通材质 Normal materials

编号 NO.	名称 Description	代码 Model	线孔直径 (mm) Round hole diameter	备注 Remark
1	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0023	● 0.26-2.2	3排/Rows 36孔/Holes
2	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0024	● 2.3-6.0	2排/Rows 24孔/Holes
3	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0028	● 6.1-8.0	2排/Rows 20孔/Holes
4	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0042	● 8.1-10.0	2排/Rows 20孔/Holes
5	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0027	● 3.1-7.1	2排/Rows 20孔/Holes
6	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0025	● 6.25-10	2排/Rows 16孔/Holes
7	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0036	● 10.15-13	2排/Rows 20孔/Holes
8	圆形拉线板 (鹰牌) Round drawplates	T.WM.A0039	● 12-14.00	2排/Rows 16孔/Holes
9	圆形拉线板 Round drawplates	T.WM.A0032	● 0.26-2.8	3排/Rows 42孔/Holes
10	长方形拉线板 Square drawplates	T.WM.A0021-2	■ 0.55-3.0	3排/Rows 30孔/Holes
11	长方形拉线板 Square drawplates	T.WM.A0021	■ 3.1-5.0	2排/Rows 20孔/Holes
12	四方形拉线板 Quadrilateral drawplates	T.WM.A0012	■ 0.55-3.0	3排/Rows 30孔/Holes
13	四方形拉线板 Quadrilateral drawplates	T.WM.A0016	■ 3.1-5.0	2排/Rows 20孔/Holes
14	四方形拉线板 Quadrilateral drawplates	T.WM.A0018	■ 5.1-7.0	2排/Rows 20孔/Holes
15	六角形拉线板 Hexagon drawplates	T.WM.A6001	⬡ 0.55-3.0	3排/Rows 30孔/Holes
16	六角形拉线板 Hexagon drawplates	T.WM.A6002	⬡ 3.1-5.0	2排/Rows 20孔/Holes
17	六角形拉线板 Hexagon drawplates	T.WM.A6003	⬡ 5.1-7.0	2排/Rows 20孔/Holes
18	六角形拉线板 Hexagon drawplates	T.WM.A6004	⬡ 7.1-9.0	2排/Rows 20孔/Holes
19	半圆拉线板 Semicircular drawplates	T.WM.B6001	◐ 0.55-3.0	3排/Rows 30孔/Holes
20	半圆拉线板 Semicircular drawplates	T.WM.B6002	◐ 3.1-5.0	2排/Rows 20孔/Holes
21	半圆拉线板 Semicircular drawplates	T.WM.B6003	◐ 5.1-7.0	2排/Rows 20孔/Holes
22	半圆拉线板 Semicircular drawplates	T.WM.B6004	◐ 7.1-9.0	2排/Rows 20孔/Holes
23	马眼拉线板 Marquise drawplates	T.WM.B6005	◌ 3.1-5.0	2排/Rows 20孔/Holes
24	蛋形拉线板 Oval drawplates	T.WM.B6006	◌ 3.1-5.0	2排/Rows 20孔/Holes
25	月亮形 (空心半圆) Moon drawplates	T.WM.B6007	● 1.1-3.0	2排/Rows 20孔/Holes
26	月亮形 (空心半圆) Moon drawplates	T.WM.B6008	● 3.1-5.0	2排/Rows 20孔/Holes
27	三角形拉线板 Triangular drawplates	T.WM.A0034	▲ 0.55-3.0	2排/Rows 20孔/Holes
28	三角形拉线板 Triangular drawplates	T.WM.A0035	▲ 3.1-5.0	2排/Rows 20孔/Holes



T.WM.A0025



T.WM.A6004



T.WM.B6006



T.WM.A0021



T.WM.B6003



T.WM.B6008



T.WM.A0018



T.WM.B6005



T.WM.A0035

钻石腰码仪-3代 Diamond girdle viewer III

型号 Model: TJD.00001

包装尺寸 Product size: 480×435×375mm

第三代钻石GIA腰码显微镜提供一种创新的解决方案来快速高效的查看裸钻和成品钻石饰品的编号, 包括证书号码、品牌标识等。

The digital girdle viewer is an innovative solution to display the wide variety of information on a digital screen from a diamond's girdle, including certificate numbers, brand logos, security marks, etc.

- 全金属机身设计
- 独特的内置锂电池: 可连续工作6小时
- 高精度摄像头: 放大倍率 30X到110X
- 超高清显示器: 4.3寸LCD显示器
- 配套裸钻和成品平台, 适用于不同的工作场景
- 全球化电压设计: 100-240V
- 观察石头大小: 0.20克拉-12克拉

- Full metal body
- Built-in lithium battery: can work continuously for 6 hours
- High precision camera: Magnification 30X to 110X
- HD display: 4.3 inch LCD Screen
- Special holders for both rings and loose diamond
- Voltage: 100-240V
- Reading Range: 0.20ct-12ct



宝石偏光镜-白黄双色温 Gemstone polariscope-dual light

TJD.00002

电压 Voltage: 110V-220V

第三代钻石GIA腰码显微镜提供一种创新的解决方案来快速高效的查看裸钻和成品钻石饰品的编号, 包括证书号码、品牌标识等。

The Digital Girdle Viewer is an innovative solution to display the wide variety of information on a digital screen from a diamond's girdle, including certificate numbers, brand Logos, security marks, etc.

双光源切换

黄光具有良好的穿透力, 可以揭示玉石内部的裂纹和杂质, 而白光则具有出色的色彩还原能力, 能展现宝石的真实颜色。

Dual Light Source Switching

Yellow light penetrates well, revealing internal cracks and impurities in jade, while white light offers excellent color rendering, showcasing the gemstone's true color.

一般信息

宝石偏光镜是一种常用的宝石测试工具。它通过检测光的旋转和双折射, 帮助确定宝石的特性和真实性。它用于区分均匀和非均匀宝石, 识别晶体(微晶或隐晶)聚集体, 并评估异常双折射。此外, 它还可以确定宝石的轴向并检查其多色性。借助干涉镜, 可以观察干涉图案以进行进一步分析。

General Information

A gemstone polariscope is a common tool for testing gemstones. It detects light rotation and birefringence, helping determine a gemstone's properties and authenticity. It's used to distinguish between homogeneous and non-homogeneous gemstones, identify crystalline aggregates, and assess abnormal birefringence. Additionally, it can determine the axiality of gemstones and check for pleochroism. With a conoscope, the interference pattern can be observed for further analysis.



多功能钻石观测仪 -2 代 Muti Diamond Viewer II

TJD.00001



多功能钻石观测仪是一款专为同时观察钻石腰部编码钻石火彩而设计的设备。该设备配备高清摄像头和10.1英寸显示屏，提供清晰的视觉效果，突出钻石的精细细节。

多功能钻石观测仪的突出特点之一是其可调节的光源系统。这允许用户能快速而真实的还原钻石的火彩，包括钻石心与箭的图案。该设备展示钻石自然特性的能力使其成为专业人士的必备工具。

除了强大的性能外，多功能钻石观测仪还注重便携性。它配备内置锂电池，确保设备易于运输并在各种环境中使用，无论是零售环境、贸易展还是营销活动。这种多功能性使其成为钻石零售商和营销人员的理想选择，他们需要可靠且移动的解决方案来展示钻石。

通过提供钻石特性的深入和即时的视觉表示，增强了客户体验，使他们能够快速直观地欣赏钻石的各种特征。

Multi diamond viewer ii is specifically designed to allow the simultaneous viewing of a diamond's laser inscription on its girdle and its brilliance. The device is equipped with a high-definition camera and a 10.1-inch display, delivering crystal-clear visuals that highlight the intricate details of the diamond.

One of the standout features of multi diamond viewer ii is its adjustable lighting system. This allows users to manipulate the light settings to observe the diamond under various conditions, revealing its true brilliance, including the diamond heart & arrow pattern. The device's ability to showcase the diamond's natural qualities makes it an indispensable tool for professionals who need to present diamonds in the best possible light.

In addition to its powerful performance, multi diamond viewer ii is designed with portability in mind. It comes with a built-in lithium battery, ensuring that the device can be easily transported and used in various settings, whether in a retail environment, at trade shows, or during marketing events. This versatility makes it ideal for diamond retailers and marketers who require a reliable and mobile solution for displaying diamonds.

By providing an in-depth and immediate visual representation of a diamond's features, multi diamond viewer ii enhances the customer experience, allowing them to appreciate the full range of a diamond's characteristics quickly and intuitively.

紫外荧光灯箱 Gemstone UV light box set



抽屉式款
Drawer-style storage
型号 Model: TJD.00004-1



开放式款
Drawerless open storage compartment
型号 Model: TJD.00004-2



便携式款
Portable version
型号 Model: TJD.00004-3

紫外荧光灯在珠宝检测中，是一种重要的辅助性仪器。使用长波和短波两种紫外灯管，利用特制的滤光片过滤后获得以365nm 为主波长的长波 (LW) 紫外光和以 253.7nm 为主波长的短波 (SW) 紫外光，并将这两种不同的紫外光分别照射于宝石上，使之产生不同程度的荧光反应，以此来鉴定宝石。

Ultraviolet (UV) fluorescent lamps are essential auxiliary tools in gem identification. By using both long-wave and short-wave UV tubes and specialized filters, we can obtain long-wave (LW) UV light with a dominant wavelength of 365nm and short-wave (SW) UV light with a dominant wavelength of 253.7nm. When these two different types of UV light are directed at gemstones, they induce varying degrees of fluorescence, which can be used to identify the gems.

钻石火彩仪**New rotation diamond brilliance viewer**

型号 Model: TJD.00005-1

电压 Voltage: 100-220V

- 一个方便使用的设备来 - 查看钻石的火彩。
- 聚光效果好，观测效果好。
- 可旋转的托盘可以容纳戒指和钻石。
- One easy-to-use equipment to view diamond brilliance.
- Fine light gathering and excellent observation effect.
- Rotatable pallet can hold both ring and diamond stone.

**钻石火彩仪 2 代****Diamond Brilliance Viewer II**

该设备旨在提升钻石火彩的显示，确保为您的客户带来难忘的体验。它具有人性化的控制功能，包括转盘速度和灯光调节、安全锁定机制，以及高清LCD屏幕，所有这些融入在金属一体化设计中。支持100-240V的电压范围，适用于各种场合。

A revolutionary tool for showcasing the stunning beauty of diamonds. This device is designed to enhance the brilliance of your diamonds, ensuring an unforgettable experience for your customers. It features user-friendly controls for turntable speed and lighting, a secure locking mechanism, and a high-definition LCD screen—all housed in a durable integrated metal body. Compatible with a voltage range of 100-240V, it's perfect for any setting.

型号 Model: TJD.00005-2

屏幕尺寸 Screen size: 7.9"

电压 Voltage: 110V-220V

包装尺寸 Package size: 430×280×230mm

产品重量 Product weight: 7kg

**天然钻石群测仪****Natural diamond scanner**

型号 Model: TJD.00006

天然钻石群测仪是一款先进的设备，旨在准确识别和区分天然钻石与实验室培育钻石。它利用尖端技术分析钻石的各种特征，实时提供数据，帮助用户做出明智的决策。该设备体积小且易于操作，非常适合珠宝商、宝石学家和爱好者，确保在任何环境下都能验证钻石的真实性。凭借其精确的测量和快速的结果，天然钻石群测仪是提升钻石评估信心的最佳工具。

The natural diamond scanner is an advanced device designed for accurately identifying and distinguishing natural diamonds from lab-grown counterparts. Utilizing cutting-edge technology, it analyzes various characteristics of the diamond, providing users with real-time data to make informed decisions. Compact and user-friendly, this scanner is ideal for jewelers, gemologists, and enthusiasts alike, ensuring the authenticity of diamonds in any setting. With its precise measurements and quick results, the natural diamond scanner represents the ultimate tool for enhancing confidence in diamond evaluations.



拉曼光谱仪 Smartphone Raman Spectrometer

全球首款基于智能手机的珠宝拉曼设备现已面向全球宝石爱好者推出。

The world's first smartphone-based Jewelry Raman device is now available for gemstone enthusiasts worldwide.



型号 Model: TJD.00007

1. 该设备采用成熟的拉曼技术，在宝石检测领域树立了全新的精度和可靠性标准，超越了紫外荧光机、钻石测试笔以及其他所有传统的手动检测工具。
 2. 灵活的光纤探头可用于检测裸石和镶嵌石，此外，它还能对小至 0.01 克拉的宝石进行选择检测，测量过程只需几秒钟即可完成。
 3. 与智能手机平台的集成提供了用户友好的图形界面，使得捕捉照片和光谱变得极为简单快速。报告的保存与分享只需三次快速点击即可完成。
1. Utilizing the proven Raman ID technique, it sets a new standard for precision and reliability in gemstone inspections, surpassing UV fluorescence machines, diamond test pens, and all other conventional manual inspection tools.
2. The flexible fiber probe allows testing of both loose and mounted stones. Additionally, it can pinpoint stones down to 0.01 carats for selective measurements in a matter of seconds.
3. The integration with the smartphone platform provides a user-friendly graphic interface, making it incredibly easy and fast to capture photos and spectra. Report saving and sharing can be accomplished with just three swift clicks.



专业级宝石显微镜 Motic-171 含智能系统屏 PROFESSIONAL GEM MICROSCOPE+MOTIC SMZ-171 WITH SCREEN

型号 Model: TJD.00008

放大倍率: 7.5-50X (连续变焦)
目镜: WF10X
20W 暗视域
W 前侧灯照明, LED 点光源
显微镜镜头: Motic
暗视域光圈: 2 毫米 -41 毫米
工作距离: 110mm
弯臂: 38°倾斜
底座: 0°-325°可旋转
电压: 100V-240V
包装尺寸: 680×360×400mm
重量: 12kg

Magnification: 7.5-50X
Eyepiece: WF10X
Bright field, dark field (Halogen 20W)
7W front illuminator
LED point source
Iris diaphragm: 2mm-41mm
Working distance: 110mm
Inclinable up to 38 degrees for better comfort and view
Base: 0°-325°rotatable
Voltage: 100-240V
Product size: 680×360×400mm
Weight: 12kg



宝石测试仪-2代 Gem Tester II

型号 Model: TJD.00008-1
包装尺寸 Product size: 195×110×95mm
重量 Weight: 0.7kg

业内最薄的探头 (0.6mm)，用于测试小至0.02克拉的宝石
可以区分16种宝石
内置校准模组，可快速校准仪器

Industry's thinnest probe tip (0.6mm) for testing gemstones as small as 0.02 carats
Can differentiate between 16 types of gemstone
Built-in Glass and Calibration (CAL) test discs for reference

宝石双重测试仪 Duo tester

型号 Model: TJD.00008-2
包装尺寸 Product size: 195×110×95mm
重量 Weight: 0.7kg

提供双重测试方法：热导性和反射率来鉴定有色宝石以及钻石。测试笔利用宝石传热速度的不同，来识别彩色宝石和钻石。中间测试平台利用反射率测试彩色宝石和钻石。

The only gemological instrument in the industry that tests gemstones based on both thermal and reflectivity properties. Provides the user with two proven tests for diamonds and differentiate similar colored gemstones.



数字折射仪 Refractive Index Meter

型号 Model: TJD.00009
包装尺寸 Product size: 135×78×45mm
重量 Weight: 0.25kg

数字折射仪可测试钻石、莫桑石、彩色宝石

- 折射率1.000RI-3.000RI
- 快速可靠的测试结果
- 显示屏直接显示测试结果
- 9V电池和一个USB接口

Reflectance tester for diamonds, moissanites and gemstones.
• Identifies diamonds, moissanites and gemstones via its
• Refractive Index (RI), 1.000 to 3.000, on flat and polished surfaces
• Reliable results
• Clear and visible display
• 9V battery and USB port




钻石测试笔 Diamond mate

型号 Model: TJD.00010
包装尺寸 Product size: 200×80×60mm
重量 Weight: 0.15kg

通过导热性来测试钻石或锆石。

The tester utilizes thermal conductivity testing method to verify the authenticity of diamonds, and distinguish from dozens of diamond simulants.




莫桑石测试笔 II Moissanite Tester II

型号 Model: TJD.00011
包装尺寸 Product size: 200×80×60mm
重量 Weight: 0.15kg

通过聚合物电导率来测试钻石或者莫桑石。

The tester uses the technology of capacitive measurement of electrical displacement to identify synthetic moissanite stones.



多用测试笔 3代 Multi Tester III

型号 Model: TJD.00012
包装尺寸 Product size: 200×80×60mm
重量 Weight: 0.25kg

最畅销的钻石&莫桑石测试笔，探针尖端可伸缩，确保在测试期间对宝石的压力一致，从而获得最可靠的测试结果，可测小至0.02克拉的无色钻石。

The best-selling pocket-sized instrument that instantly identifies diamonds and moissanites based on their thermal and electrical properties. PMuT III has a retractable probe tip that ensures consistent pressure against the gemstone during testing for more reliable results. tests colorless diamonds as small as 0.02ct.





合成钻石鉴别仪-II代 Synthetic diamond screener II

型号 Model: TJD.00013-1
包装尺寸 Product size: 195×110×95mm
重量 Weight: 0.8kg

- 增强了额外的功能，可测试小至0.02克拉到10克拉测试结果瞬间完成，通过测量紫外线吸收。
- 快速测试采用高温高压处理的HPHT或化学气相沉积法合成钻石（CVD）。支持裸石以及成品钻石饰品的测试。
- 可筛选钻石颜色范围：D到J
- Enhanced with additional features, the synthetic Diamond Screener II now tests for diamond melee as small as 0.02 carats with instantaneous results, through the measurement of UV absorption.
- The Synthetic Diamond Screener II is developed by Presidium to help screen out Type IIa colorless diamond, which is likely to be synthetic and created through chemical vapor deposition (CVD) or high pressure high temperature (HPHT) synthesis from the natural Type I a colorless diamond.
- For diamond color: D to J



新款合成钻石测试笔 OTI BY PRESIDIUM

型号 Model: TJD.00013-2



合成钻石测试笔 ARI BY PRESIDIUM

型号 Model: TJD.00013-3



钻石工具套装 Diamond Tools Set

型号 Model: TJD.00020
包装尺寸 Product size: 320×250×70mm
重量 Weight: 2kg

- | | |
|------------|----------------------------|
| 1. 比色石 | 1. Master Color Set |
| 2. 比重石 | 2. Master Size Set |
| 3. 钻石净度表 | 3. Diamond Clarity Display |
| 4. 钻石切工板表 | 4. Diamond Cut Display |
| 5. 戒指圈 | 5. Ring Sizer |
| 6. 戒指棒 | 6. Ring Stick |
| 7. 镊子 | 7. Tweezer |
| 8. 10 倍放大镜 | 8. Triplet 10X Loupe |
| 9. 切工镜 | 9. Heart and Arrow Scope |
| 10. 腰圈镜 | 10. Inscription Loupe |
| 11. 长宝石爪 | 11. Stone Holder |
| 12. 戒托 | 12. Ring Holder |
| 13. 荧光笔 | 13. UV Troch |
| 14. 测钻笔 | 14. Diamond Tester |



钻石工具套装 Diamond Tools Set

型号 Model: TJD.00021

包装尺寸 Product size: 330×260×50mm

重量 Weight: 1.2kg

- | | |
|-----------|--------------------------|
| 1. 测钻笔 | 1. Diamond Tester |
| 2. 腰围镜 | 2. Inscription Loupe |
| 3. 切工镜 | 3. Heart and Arrow Scope |
| 4. 钻石卡尺 | 4. Digital Gauge |
| 5. 放大镜 | 5. Loupe |
| 6. 宝石爪 | 6. Stone Holder |
| 7. 手电 | 7. Torch |
| 8. 戒爪 | 8. Ring Holder |
| 9. 镊子 | 9. Tweezer |
| 10. 钻石火彩笔 | 10. Inscription Loupe |
| 11. 手寸棒 | 11. Ring Stick |
| 12. 手寸圈 | 12. Ring Sizer |



钻石工具套装 Diamond Tools Set

型号 Model: TJD.00022

包装尺寸 Product size: 250×220×150mm

重量 Weight: 2kg

- | | |
|-----------|--------------------------------|
| 1. 测钻笔 | 1. Diamond Tester |
| 2. 腰围镜 | 2. Inscription Loupe |
| 3. 豪华型切工镜 | 3. Delux Heart and Arrow Scope |
| 4. 放大镜 | 4. Loupe |
| 5. 手电 | 5. Torch |
| 6. 镊子 | 6. Tweezer |
| 7. 手寸棒 | 7. Ring Stick |
| 8. 手寸圈 | 8. Ring Sizer |



钻石仪器套装箱 Diamond Tools with Aluminum Box

型号 Model: TJD.00023

包装尺寸 Product size: 220×190×70mm

重量 Weight: 1kg

- | | |
|-----------|------------------------|
| 1. 切工镜 | 1. Heart & Arrow Loupe |
| 2. 放大镜 | 2. Loupe |
| 3. 钻石铲 | 3. Scoop |
| 4. 腰围镜 | 4. Inscription Loupe |
| 5. 戒指形宝石爪 | 5. Ring Stone Holder |
| 6. 数量卡尺 | 6. Digital Gem Gauge |
| 7. 镊子 | 7. Tweezer |
| 8. 双光手电 | 8. Double Light Torch |



宝石鉴定仪器套装箱 Gemological Kit with Aluminum Box

型号 Model: TJD.00024

包装尺寸 Product size: 220×190×70mm

重量 Weight: 1kg

- | | |
|-----------|----------------------|
| 1. 手电 | 1. LED Torch |
| 2. 分光镜 | 2. Spectroscope |
| 3. 二色镜 | 3. Dichroscope |
| 4. 便携秤 | 4. Pocket Scale |
| 5. 放大镜 | 5. Loupe |
| 6. 镊子 | 6. Tweezer |
| 7. 宝石数显卡尺 | 7. Digital Gem Gauge |
| 8. 滤色镜 | 8. Filter |



宝石鉴定仪器套装箱-专业型 Economical Gem Identification Travel Lab

型号 Model: TJD.00025

包装尺寸 Product size: 360×270×120mm

重量 Weight: 3.5kg

- | | |
|--------------|--------------------------|
| 1. 宝石折射仪 | 1. Gem Refractometer |
| 2. 偏光镜 | 2. Portable Polariscope |
| 3. 镊子 | 3. Diamond Tweezer |
| 4. 手电 | 4. LED Torch |
| 5. 二色镜 | 5. Dichroscope |
| 6. 分光镜 | 6. Spectroscope |
| 7. 玉石滤色镜 | 7. Jadeite Filter |
| 8. 硬度笔 (5-9) | 8. Mohs's Hardness (5-9) |
| 9. 放大镜 | 9. Triplet Loupe |

数码旋转摄影箱 360 PHOTOGRAPHY BOX



T.BS.00006



T.BS.00007



T.BS.00008

型号 Model	外观尺寸 Product size	拍摄尺寸 Shooting rang	正离开口 Front windows	包装尺寸 Package size	重量 Weight
T.BS.00006	300×240×230mm	238×200×182mm	110×155mm	445×390×385mm	7kg
T.BS.00007	350×300×280mm	288×260×220mm	130×175mm	480×435×425mm	9kg
T.BS.00008	400×360×330mm	332×315×270mm	180×195mm	525×485×470mm	12kg

数码摄影箱
Photography Box



T.BS.00001



T.BS.00002



T.BS.00003



T.BS.00004



T.BS.00005

型号 Model	外观尺寸 Product size	拍摄尺寸 Shooting range	正面开口 Front windows	包装尺寸 Package size	重量 Weight
T.BS.00001	260×200×200mm	196×155×145mm	100×120mm	405×345×355mm	5.5kg
T.BS.00002	300×240×230mm	238×200×182mm	110×155mm	445×390×385mm	7kg
T.BS.00003	350×300×280mm	288×260×220mm	130×175mm	480×435×425mm	9kg
T.BS.00004	400×360×330mm	332×315×270mm	180×195mm	525×485×470mm	12kg
T.BS.00005	600×500×500mm	528×430×425mm	310×550mm	760×700×660mm	39kg





木柄港度戒指尺
HK size ring stick with wood handle
T.RC.RR001



木柄美度戒指尺
US size ring stick with wood handle
T.RC.RR003



TSK木柄港度戒指尺
TSK HK size ring stick with wood handle
T.RC.RR046



不锈钢美度戒指尺
US size stainless steel ring stick
T.RC.RR004



不锈钢港度戒指尺
HK size stainless steel ring stick
T.RC.RR006



全铝四用戒指尺
Aluminium universal ring measure stick
T.RC.RR005



不锈钢港度尺
HK size stainless steel ring stick
T.RC.RR006-1 1#-34#



不锈钢港度尺
HK size stainless steel ring stick
T.RC.RR006-2 1#-34#



不锈钢港度尺
HK size stainless steel ring stick
T.RC.RR006-3 2#-33#



不锈钢美度尺
HK size ring stick with wood handle
T.RC.RR004-2 1#-15#



戒指钢尺
Stainless steel ring stick
T.RC.RR070



戒指钢尺
Stainless steel ring stick
T.RC.RR070-1



戒指铁 (大)
lorn ring stick (big)
T.RC.RR017 $\Phi 25 \times \Phi 12 \times 270\text{mm}$



5分戒指铁
5" lorn ring stick
T.RC.RR028



4分戒指铁
4" lorn ring stick
T.RC.RR050



特大戒指铁
lorn ring stick
T.RC.RR028-2 $\Phi 37 \times \Phi 19 \times 305\text{mm}$



带柄戒指铁
Iorn ring stick

T.RC.RR028-3 $\Phi 24 \times \Phi 12 \times 340\text{mm}$



长方形整形铁
Rectangular shaped iron

T.RC.RR028-4 $12 \times 7\text{mm}$, $23 \times 18\text{mm}$, $L180\text{mm}$



四方形整形铁
Square shaped shaping iron

T.RC.RR028-5 $7 \times 7\text{mm}$, $18 \times 18\text{mm}$, $L180\text{mm}$



细鹅巨铁
Square shaped shaping iron

T.RC.RR028-6 $4 \times 10\text{mm}$, $19 \times 20\text{mm}$, $L180\text{mm}$



美国蜡戒指尺
Matt wax ring stick

T.RC.RR009



欧度绿色四面戒指尺
Euro size ring stick

T.RC.RR010



白塑料港度尺
HK white plastic ring stick

T.RC.RR070



日度网纹柄戒指铁
Japan ring stick

T.RC.RR078-A



铝日度尺
Japan aluminum ring stick

T.RC.RR072



美度网纹柄戒指铁
US ring stick

T.RC.RR078-B



港度网纹柄戒指铁
HK ring stick

T.RC.RR078-C



不锈钢戒指铁
Stainless steel ring of iron

T.RC.RR100 $\Phi 19.5 \times \Phi 37 \times 305\text{mm}$



特大戒指铁
Extra large ring of iron

T.RC.RR101 $\Phi 10.5 \times \Phi 24 \times 280\text{mm}$






特硬戒指铁
Extra hard ring of iron
T.RC.RR102 $\Phi 11 \times \Phi 24.5 \times 270\text{mm}$



4分5分耳环铁
Ring of iron
T.RC.RR103 $\Phi 10.5 \times \Phi 24 \times 265\text{mm}$



普通戒指铁
Extra hard ring of iron
T.RC.RR104 $\Phi 6.5 \times \Phi 16 \times 185\text{mm}$



港度尺圈套装
HK ring sizes
T.RC.RR075-A



港度尺圈
HK ring sizes
T.RC.RR076



港度尺圈
HK ring sizes
T.RC.RR077



戒指圈
Ring sizes

代码 Model	规格 specifications	材质 Material quality
T.RC.RR014-2	US 美度圈 0#-13#	锌合金 Kirsite
T.RC.RR013	HK 港度圈 1#-33#	不锈钢 Stainless steel
T.RC.RR013-2	HK 港度圈扁圈 1#-33#	不锈钢 Stainless steel
T.RC.RR015	JP 日度圈 1#-28#	不锈钢 Stainless steel
T.RC.RR201	KR 韩度圈 1#-30#	-
T.RC.RR202	四用圈 1#-33#	-
T.RC.RR014	US 美度圈 0#-15#	-
T.RC.RR051	US 欧度圈 41#-76#	-
T.RC.RR203	UK 英度圈 A-Z	-
T.RC.RR204	RU 俄罗斯度 13#-25#	不锈钢 Stainless steel
T.RC.RR205	VN 越度 1#-33#	不锈钢 Stainless steel
T.RC.RR206	TW 台度 3#-24#	不锈钢 Stainless steel




彩色塑料港度圈
HK colored plastic ring

代码 Model	颜色 Colour
T.RC.RR016-1	粉色 Pink
T.RC.RR016-2	黄色 Yellow
T.RC.RR016-3	绿色 Green
T.RC.RR016-4	黑色 Black
T.RC.RR016-5	红色 Red
T.RC.RR016-6	蓝色 Blue
T.RC.RR016-7	玫红色 Rose red
T.RC.RR016-8	紫色 Purple

大阳卡尺
Calipers

代码 Model	显示 Display	读数 Readability	精度 Accuracy
A T.RC.DY001	带表	0-100mm	0.01mm
B T.RC.DY002	带表	0-150mm	0.01mm
C T.RC.DY006	带表	0-200mm	0.01mm
D T.RC.DY004	带表	0-500mm	0.01mm
E T.RC.DY005	数显	0-150mm	0.01mm
F T.RC.DY003	数显	0-100mm	0.01mm



A ~ D



E ~ F

广陆卡尺
Calipers

代码 Model	显示 Display	读数 Readability	精度 Accuracy
A T.RC.GL001	带表	0-150mm	0.01mm
B T.RC.GL005	带表	0-200mm	0.01mm
C T.RC.GL006	带表	0-300mm	0.01mm
D T.RC.GL003	数显	0-100mm	0.01mm
E T.RC.GL002	数显	0-150mm	0.01mm
F T.RC.GL004	数显	0-200mm	0.01mm




A ~ D




E ~ F

深圳电子卡尺
Calipers

代码 Model	显示 Display	读数 Readability	精度 Accuracy
A T.RC.SZ001	数显	0-100mm	0.03mm
B T.RC.SZ004	数显	0-150mm	0.03mm
C T.RC.SZ003	数显	0-200mm	0.03mm
D T.RC.SZ005	数显	0-300mm	0.04mm
E T.RC.SZ006	数显	0-100mm	0.03mm
F T.RC.SZ007	数显	0-150mm	0.03mm
G T.RC.SZ008	数显	0-200mm	0.03mm
H T.RC.SZ009	数显	0-300mm	0.04mm
I T.RC.SZ010	全屏	0-150mm	0.03mm
J T.RC.SZ011	全屏	0-200mm	0.03mm
K T.RC.SZ012	全屏	0-300mm	0.04mm



A ~ D



E ~ H



I ~ K

上工卡尺
Calipers

代码 Model	显示 Display	读数 Readability	精度 Accuracy
T.RC.SG003	带表	0-150mm	0.01mm
T.RC.SG004	带表	0-200mm	0.01mm
T.RC.SG005	带表	0-300mm	0.01mm

日本三丰卡尺
Calipers

代码 Model	显示 Display	读数 Readability	精度 Accuracy
T.RC.SF001	带表	0-150mm	0.01mm
T.RC.SF002	带表	0-200mm	0.01mm





内卡尺
Degree gauge
T.RC.RR026



铜卡尺
Bass gauge
T.RC.RR029



测厚仪
Thickness gauge
T.RC.F0005
读数 Readability: 0-12.7mm
精度 Accuracy: 0.1mm



进口AM电子数显珍珠卡尺
Alfa Mirage
T.RC.F0006
读数 Readability: 0-25mm
精度 Accuracy: 0.1mm



三用宝石圆形数显卡规
Digital gem gauge
T.RC.F0002
读数 Readability: 0-25mm
精度 Accuracy: 0.01mm



三用宝石微型数显卡表
Mini digital gem gauge
T.RC.F0003
读数 Readability: 0-25mm
精度 Accuracy: 0.01mm



圆表千分尺
Round table micrometer caliper
T.RC.F0004
读数 Readability: 0-20mm
精度 Accuracy: 0.1mm



哈量外径千分尺
Digital micrometer caliper
T.RC.HL001
读数 Readability: 0-25mm



千分尺
Micrometer caliper
T.RC.ZX001
读数 Readability: 0-25mm



头戴式放大镜
Round table micrometer caliper
T.DL.H0001



头戴式放大镜
Digital micrometer caliper
T.DL.H0003



头戴式放大镜
Micrometer caliper
T.DL.H0005



单光放大镜
LED jewelry loupe

T.DL.780110 10X-21mm
T.DL.780115 15X-21mm
T.DL.780120 20X-21mm
T.DL.780130 30X-21mm



双光放大镜
LED jewelry loupe

T.DL.780210 10X-21mm
T.DL.780215 15X-21mm
T.DL.780220 20X-21mm
T.DL.780230 30X-21mm
T.DL.780240 40X-21mm



充电珠宝放大镜
LED jewelry loupe

T.DL.780410 10X-22mm
T.DL.780415 15X-22mm
T.DL.780420 20X-22mm
T.DL.780430 30X-22mm
T.DL.780440 40X-22mm



多边珠宝放大镜
Jewelry loupe

T.DL.7027D 10X-20.5mm
T.DL.7028D 15X-20.5mm
T.DL.7029D 20X-20.5mm
T.DL.7030D 30X-20.5mm



多边金珠宝放大镜
Jewelry loupe

T.DL.7027C 10X-20.5mm
T.DL.7028C 15X-20.5mm
T.DL.7029C 20X-20.5mm
T.DL.7030C 30X-20.5mm



多边黑珠宝放大镜
Jewelry loupe

T.DL.7027B 10X-20.5mm
T.DL.7028B 15X-20.5mm
T.DL.7029B 20X-20.5mm
T.DL.7030B 30X-20.5mm



多边亮珠宝放大镜
Jewelry loupe

T.DL.7027A 10X-20.5mm
T.DL.7028A 15X-20.5mm
T.DL.7029A 20X-20.5mm
T.DL.7030A 30X-20.5mm



多边喷砂珠宝放大镜
Jewelry loupe

T.DL.7820 10X-20.5mm
T.DL.7821 15X-20.5mm
T.DL.7822 20X-20.5mm
T.DL.7823 30X-20.5mm



拉丝珠宝放大镜
Jewelry loupe

T.DL.7840 10X-18mm
T.DL.7841 14X-12mm
T.DL.7842 20X-12mm



小弧珠宝放大镜
Jewelry loupe

T.DL.7001A 10X-12mm
T.DL.7002A 15X-12mm
T.DL.7003A 20X-12mm



小弧黑珠宝放大镜
Jewelry loupe

T.DL.7001B 10X-12mm
T.DL.7002B 15X-12mm
T.DL.7003B 20X-12mm



小弧金珠宝放大镜
Jewelry loupe

T.DL.7001C 10X-12mm
T.DL.7002C 15X-12mm
T.DL.7003C 20X-12mm



大弧亮珠宝放大镜
Jewelry loupe

T.DL.7007A 10X-18mm
T.DL.7008A 15X-18mm
T.DL.7009A 20X-18mm
T.DL.7010A 30X-18mm



大弧黑珠宝放大镜
Jewelry loupe

T.DL.7007B 10X-18mm
T.DL.7008B 15X-18mm
T.DL.7009B 20X-18mm
T.DL.7010B 30X-18mm



大弧金珠宝放大镜
Jewelry loupe

T.DL.7007C 10X-18mm
T.DL.7008C 15X-18mm
T.DL.7009C 20X-18mm
T.DL.7010C 30X-18mm



大弧胶皮珠宝放大镜
Jewelry loupe

T.DL.7007D 10X-18mm
T.DL.7008D 15X-18mm
T.DL.7009D 20X-18mm
T.DL.7010D 30X-18mm



珠宝放大镜
Jewelry loupe

T.DL.7014A 10X-21mm
T.DL.7015A 15X-21mm
T.DL.7016A 20X-21mm
T.DL.7017A 30X-21mm



珠宝放大镜
Jewelry loupe

T.DL.7014B 10X-21mm
T.DL.7015B 15X-21mm
T.DL.7016B 20X-21mm
T.DL.7017B 30X-21mm



珠宝放大镜
Jewelry loupe

T.DL.7014C 10X-21mm
T.DL.7015C 15X-21mm
T.DL.7016C 20X-21mm
T.DL.7017C 30X-21mm



珠宝放大镜
Jewelry loupe

T.DL.7014D 10X-21mm
T.DL.7015D 15X-21mm
T.DL.7016D 20X-21mm
T.DL.7017D 30X-21mm



多边异形放大镜
Jewelry loupe

T.DL.7825 10X-20.5mm
T.DL.7826 15X-20.5mm
T.DL.7827 20X-20.5mm
T.DL.7828 30X-20.5mm



多边异形胶皮放大镜
Jewelry loupe

T.DL.7825R 10X-20.5mm
T.DL.7826R 15X-20.5mm
T.DL.7827R 20X-20.5mm
T.DL.7828R 30X-20.5mm



多边异形放大镜
Jewelry loupe

T.DL.7825B 10X-20.5mm
T.DL.7826B 15X-20.5mm
T.DL.7827B 20X-20.5mm
T.DL.7828B 30X-20.5mm



多边黑异形胶皮放大镜
Jewelry loupe

T.DL.7825BR 10X-20.5mm
T.DL.7826BR 15X-20.5mm
T.DL.7827BR 20X-20.5mm
T.DL.7828BR 30X-20.5mm



珠宝放大镜
Jewelry loupe

T.DL.7021A 10X-18mm
T.DL.7022A 15X-18mm
T.DL.7023A 20X-18mm



珠宝放大镜
Jewelry loupe

T.DL.7021B 10X-18mm
T.DL.7022B 15X-18mm
T.DL.7023B 20X-18mm



珠宝放大镜
Jewelry loupe

T.DL.7830
10X-20.5mm



珠宝放大镜
Jewelry loupe

T.DL.7036
10X-21mm, 25X-8mm



珠宝放大镜
Jewelry loupe

T.DL.7034
10X-18mm, 20X-12mm



珠宝放大镜
Jewelry loupe

T.DL.7033
10X-18mm, 15X-12mm



珠宝放大镜
Jewelry loupe

T.DL.7055A
10X, 15X, 20X



珠宝放大镜
Jewelry loupe

T.DL.7055C
10X, 15X, 20X



珠宝放大镜
Jewelry loupe

T.DL.7064A, 10X-12mm
T.DL.7065A, 10X-14mm
T.DL.7066A, 10X-15mm



珠宝放大镜
Jewelry loupe

T.DL.7067A 10X-23mm
T.DL.7068A 15X-23mm



珠宝放大镜
Jewelry loupe

T.DL.7070A 10X-18mm
T.DL.7072A 10X-21mm
T.DL.7073A 15X-21mm



珠宝放大镜
Jewelry loupe

T.DL.7812, 10X-18mm
T.DL.7813, 20X-18mm



珠宝放大镜
Jewelry loupe

T.DL.7810, 10X-20.5mm



珠宝放大镜
Jewelry loupe

T.DL.7805, 10X-18mm



珠宝放大镜
Jewelry loupe

T.DL.7866, 10X-18mm



珠宝放大镜
Jewelry loupe

T.DL.7888, 10X-21mm



工具放大镜
Magnifying glass
T.DL.7095, 15X-18mm



透明座放大镜
Magnifying glass
T.DL.7092, 10X-21mm



文镇放大镜
Magnifying glass
T.DL.7163, 4x60mm



三角架放大镜
Magnifying glass
T.DL.7093, 10x21mm



必佳透明放大镜
Magnifying glass
T.DL.7696 10x30mm



切工放大镜
Magnifying glass
T.DL.7109




透明座显微镜
Magnifying glass
T.DL.7573 50X
T.DL.7574 75X



折叠式放大镜
Magnifying glass
T.DL.7140 6x30mm



折叠式放大镜
Magnifying glass
T.DL.7141 6x30mm



折叠式放大镜
Magnifying glass
T.DL.7142 6x21mm



折叠式放大镜
Magnifying glass
T.DL.7144 10x14mm



LED折叠式放大镜
Magnifying glass
T.DL.7148 6x30mm



腰码放大镜
Magnifying glass
T.DL.7105-3 20X



金属腰码放大镜
Magnifying glass
T.DL.7106-3 20X



迷你钻石标尺镜
Magnifying glass
T.DL.7097 10x17mm



迷你圆筒放大镜
Magnifying glass
T.DL.7099 6X



高清圆筒刻度放大镜
Magnifying glass

T.DL.7013 10x18mm
T.DL.7014 15x18mm
T.DL.7015 20x18mm
T.DL.7016 30x18mm



手持式放大镜
Magnifying glass

T.DL.7123 10x21mm



暗视场宝石放大镜
Magnifying glass

T.DL.7201



LED暗视场宝石放大镜
Magnifying glass

T.DL.7220



大标尺放大镜
Magnifying glass

T.DL.7173 10x25mm



小标尺放大镜
Magnifying glass

T.DL.7170 7x21mm 10x21mm



LED刻度放大镜
Magnifying glass

T.DL.7174



充电标尺放大镜
Magnifying glass

T.DL.7178 10x30mm
T.DL.7179 15x30mm



LED小套装刻度放大镜
Magnifying glass

T.DL.7172



LED大套装刻度放大镜
Magnifying glass

T.DL.7175



LED偏光镜
Polarizing filter

T.DL.7221



偏光镜
Polarizing filter

T.DL.7202



台式偏光镜
Polarizing filter

T.DL.7311



查尔斯双片滤色镜
Color filter

T.DL.7811 15x21mm



翡翠滤色镜
Color filter

T.DL.7300



翡翠滤色镜
Color filter

T.DL.7300-B



查尔斯滤色镜
Color filter

T.DL.7301



查尔斯滤色镜
Color filter

T.DL.7301B



红宝石滤色镜
Color filter

T.DL.7302



偏光(新)二色镜
Color filter

T.DL.7209



宝石分光镜
Spektroskop gemological arac
T.DL.7207



宝石二色镜
Spektroskop gemological arac
T.DL.7208



棱镜分光镜
Spektroskop gemological arac
T.DL.7204



银色光栅分光镜
Spektroskop gemological arac
T.DL.7206



调焦分光镜
Spektroskop gemological arac
T.DL.7208

显微镜镊子
Wire gem clamp with mounting post



T.DL.7340



T.DL.7343



T.DL.7344



精品显微镜
Microscope
T.DL.7503 20X
T.DL.7504 40X
T.DL.7505 60X
T.DL.7506 100X



LED精品显微镜
Microscope
T.DL.7515 20X
T.DL.7516 40X
T.DL.7517 60X
T.DL.7518 100X



充电精品显微镜
Microscope
T.DL.7525 20X
T.DL.7526 40X
T.DL.7527 60X
T.DL.7528 100X



小精品显微镜
Microscope
T.DL.7511 50X
T.DL.7513 100X



手持显微镜
Microscope
T.DL.7582 50X
T.DL.7585 75X



笔式显微镜(带刻度)
Microscope
T.DL.7592 50X
T.DL.7593 100X

笔式显微镜
Microscope
T.DL.7596 50X
T.DL.7598 100X

双目暗视场显微镜
Binocular hint field microscope



T.DL.ZTXE-ZB



T.DL.ZTXE-ZB

产品型号配置表 SPECIFICATIONS LIST

配置项目 Component	规格 Specifications	T.DL.ZTXE-ZB	T.DL.ZTXE-ZB
机头 Viewing Head	双目 Inclined binocular	●	●
	三目 Inclined trinocular	○	
	机头360°旋转 360° rotatable	●	●
目镜 Eyepiece	SWF10X	●	
	HWF10X	○	
	WF15X	○	○
	WF20X	○	○
物镜 Objective	0.67X~4.5X		
	1X-4X	●	
	2X/4X		●
	1X/3X		○
	1X/2X		○
照射光 Incident Light	12V10W卤素灯 12V10W halogen light	●	●
	10W荧光灯 10W fluorescent light	●	○
	单束光纤 Single fiber		
透射光 Transmitted light	12V10W卤素灯 12V10W halogen light	●	●
附件 Attachment	珠宝钳 Jewel tweezer	●	●
	珠宝工作台 (带光栏) Darkfield working stage (with diaphragm)	●	●
调光装置 Light-dimmer	拨盘调光 Dial dimmer switch	●	●
数码接口 Camera Interface	C型 CType		
	H型 HType		

注: ● 标准配置 standard ○ 选购配置 Optiona

双目定位显微镜
Microscope



产品型号配置表 SPECIFICATIONS LIST

配置项目 Component	规格 Specifications	T.DLZTX-E-C3	T.DLZTX-E	T.DLZTX-3E	T.DLZTX-3E-C3
观察头 Viewing Head	双目立体45° Binocular stereo 45°	•	•		
	三目立体45° Three-eye stereo 45°			•	•
瞳距调节 Interpupillary distance	55mm-75mm	•	•	•	•
目镜 Eyepiece	SWF10X/22mm	•	•	•	•
	WF15X/15mm	○	○	○	○
	WF20X/10mm	○	○	○	○
物镜 Objective	1X-4X	•	•	•	•
工作距离 Working Distance	91mm	•	•	•	•
机座 Base	圆立柱 Circinal pillar	•	•	•	•
	方立柱 Quadrate pillar				•
	扇形底座 Fan-shaped	•	•	•	
	方底座 Square				•
照明系统 Illumination	上下光卤素灯 Halogen light	•	•	•	•
	双支LED软管灯 Dual goose LED light		○	○	
调光方式 Light-dimmer	旋钮式调光 Knob dimmer switch	○	○	○	○
	拨盘式调光 Dial dimmer switch	•	•	•	•
相机接口 The camera interface	H型 H Type			•	•
	C型 C Type			○	○

注：• 标准配置 standard ○ 选购配置 Optiona (可选配件：电子目镜 Optional Accessory: CCD)

显微镜
Microscope

产品型号配置表 SPECIFICATIONS LIST

配置项目 Component	规格 Specifications	T.DL.XTX-5B	T.DL.XTX-5C	T.DL.XTX-6CW	T.DL.XTX-7CW
观察头 Viewing Head	双目45°瞳距55-76mm 头部旋转45° inclined binocular head, interpupillary distance is from 55mm to 76mm	●	●	●	●
	WF10X/20mm	●	●	●	●
目镜 Eyepiece	WF15X/15mm	○	○	○	○
	WF20X/10mm	○	○	○	○
	2X/4X	●	●	●	●
物镜 Objective	1X/3X	○	○	○	○
工作距离 Working Distance	1X/2X	○	○	○	○
机座 Base	76mm	●	●	●	●
	圆立柱 Circinal pilar	●	●		
	方立柱 Quadrate pillar			●	●
	无光源 No				
调光方式 Light-dimmer	LED上下光源 LED	●	●	●	●
	上下卤素灯 Halogen light	○	○	○	○
调光方式 Light-dimmer	旋钮式调光 Knob dimmer switch	○	○	○	○
	拨盘式调光 Dial dimmer switch	○	○	●	●

注: ● 标准配置 standard ○ 选购配置 Optiona



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy
M.ES.A0300-B	300g	Φ85mm	0.01g
M.ES.A0500-B	500g	Φ85mm	0.01g
M.ES.A0600-B	600g	Φ85mm	0.01g
M.ES.A1000-B	1000g	Φ85mm	0.01g
M.ES.A1200-B	1200g	Φ85mm	0.01g
M.ES.A2000-B	2000g	Φ85mm	0.01g
M.ES.A3000-B	3000g	Φ85mm	0.01g
M.ES.A5000-B	5000g	Φ85mm	0.01g



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.A0300-C	300g	Φ85mm	0.01g	280×188×170mm
M.ES.A0500-C	500g	Φ85mm	0.01g	280×188×170mm
M.ES.A0600-C	600g	Φ85mm	0.01g	280×188×170mm
M.ES.A1000-C	1000g	Φ85mm	0.01g	280×188×170mm
M.ES.A1200-C	1200g	Φ85mm	0.01g	280×188×170mm
M.ES.A2000-C	2000g	Φ85mm	0.01g	280×188×170mm
M.ES.A3000-C	3000g	Φ85mm	0.01g	280×188×170mm
M.ES.A5000-C	5000g	Φ85mm	0.01g	280×188×170mm



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.A0100	120g	Φ130mm	0.001g	280×188×170mm
M.ES.A0200	200g	Φ130mm	0.001g	280×188×170mm
M.ES.A0300	300g	Φ130mm	0.001g	280×188×170mm



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.A2000	2000g	160×160mm	0.1g	280×188×80mm
M.ES.A3000	3000g	160×160mm	0.1g	280×188×80mm
M.ES.A5000	5000g	160×160mm	0.1g	280×188×80mm
M.ES.A6000	6000g	160×160mm	0.1g	280×188×80mm
M.ES.10000	10000g	160×160mm	0.1g	280×188×80mm



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy
M.ES.A0600-E	600g	Φ85mm	0.01g
M.ES.A1200-E	1200g	Φ85mm	0.01g
M.ES.A2000-E	2000g	Φ85mm	0.01g
M.ES.A3000-E	3000g	Φ85mm	0.01g




电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.A0300-F	300g	Φ120mm	0.01g	270×170×80mm
M.ES.A0500-F	500g	Φ120mm	0.01g	270×170×80mm
M.ES.A0600-F	600g	Φ120mm	0.01g	270×170×80mm
M.ES.A1000-F	1000g	Φ120mm	0.01g	270×170×80mm
M.ES.A1200-F	1200g	Φ120mm	0.01g	270×170×80mm



电子称
Electronic scales


代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0120-I	120g	Φ120mm	0.001g	270×170×80mm
M.ES.F0220-I	220g	Φ120mm	0.001g	270×170×80mm
M.ES.F0320-I	320g	Φ120mm	0.001g	270×170×80mm
M.ES.F0320-I	520g	Φ120mm	0.001g	270×170×80mm



电子称
Electronic scales

外校 External correction

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.FA1004X	100g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA1204X	120g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA2004X	200g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA2204X	220g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA3004X	300g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA3204X	320g	Φ90mm	0.1mg	320×212×350mm



电子称
Electronic scales

内校 Internal correction

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.FA1004XN	100g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA1204XN	120g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA2004XN	200g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA2204XN	220g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA3004XN	300g	Φ90mm	0.1mg	320×212×350mm
M.ES.FA3204XN	320g	Φ90mm	0.1mg	320×212×350mm



电子称
Electronic scales

外校 External correction

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.FA1004C	100g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA1204C	120g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA2004C	200g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA2204C	220g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA3004C	300g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA3204C	320g	Φ80mm	0.1mg	320×212×350mm	5.5kg



电子称
Electronic scales

内校 Internal correction

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.FA1004CN	100g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA1204CN	120g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA2004CN	200g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA2204CN	220g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA3004CN	300g	Φ80mm	0.1mg	320×212×350mm	5.5kg
M.ES.FA3204CN	320g	Φ80mm	0.1mg	320×212×350mm	5.5kg



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.TD2002D	200g	Φ125mm	0.01g	290×185×80mm	1.8kg
M.ES.TD5002D	500g	Φ125mm	0.01g	290×185×80mm	1.8kg
M.ES.TD10002D	1000g	Φ125mm	0.01g	290×185×80mm	1.8kg
M.ES.TD20002D	2000g	Φ125mm	0.01g	290×185×80mm	1.8kg



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.TD30002D	3000g	170×170mm	0.01g	290×185×80mm	2.2kg



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.TD50002A	5000g	155×143mm	0.01g	265×200×80mm	1.2kg



电子称
Electronic scales

数码显示 Digital display

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.YP2002	200g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP5002	500g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP6002	600g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP10002	1000g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP20002	2000g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP30002	3000g	125×163mm	0.01g	225×220×80mm	1.2kg



电子称
Electronic scales

液晶显示 LED

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.YP2002D	200g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP5002D	500g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP6002D	600g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP10002D	1000g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP20002D	2000g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP30002D	3000g	125×163mm	0.01g	225×220×80mm	1.2kg
M.ES.YP50002D	5000g	125×163mm	0.01g	225×220×80mm	1.2kg



电子称
Electronic scales

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.YP2002S	200g	143×192mm	0.01g	225×220×80mm	1.2kg
M.ES.YP5002S	500g	143×192mm	0.01g	225×220×80mm	1.2kg
M.ES.YP6002S	600g	143×192mm	0.01g	225×220×80mm	1.2kg
M.ES.YP10002S	1000g	143×192mm	0.01g	225×220×80mm	1.2kg
M.ES.YP20002S	2000g	143×192mm	0.01g	225×220×80mm	1.2kg
M.ES.YP30002S	3000g	143×192mm	0.01g	225×220×80mm	1.2kg




手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-F	100g	0.01g	128×78×19mm
M.ES.F0200-F	200g	0.01g	128×78×19mm
M.ES.F0300-F	300g	0.01g	128×78×19mm
M.ES.F0500-F	500g	0.01g	128×78×19mm
M.ES.F1000-F	1000g	0.01g	128×78×19mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-E	100g	0.01g	123×73×34mm
M.ES.F0200-E	200g	0.01g	123×73×34mm
M.ES.F0300-E	300g	0.01g	123×73×34mm
M.ES.F0500-E	500g	0.01g	123×73×34mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0200-H	200g	0.01g	165×104×23mm
M.ES.F0300-H	300g	0.01g	165×104×23mm
M.ES.F0500-H	500g	0.01g	165×104×23mm
M.ES.F1000-H	1000g	0.1g	165×104×23mm
M.ES.F2000-H	2000g	0.1g	165×104×23mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0200-G	200g	0.01g	166×111×22mm
M.ES.F0300-G	300g	0.01g	166×111×22mm
M.ES.F0500-G	500g	0.01g	166×111×22mm
M.ES.F1000-G	1000g	0.1g	166×111×22mm
M.ES.F2000-G	2000g	0.1g	166×111×22mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-B	100g	0.01g	112×73×15mm
M.ES.F0200-B	200g	0.01g	112×73×15mm
M.ES.F0200-B2	500g	0.1g	112×73×15mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0200-J	200g	0.01g	140×85×24mm
M.ES.F0300-J	300g	0.01g	140×85×24mm
M.ES.F0500-J	500g	0.01g	140×85×24mm
M.ES.F0600-J	600g	0.01g	140×85×24mm
M.ES.F1000-J	1000g	0.1g	140×85×24mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	平台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0050-I	50g	Φ68.6mm	0.001g	132.1×94×58.4mm
M.ES.F0100-I-1	100g	Φ68.6mm	0.001g	132.1×94×58.4mm
M.ES.F0100-I-2	100g	Φ68.6mm	0.002g	132.1×94×58.4mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-K	100g	0.01g	118×80×23mm
M.ES.F0200-K	200g	0.01g	118×80×23mm
M.ES.F0300-K	300g	0.01g	118×80×23mm
M.ES.F0500-K-1	500g	0.01g	118×80×23mm
M.ES.F0500-K-2	500g	0.1g	118×80×23mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-M	100g	62.2×53.7mm	0.01g	160×68×20mm
M.ES.F0200-M	200g	62.2×53.7mm	0.01g	160×68×20mm
M.ES.F0300-M	300g	62.2×53.7mm	0.01g	160×68×20mm
M.ES.F0500-M-1	500g	62.2×53.7mm	0.01g	160×68×20mm
M.ES.F0500-M-2	500g	62.2×53.7mm	0.1g	160×68×20mm
M.ES.F1000-M	1000g	62.2×53.7mm	0.1g	160×68×20mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-N	100g	160×68×20mm	0.01g	160×68×20mm
M.ES.F0200-N	200g	160×68×20mm	0.01g	160×68×20mm
M.ES.F0300-N	300g	160×68×20mm	0.01g	160×68×20mm
M.ES.F0500-N-1	500g	160×68×20mm	0.01g	160×68×20mm
M.ES.F0500-N-2	500g	160×68×20mm	0.1g	160×68×20mm
M.ES.F1000-N	1000g	160×68×20mm	0.1g	160×68×20mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-O	100g	0.01g	81×62×23mm
M.ES.F0200-O	200g	0.01g	81×62×23mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-1	100g	75×63mm	0.01g	120×75×19mm
M.ES.F0200-C	200g	75×63mm	0.01g	120×75×19mm
M.ES.F0300-A	300g	75×63mm	0.01g	120×75×19mm
M.ES.F0500-1	500g	75×63mm	0.01g	120×75×19mm
M.ES.F0500-B	500g	75×63mm	0.1g	120×75×19mm
M.ES.F1000-1	1000g	75×63mm	0.1g	120×75×19mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-P	100g	0.01g	114×76×19.5mm
M.ES.F0200-P	200g	0.01g	114×76×19.5mm
M.ES.F0300-P	300g	0.01g	114×76×19.5mm
M.ES.F0500-P-1	500g	0.01g	114×76×19.5mm
M.ES.F0500-P-2	500g	0.1g	114×76×19.5mm
M.ES.F1000-P	1000g	0.1g	114×76×19.5mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0500-Q	500g	0.01g	165×100×20mm
M.ES.F2000-Q	2000g	0.1g	165×100×20mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0500-R	500g	0.01g	112×85×23mm
M.ES.F1000-R	1000g	0.01g	112×85×23mm
M.ES.F2000-R	2000g	0.1g	112×85×23mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-S	100g	0.01g	72×120×20mm
M.ES.F0200-S	200g	0.01g	72×120×20mm
M.ES.F0300-S	300g	0.01g	72×120×20mm
M.ES.F0500-S-1	500g	0.01g	72×120×20mm
M.ES.F0500-S-2	500g	0.1g	72×120×20mm
M.ES.F1000-S	1000g	0.1g	72×120×20mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0600-T	600g	0.01g	165×115×20mm
M.ES.F1000-T	1000g	0.1g	165×115×20mm
M.ES.F2000-T	2000g	0.1g	165×115×20mm
M.ES.F3000-T	3000g	0.1g	165×115×20mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions	重量 Weight
M.ES.F0600-U	600g	100×100mm	0.01g	142×100×15mm	302g
M.ES.F1000-U	1000g	100×100mm	0.1g	142×100×15mm	302g
M.ES.F2000-U	2000g	100×100mm	0.1g	142×100×15mm	302g
M.ES.F3000-U	3000g	100×100mm	0.1g	142×100×15mm	302g



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-V	100g	0.01g	90×50×14mm
M.ES.F0200-V	200g	0.01g	90×50×14mm
M.ES.F0300-V	500g	0.1g	90×50×14mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-W	100g	0.01g	70×40×10mm
M.ES.F0200-W	200g	0.01g	70×40×10mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-X	100g	0.01g	70×40×10mm
M.ES.F0200-X	200g	0.01g	70×40×10mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-X	100g	0.01g	70×40×10mm
M.ES.F0200-X	200g	0.01g	70×40×10mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0500-Z	500g	0.01g	Φ90mm
M.ES.F1000-Z	1000g	0.1g	Φ90mm
M.ES.F2000-Z	2000g	0.1g	Φ90mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-1	100g	58×58mm	0.01g	140×84×23mm
M.ES.F0200-1	200g	58×58mm	0.01g	140×84×23mm
M.ES.F0500-1	500g	58×58mm	0.01g	140×84×23mm
M.ES.F1000-1	1000g	58×58mm	0.1g	140×84×23mm
M.ES.F2000-1	2000g	58×58mm	0.1g	140×84×23mm



手掌称
Pocket digital scale

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0100-2	100g	58×58mm	0.01g	140×84×23mm
M.ES.F0200-2	200g	58×58mm	0.01g	140×84×23mm
M.ES.F0500-2	500g	58×58mm	0.01g	140×84×23mm
M.ES.F1000-2	1000g	58×58mm	0.1g	140×84×23mm
M.ES.F2000-2	2000g	58×58mm	0.1g	140×84×23mm




手掌称
Pocket digital scale

代码 Model	称量 Capacity	秤台尺寸 Platform size	精度 Accuracy	外形尺寸 Dimensions
M.ES.F0500-Z	100g	50×40mm	0.01g	90×50×18mm
M.ES.F1000-Z	200g	50×40mm	0.01g	90×50×18mm

铸造工艺流程

Casting Process





注：画册所有图片及资料仅供参考，以实物为准。本画册资料版权所有，翻印必究。
如有更改不另行通知，最终解释权归本公司。

Photo in catalog is subject to real product. Yihui reserves the right to amend the content without prior notice.
All rights reserved any copies will be investigated. Yihui reserves the right of final interpretation.



Yihu! Casting®

艺辉铸造科技有限公司
Yihui Casting Technology Co., Ltd

2025.02

📍 广东省广州市番禺区沙南路50号
No.50, Shanan Road, Panyu District, Guangzhou City, Guangdong Province, China
☎ +86-20-347 34999 / 34734 666 / 8487 1666
☎ +86-20-8487 2122
✉ info@yihuicasting.com
🌐 yihuicasting.com yihuicasting.cn



浏览官网



Browse Website